



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE250A
Lot/Part number:	4225238	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	5000		
Test device:	CNCTB89J52 / CNCT91LGQS / CNCT990GV5	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	22	Relative humidity:	40
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	02/02/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 5327		Yes	Sample 1
2 6020		Yes	Sample 2
3 7800		Yes We use for A1 the	Sample 3
4 5728		Yes MAX, for A2 the	Sample 4
5 5960		Yes MEDIAN and for A3 the	Sample 5
6 6410		Yes MIN value of the list at	Sample 6
7 5984		Yes left	Sample 7
8 6215		Yes	Sample 8
9 6780		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 5000		Yes/no Yes	OEM Sample/Spec
2 5000		Yes/no Yes	OEM Sample/Spec
3 5000		Yes/no Yes	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	7800	6020	5327	6382
Yield V: $(V1+V2+V3)/3=\bar{V}$	5000	5000	5000	5000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,28

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	24		
Average value of the 2 areas F comparing print V1:	23,1		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	25		
Average value of the 2 areas F comparing print V2:	22,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	23,7		
Average value of the 2 areas F comparing print V3:	23,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,3	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,8	70,6	48,6	26,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	1,6	2,7	4,1
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,9	68,4	47,2	25

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	1,4	3,4	3,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,1	0,2	0,7	1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	91,1	69,8	47,4	26,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	1	4,2	2,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,7	66,8	44	24,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	3,1	3,1	2,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	2,1	1,1	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	70,7	49,1	26,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,7	2	3	4,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,7	68,2	44,7	24,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	1,5	3,2	2,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,4	0,5	0,2	1,4
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE251A
Lot/Part number:	4212566	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	7000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	CNCTB89J52 / CNCT91LGQS / CNCT9DHCDC	Relative humidity:	45
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	20/11/2014

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 7207		Yes	Sample 1
2 7450		Yes	Sample 2
3 7331		Yes We use for A1 the	Sample 3
4 7875		Yes MAX, for A2 the	Sample 4
5 8271		Yes MEDIAN and for A3 the	Sample 5
6 7868		Yes MIN value of the list at	Sample 6
7 7898		Yes left	Sample 7
8 7864		Yes	Sample 8
9 7225		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 7000		Yes/no Yes	OEM Sample/Spec
2 7000		Yes/no Yes	OEM Sample/Spec
3 7000		Yes/no Yes	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3 = \bar{A}$	8271	7864	7207	7781
Yield V: $(V1+V2+V3)/3 = \bar{V}$	7000	7000	7000	7000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ = \bar{A}/\bar{V}$	1,11

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	52,4		
Average value of the 2 areas F comparing print V1:	49,1		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,3	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	52,4		
Average value of the 2 areas F comparing print V2:	49		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,4	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	52,4		
Average value of the 2 areas F comparing print V3:	49		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,4	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

CYAN

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	89,1	76,3	51,4	53,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	1,6	1,3	1,8
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	89,1	74,7	51,2	51,9

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	3,5	2,7	4,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,1	1,9	1,4	2,5
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	90,2	78,3	55,4	54,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,1	2,5	4,3	3,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,2	72,7	51,6	51,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,1	4,2	2,9	4,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	1,7	1,4	1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	88,6	76,8	54,5	53,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	3,9	2	2,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	85,9	71,2	51,1	51,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	2,3	2,6	3,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,6	1,6	0,6	1,1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE253A
Lot/Part number:	4208262	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	7000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	CNCTB89J52 / CNCT91LGQS / CNCT9DHCDC	Relative humidity:	45
Test climate:	Temperature: 23	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic	Test date:	20/11/2014

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 7342		Yes	Sample 1
2 7357		Yes	Sample 2
3 7812		Yes	We use for A1 the
4 7428		Yes	MAX, for A2 the
5 8574		Yes	MEDIAN and for A3 the
6 7875		Yes	MIN value of the list at
7 7811		Yes	left
8 8780		Yes	Sample 7
9 7434		Yes	Sample 8
		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 7000		Yes/no	Yes
2 7000		Yes/no	Yes
3 7000		Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	8780	7811	7342	7978
Yield V: $(V1+V2+V3)/3=\bar{V}$	7000	7000	7000	7000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,14

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	47,5		
Average value of the 2 areas F comparing print V1:	47,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	45,3		
Average value of the 2 areas F comparing print V2:	46,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	46,1		
Average value of the 2 areas F comparing print V3:	47,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,4	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90	75	61,8	48,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	1,5	1,3	2,3
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,6	77	63,9	49,7

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	2,6	3	3,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,4	1,1	1,7	1,5
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	90,1	75,7	62	47,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	3,7	3,3	2,8
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,6	75,6	61,8	47,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	2,7	1,9	3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	1	1,4	0,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	75,9	62	47,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	1,7	1,5	2,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89	73,9	60,8	49,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	0,8	1,1	2,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,2	0,9	0,4	0,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE252A
Lot/Part number:	4208279	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	7000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	CNCTB89J52 / CNCT91LGQS / CNCT9DHCDC	Relative humidity:	45
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	20/11/2014

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 7908		Yes	Sample 1
2 7334		Yes	Sample 2
3 7754		Yes	Sample 3
4 7989		Yes	Sample 4
5 8366		Yes	Sample 5
6 7900		Yes	Sample 6
7 7895		Yes	Sample 7
8 8080		Yes	Sample 8
9 8671		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 7000		Yes/no	OEM Sample/Spec
2 7000		Yes/no	OEM Sample/Spec
3 7000		Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	8671	7908	7334	7971
Yield V: $(V1+V2+V3)/3=\bar{V}$	7000	7000	7000	7000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,14

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	87		
Average value of the 2 areas F comparing print V1:	88,7		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	86,6		
Average value of the 2 areas F comparing print V2:	88,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,6	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	86,6		
Average value of the 2 areas F comparing print V3:	87,7		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,1	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	93,7	91,2	88,4	87,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	1	1	1
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	93,4	92,5	90,4	89,3

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,7	1,4	1,7	1,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,3	0,4	0,7	0,6
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	93,4	91	88,6	87,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	3	1,2	1,8	1,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	94,1	92,4	90,3	89,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	2	1,9	2,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2	0,8	0,1	1,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	93,6	90,7	88	87
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	0,7	0,7	0,8
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	94	90,7	88,3	87,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	0,6	0,5	0,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,4	0,1	0,2	0,1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed