



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE740A
Lot/Part number:	4214072	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	7000		
Test device:	CNCTC1511H / CNFTCDD09M / CNGTFDY0Z7	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	23	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	04/05/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	9620	Yes	Sample 1
2	8100	Yes	Sample 2
3	8869	Yes	Sample 3
4	9829	Yes	Sample 4
5	8690	Yes	Sample 5
6	7779	Yes	Sample 6
7	8354	Yes	Sample 7
8	7650	Yes	Sample 8
9	8936	Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	7000	Yes/no	OEM Sample/Spec
2	7000	Yes/no	OEM Sample/Spec
3	7000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	9829	8690	7650	8723
Yield V: $(V1+V2+V3)/3=\bar{V}$	7000	7000	7000	7000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,25

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	32,7		
Average value of the 2 areas F comparing print V1:	32,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	31,2		
Average value of the 2 areas F comparing print V2:	26,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,8	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	29,3		
Average value of the 2 areas F comparing print V3:	27,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,4	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	70,5	52,9	32,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	1,5	1,7	1,2
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,2	73,6	55,4	32,8

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	0,4	0,6	0,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,7	1,1	1,1	0,3
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	87,8	67,6	50,1	33,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	1,4	1,4	3,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,5	68,5	49,9	27,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	2,2	1,7	3,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	0,8	0,3	0,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	88	69,4	52,3	32,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,5	4,9	5,4	4,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,4	70,4	52	29,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	0,7	1,4	3,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,3	4,2	4	1,1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE741A
Lot/Part number:	4214089	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	7300		
Test device:	CNCTC1511H / CNFTCDD09M / CNGTFDY0Z7	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	23	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	04/05/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 9620		Yes	Sample 1
2 8690		Yes	Sample 2
3 8560		Yes	We use for A1 the
4 9571		Yes	MAX, for A2 the
5 8350		Yes	MEDIAN and for A3 the
6 8964		Yes	MIN value of the list at
7 8845		Yes	left
8 8354		Yes	Sample 7
9 8621		Yes	Sample 8
		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 7300		Yes/no	Yes
2 7300		Yes/no	Yes
3 7300		Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

	CYAN			
	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3 = \bar{A}$	9620	8690	8350	8887
Yield V: $(V1+V2+V3)/3 = \bar{V}$	7300	7300	7300	7300
Alternative:				
Yield A: Result of test after ISO/IEC 19752 $\bar{A}$				
Reference to the test protocol:				
Test date:				
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$				
Reference to the test protocol:				
Test date:				
Result: $EZ = \bar{A}/\bar{V}$				1,22
Is the expected yield (EZ) reached?	Yes	No	Not Aplicable	
Is the expected page yield reached?	YES			

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	51,6		
Average value of the 2 areas F comparing print V1:	48,7		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	52		
Average value of the 2 areas F comparing print V2:	48,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,5	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	50,7		
Average value of the 2 areas F comparing print V3:	47,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,8	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

	CYAN			
Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,7	75,1	54,8	52,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	1	1,9	2,2
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	77,1	51,7	50,6

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	0,4	2,8	3,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,5	0,6	0,9	1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	88,7	76,5	55,6	54,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	1,4	1,8	3,3
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,7	73,3	51	50,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	1,3	2,3	3,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	0,1	0,5	0
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	88,8	75,1	54,4	52,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,3	2,8	2	3,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,3	73,4	51,4	49,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	1,2	2	2,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,6	1,6	0	1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE742A
Lot/Part number:	4214102	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	7300		
Test device:	CNCTC1511H / CNFTCDD09M / CNGTFDY0Z7	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	23	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	04/05/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 8512		Yes	Sample 1
2 7569		Yes	Sample 2
3 7325		Yes	Sample 3
4 8505		Yes	Sample 4
5 8350		Yes	Sample 5
6 7820		Yes	Sample 6
7 9098		Yes	Sample 7
8 8947		Yes	Sample 8
9 9014		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 7300		Yes/no	OEM Sample/Spec
2 7300		Yes/no	OEM Sample/Spec
3 7300		Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or V)
Yield A: $(A1+A2+A3)/3=\bar{A}$	9098	8505	7325	8309
Yield V: $(V1+V2+V3)/3=V$	7300	7300	7300	7300

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 V	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/V$	1,14

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	85,9		
Average value of the 2 areas F comparing print V1:	89,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,4	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	83,9		
Average value of the 2 areas F comparing print V2:	88		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	84,1		
Average value of the 2 areas F comparing print V3:	87,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,7	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,2	89,2	87,3	86,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	0,8	1,2	1,4
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,7	92,2	90,9	89,1

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	0,4	0,3	0,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,5	0,4	0,9	1,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	91,3	89,7	87,8	86,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,8	2,4	2,6	3,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,4	91,5	89,4	88,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	1,5	1,2	1,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2	0,9	1,4	2,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	90,2	89,6	87,6	87
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	2,2	2,5	4,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,5	91	89,3	88,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,2	0,4	0,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,6	2	2,1	3,7
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE743A
Lot/Part number:	4214096	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	7300		
Test device:	CNCTC1511H / CNFTCDD09M / CNGTFDY0Z7	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	23	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	04/05/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	8112	Yes	Sample 1
2	7414	Yes	Sample 2
3	7542	Yes	We use for A1 the
4	7936	Yes	MAX, for A2 the
5	8350	Yes	MEDIAN and for A3 the
6	7815	Yes	MIN value of the list at
7	7827	Yes	left
8	7770	Yes	Sample 7
9	7940	Yes	Sample 8
			Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	7300	Yes/no	Yes
2	7300	Yes/no	Yes
3	7300	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner? Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Is there a test report about the AMES test of the used toner? Yes/no **Not Aplicable**

If not: Description **All MSDSs mention Ames test**

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original? Yes/no **Yes**

Is the interaction between printer and toner module acceptable? Yes/no **Yes**

If not: Description

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted? Yes/no **Yes**

If not: Describe fault

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	8350	7827	7414	7864
Yield V: $(V1+V2+V3)/3=\bar{V}$	7300	7300	7300	7300

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,08

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	52,9		
Average value of the 2 areas F comparing print V1:	50,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	50		
Average value of the 2 areas F comparing print V2:	50,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,3	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	50,3		
Average value of the 2 areas F comparing print V3:	50,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,6	74,1	61,5	50,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	3,2	2,2	3,3
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,4	79,3	65,8	51,4

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	0,9	1,3	1,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,1	2,3	0,9	2,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	88,2	75,4	63	49,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	3	5,1	5,5	1,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,2	78	62,6	50,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	3,7	2,6	0,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2	1,4	2,9	0,7
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	88,6	76,4	64,6	49
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,4	5,4	5,8	3,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	76,2	62,4	51,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	1,4	1,6	1,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2	4	4,2	1,9
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed