



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CLT-K504S/ELS
Lot/Part number:	4235749	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	2500	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	Z0D1BJEG40003GP / Z0D1BJEF40005HY / Z0D1BJEG30006WO		
Test climate:			
Temperature:	23	Relative humidity:	52
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	10/12/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	3264	Yes	Sample 1
2	2985	Yes	Sample 2
3	3215	Yes	Sample 3
4	3065	Yes	Sample 4
5	3114	Yes	Sample 5
6	3005	Yes	Sample 6
7	3263	Yes	Sample 7
8	2950	Yes	Sample 8
9	2963	Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	2500	Yes/no	OEM Sample/Spec
2	2500	Yes/no	OEM Sample/Spec
3	2500	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3264	3065	2950	3093
Yield V: $(V1+V2+V3)/3=\bar{V}$	2500	2500	2500	2500

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,24

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	30,5		
Average value of the 2 areas F comparing print V1:	33		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,5	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	30,8		
Average value of the 2 areas F comparing print V2:	33		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	30,7		
Average value of the 2 areas F comparing print V3:	32,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,9	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,2	81,7	53,9	34,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	1,9	3,8	7,2
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,1	73,5	55,6	35,2

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	1,3	2,1	3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,7	0,6	1,7	4,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	86	69,1	52,2	33,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,4	3,4	1,8	4,8
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,5	74,4	57	37
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	0,8	3,1	6,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2,6	1,3	1,8
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	85,6	70,3	52,1	32
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,8	2,5	1,8	2,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,2	73,6	55,9	35,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	1,7	1,9	5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,4	0,8	0,1	2,5
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters?	Yes
If not: Describe deviation	

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$?	Yes
If not: Describe deviation	

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)?	Yes
If not: Describe deviation	

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)?	Yes
If not: Describe deviation	

Checking toner miscibility (5.6.8)

Is the toner miscibility given?	N/A
If not: Describe deviation	

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CLT-C504S/ELS
Lot/Part number:	4229793	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1800	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	Z0D1BJEG40003GP / Z0D1BJEF40005HY / Z0D1BJEG30006WO	Relative humidity:	52
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	10/12/2015

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 2654		Yes	Sample 1
2 2236		Yes	Sample 2
3 2185		Yes	Sample 3
4 2542		Yes	Sample 4
5 2145		Yes	Sample 5
6 1958		Yes	Sample 6
7 2349		Yes	Sample 7
8 2005		Yes	Sample 8
9 2104		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 1800		Yes/no	OEM Sample/Spec
2 1800		Yes/no	OEM Sample/Spec
3 1800		Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	2654	2185	1958	2266
Yield V: $(V1+V2+V3)/3=\bar{V}$	1800	1800	1800	1800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,26

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	50,1		
Average value of the 2 areas F comparing print V1:	53		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	49,8		
Average value of the 2 areas F comparing print V2:	52,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,4	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	49,9		
Average value of the 2 areas F comparing print V3:	52,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,5	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

CYAN

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	86	68,4	51,8	49,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	2,6	1,3	0,8
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	85,9	69,5	55	53,6

Color values 1 6 A F	1	6	A	F
The biggest deviation	3,8	2,6	0,8	1,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2,3	0	0,5	0,3
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	84,3	66,6	50,6	48,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	3	3,5	2,1	2,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	86,4	70,1	54,1	52,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	0,8	0,9	1,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2,7	1,2	1,3
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	84,6	67	52,7	48,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,5	3	1,3	1,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,1	70,7	55	53,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,4	1,7	1,8	2,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,1	1,3	0,5	0,4
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CLT-M504S/ELS
Lot/Part number:	4229809	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1800	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	Z0D1BJEG40003GP / Z0D1BJEF40005HY / Z0D1BJEG30006WO		
Test climate:			
Temperature:	23	Relative humidity:	52
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	10/12/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 2493		Yes	Sample 1
2 2158		Yes	Sample 2
3 2314		Yes	Sample 3
4 2695		Yes	Sample 4
5 2254		Yes	Sample 5
6 2145		Yes	Sample 6
7 2630		Yes	Sample 7
8 2314		Yes	Sample 8
9 2114		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 1800		Yes/no	OEM Sample/Spec
2 1800		Yes/no	OEM Sample/Spec
3 1800		Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	2695	2314	2114	2374
Yield V: $(V1+V2+V3)/3=\bar{V}$	1800	1800	1800	1800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,32

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	47,7		
Average value of the 2 areas F comparing print V1:	50,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,6	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	48		
Average value of the 2 areas F comparing print V2:	49,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	48,5		
Average value of the 2 areas F comparing print V3:	49,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,1	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,5	74	61,8	48
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	2	0,8	1,1
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	74,9	63,9	51,1

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,6	3,8	2,2	1,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,3	1,8	1,4	0,3
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	87,7	73,1	60,4	47,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	3,5	5,4	0,7
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,1	75,7	63,6	50,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	0,8	0,5	0,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2,7	4,9	0,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	88,2	73,9	61,7	48,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	2,9	3,7	0,7
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	75,8	64,2	50,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	1,2	1,2	2,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,2	1,7	2,5	1,4
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CLT-Y504S/ELS
Lot/Part number:	4229816	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1800	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	Z0D1BJEG40003GP / Z0D1BJEF40005HY / Z0D1BJEG30006WO	Relative humidity:	52
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	10/12/2015

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 2269		Yes	Sample 1
2 2111		Yes	Sample 2
3 2107		Yes	Sample 3
4 2135		Yes	Sample 4
5 2150		Yes	Sample 5
6 2314		Yes	Sample 6
7 2133		Yes	Sample 7
8 2003		Yes	Sample 8
9 2145		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 1800		Yes/no	OEM Sample/Spec
2 1800		Yes/no	OEM Sample/Spec
3 1800		Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	2314	2135	2003	2151
Yield V: $(V1+V2+V3)/3=\bar{V}$	1800	1800	1800	1800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,19

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	87,2		
Average value of the 2 areas F comparing print V1:	87,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	86,6		
Average value of the 2 areas F comparing print V2:	86,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	87,3		
Average value of the 2 areas F comparing print V3:	87,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,1	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	92,8	90	88,1	86,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	1,1	1,6	1,3
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	90,6	89,5	87,6	86,1

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	1,6	2	1,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,8	0,5	0,4	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	91,9	88,5	86,5	85,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	2,1	2,5	2,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,7	90,5	88,5	86,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	0,1	0,2	0,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2	2,3	1,9
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	91,3	89,8	88,2	86,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	1,2	1,3	1,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,6	90,2	88,3	86,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	1,1	1,1	1,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,7	0,1	0,2	0,1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed