

PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Page: 1

Compilation date: 23/02/2021

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Product code: PK2220

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: Blake & White

Hopkinson Way West Portway Ind Est

Andover Hampshire SP10 3ZE

Tel: +44 (0) 1264 313560 **Email:** hello@blakeandwhite.com

1.4. Emergency telephone number

Emergency tel: +44 (0)1924 565 120

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P264: Wash hands, forearms and face thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Page: 2

contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CARBONATE - REACH registered number(s): 01-2119485498-19-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	30-50%

CITRIC ACID - REACH registered number(s): 01-2119457026-42-XXXX

SULPHONIC ACIDS,C14-C17-SEC-ALKANE, SODIUM SALTS - REACH registered number(s): 01-2119489924-20-XXXX

307-055-2	97489-15-1	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	1-10%
			Eye Dam. 1: H318; Aquatic Chronic 3:	
			H412	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / **special treatment:** Eye bathing equipment should be available on the premises.

PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Page: 3

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not

create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the

storage room must be impermeable to prevent the escape of liquids.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

CITRIC ACID

Туре	Exposure	Value	Population	Effect
PNEC	Fresh water	0.44 mg/l	-	-
PNEC	Marine water	0.044 mg/l	-	-
PNEC	Fresh water sediments	7.52 mg/kg	-	-
PNEC	Marine sediments	0.752 mg/kg	-	-
PNEC	Soil	29.2 mg/kg	-	-
PNEC	STP	>1000 mg/l	-	-

SULPHONIC ACIDS,C14-C17-SEC-ALKANE, SODIUM SALTS

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	2.8 mg/cm2	Workers	Local
DNEL	Dermal	5 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	35 mg/m3	Workers	Systemic
DNEL	Dermal	2.8 mg/cm2	General Population	Local
DNEL	Dermal	3.57 mg/kg bw/day	General Population	Systemic
DNEL	Inhalation	12.4 mg/m3	General Population	Systemic
DNEL	Oral	7.1 mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	0.04 mg/l	-	-
PNEC	Marine water	0.004 mg/l	-	-
PNEC	Intermittent release	0.06 mg/l	-	-
PNEC	Fresh water sediments	9.4 mg/kg	-	-
PNEC	Marine sediments	0.94 mg/kg	-	-
PNEC	Soil	9.4 mg/kg	-	-
PNEC	Sewage	600 mg/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must be

impermeable to prevent the escape of liquids.

Respiratory protection: Respiratory protection not required.

Hand protection: Under normal conditions of use gloves are not normally required.Eye protection: Under normal conditions of use eye protection is not required.Skin protection: If handled in the correct way no special equipment required

Environmental: Prevent from entering in public sewers or the immediate environment.

PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Powder

Colour: Blue

Odour: Characteristic odour

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: No data available.

Viscosity: Not applicable.

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: No data available. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

Relative density: No data available. **pH**: 6.8 (5% soln)

VOC g/I: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Page: 6

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

CITRIC ACID

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	MUS	LD50	5400	mg/kg

SULPHONIC ACIDS,C14-C17-SEC-ALKANE, SODIUM SALTS

DERMAL	MUS	LD50	>2000	mg/kg
ORAL	RAT	LD50	>500 - 2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

CITRIC ACID

Daphnia magna	24H EC50	1535	mg/l
Golden Orfe (Leuciscos idus)	48H LC50	440	mg/l

PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Page: 7

SULPHONIC ACIDS, C14-C17-SEC-ALKANE, SODIUM SALTS

Daphnia magna	48H EC50	9.81	mg/l
Desmodesmus subspicatus	72H EC50	>61	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	1 - 10	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

PURELY KIND HARD SURFACE FLOOR CLEANER SACHET

Page: 8

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.