

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 07/06/2016 Revision date: 20/01/2021 Supersedes version of: 30/08/2018 Version: 11.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : Rinse Free Floor Stripper

Product code : PS2700

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Cleaning Product

1.2.2. Uses advised against

Restrictions on use : Anything other than intended use as listed on the label.

## 1.3. Details of the supplier of the safety data sheet

Blake & White Unit 8a Hopkinson Way Portway West Industrial Estate Andover SP10 3LF UK

Tel: +44 (0) 1264 313 560 Email: hello@blakeandwhite.com Web: www.blakeandwhite.com

### 1.4. Emergency telephone number

Emergency number : +44 (0) 1264 313 560

Monday - Friday (08:00 - 17:00)

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

# 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : 2-aminoethanol; ethanolamine

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P280 - Wear eye protection, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	≥ 1 – < 10	Eye Irrit. 2, H319
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	≥1-<10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	( 5 ≤C ≤ 100) STOT SE 3, H335

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

20/01/2021 (Version: 11.0) GB - en 2/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Special rules on packaging : Keep only in original container. Store in a closed container.

### 7.3. Specific end use(s)

No additional information available

20/01/2021 (Version: 11.0) GB - en 3/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)			
EU - Occupational Exposure Limits			
Local name	2-(2-Butoxyethoxy)ethanol		
IOELV TWA (mg/m³)	67.5 mg/m³		
IOELV TWA (ppm)	10 ppm		
IOELV STEL (mg/m³)	101.2 mg/m³		
IOELV STEL (ppm)	15 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Ireland - Occupational Exposure Limits			
Local name	2-(2-Butoxyethoxy)ethanol		
OEL (8 hours ref) (mg/m³)	67.5 mg/m³		
OEL (8 hours ref) (ppm)	10 ppm		
OEL (15 min ref) (mg/m3)	101.2 mg/m³		
OEL (15 min ref) (ppm)	15 ppm		
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2020		
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol		
WEL TWA (mg/m³)	67.5 mg/m³		
WEL TWA (ppm)	10 ppm		
WEL STEL (mg/m³)	101.2 mg/m³		
WEL STEL (ppm)	15 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

# 8.2. Exposure controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand	protect	tion:
------	---------	-------

Chemical resistant gloves (according to European standard EN 374 or equivalent)

### Eye protection:

Safety glasses. Use eye protection according to EN 166.

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

Not required under normal conditions of use.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Personal protective equipment symbol(s):





### **Environmental exposure controls:**

Avoid release to the environment.

### Other information:

PPE should be worn to prevent any contact with the chemical.

Any contaminated clothing should be washed prior to re-use.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour : Glycol ether.
Odour threshold : No data available

pH : > 11.5

: No data available Relative evaporation rate (butylacetate=1) Melting point : Not applicable Freezing point : No data available : No data available Boiling point : No data available Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density 1.01 - 1.02Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic Explosive properties · No data available Oxidising properties · No data available

## 9.2. Other information

**Explosive limits** 

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

: No data available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

: Not classified Acute toxicity (oral) Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified

## 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

LD50 dermal rabbit 2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645

2-aminoethanol; ethanolamine (141-43-5)	
LD50 oral rat	1720 mg/kg
LD50 dermal rabbit	1025 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

pH: > 11.5

Serious eye damage/irritation : Causes serious eye damage.

pH: > 11.5

Respiratory or skin sensitisation Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

# 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity

Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS

870.3100 (90-Day Oral Toxicity in Rodents)

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general

: Not classified

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

: Before neutralisation, the product may represent a danger to aquatic organisms.

: Not classified

20/01/2021 (Version: 11.0) GB - en 6/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
LC50 fish 1 1300 mg/l Test organisms (species): Lepomis macrochirus	
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna
EC50 96h algae (1)	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

2-aminoethanol; ethanolamine (141-43-5)	
LC50 fish 1	349 mg/l Cyprinus carpio (Common carp)
LC50 fish 2	170 mg/l Carassius auratus (Goldfish)
LC50 other aquatic organisms 1	227 mg/l Pimephales promelas (Fat-head Minnow)
LC50 other aquatic organisms 2	3684 mg/l Brachydanio rerio (Zebra Fish)
EC50 Daphnia 1	65 mg/l
EC50 72h algae (1)	2.5 mg/l Selenastrum capricornutum
EC50 72h algae (2)	22 mg/l Scenedesmus subspicatus
EC50 96h algae (1)	2.8 mg/l Pseudokirchneriella subcapitata

# 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1760	UN 1760	UN 1760	UN 1760	UN 1760
14.2. UN proper shipping name				
CORROSIVE LIQUID, N.O.S. (2-aminoethanol; ethanolamine)	CORROSIVE LIQUID, N.O.S. (2-aminoethanol; ethanolamine)	Corrosive liquid, n.o.s. (2- aminoethanol; ethanolamine)	CORROSIVE LIQUID, N.O.S. (2-aminoethanol; ethanolamine)	CORROSIVE LIQUID, N.O.S. (2-aminoethanol; ethanolamine)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

iption			
UN 1760 CORROSIVE LIQUID, N.O.S. (2- aminoethanol; ethanolamine), 8, III	UN 1760 Corrosive liquid, n.o.s. (2-aminoethanol; ethanolamine), 8, III	UN 1760 CORROSIVE LIQUID, N.O.S. (2- aminoethanol; ethanolamine), 8, III	UN 1760 CORROSIV LIQUID, N.O.S. (2- aminoethanol; ethanolamine), 8, III
elass(es)			
8	8	8	8
8	8	8	8
III	III	III	III
ards			
Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
	UN 1760 CORROSIVE LIQUID, N.O.S. (2- aminoethanol; ethanolamine), 8, III  slass(es)  8  III  ards  Dangerous for the environment : No	UN 1760 CORROSIVE LIQUID, N.O.S. (2- aminoethanol; ethanolamine), 8, III  III  III  III  III  III  III	UN 1760 CORROSIVE LIQUID, N.O.S. (2- aminoethanol; ethanolamine), 8, III  III  III  III  III  III  III

### 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

1760

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

Transport by sea

Orange plates

Special provisions (IMDG) : 223, 274 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A Stowage and handling (IMDG)

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA Limited quantities (IATA)	: Y841	
PCA limited quantity max net quantity (IATA)	: 1L	
PCA packing instructions (IATA)	: 852	
PCA max net quantity (IATA)	: 5L	
CAO packing instructions (IATA)	: 856	
CAO max net quantity (IATA)	: 60L	
Special provisions (IATA)	: A3, A8	303
ERG code (IATA)	: 8L	

Inland waterway transport

Classification code (ADN) : C9
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C9
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.