

Directiv

Commercial desking



About Directiv

Directiv's sliding top system provides the perfect solution to all cable management requirements. The 25mm thick MFC top slides forward to provide easy access to three part wire management chambers in the horizontal cable beam. The rear cable beam meets directly with the vertical cable managed leg to ensure complete cable control. Cables can also be passed from one desk to the another through removal panels in the legs. Directiv is available with a wide range of storage options and a choice of 5 colour finishes all available from stock for immediate delivery and comes with an 8 year manufacturers guarantee.

“perfect solution to all cable management...”



Directiv Sliding desking



Details & Features



Sliding Top

25mm desk tops slide forward to reveal cable tray located at back of desk. Sliding top, management tray segregated into 3 channels BS5733.



Removable leg cover

The leg cover removes to allow cables to run from floor to cable tray concealed under desk top. Coated leg using Graphite Grey (RAL7012)



IT Intergration

All cable management has three way compartments for complete I.T. integration.



Seating

Our selection of mesh seating can be found in our seating section.

PG 190-201

Finish Options

Colours available in Beech, Maple, Oak, White and Walnut. Please add suffix when ordering eg. DC8 in Beech = DC8B



Beech (B)



Maple (M)



Oak (O)



White (WH)






Walnut (W)



Directiv Sliding desk - Cable management system

Straight Cable Managed Desk

CODE	A	B
DC8	800	800
DC12	1200	800
DC16	1600	800
DC18	1800	800




- 3 compartment cable ducted riser leg
- Cable beam accessed from a sliding top
- Two cable access ports
- DC8 has single cable access port
- 25mm thick top


Left Hand Ergonomic Cable Managed Desk



- 3 compartment cable ducted riser leg
- Cable beam accessed from a sliding top
- Two cable access ports
- 25mm thick top




CODE	A	B	C	D
DEL16	1600	600	1200	800
DEL18	1800	600	1200	800




Right Hand Ergonomic Cable Managed Desk



- 3 compartment cable ducted riser leg
- Cable beam accessed from a sliding top
- Two cable access ports
- 25mm thick top




CODE	A	B	C	D
DER16	1600	600	1200	800
DER18	1800	600	1200	800




Left Hand Wave Cable Managed Desk



- 3 compartment cable ducted riser leg
- Cable beam accessed from a sliding top
- Two cable access ports
- 25mm thick top




CODE	A	B	C
DLW12	1200	990	800
DLW16	1600	990	800




Right Hand Wave Cable Managed Desk



- 3 compartment cable ducted riser leg
- Cable beam accessed from a sliding top
- Two cable access ports
- 25mm thick top




CODE	A	B	C
DRW12	1200	990	800
DRW16	1600	990	800




Desk End Radial Conference Table



- Supplied with a Graphite post leg
- Fits alongside 800mm depth desk edges
- 25mm thick top



CODE	A=DIAMETER	B
ECD	1200	1045




2 and 3 Drawer Mobile Pedestals



- R2M 1 filing drawer & 1 shallow drawer
- Accepts both A4 & foolscap Files
- Lockable
- Castors

- R3M with 3 shallow drawers
- Lockable
- Castors



CODE	A	B	DRAWERS
R2M	426	600	2 Drawers
R3M	426	600	3 Drawers




Directiv Sliding desk - Additional storage


Desk High Pedestal



- 2 shallow and 1 filing drawer
- Accepts both A4 & foolscap files
- Lockable




CODE	A	B
R25DH6	426	600
R25DH8	426	800




Slim Line and Tall Mobile Pedestals



- TNMP 3 shallow drawers
- Lockable
- Castors
- TMP 2 shallow and 1 filing drawer
- Accepts both A4 & foolscap Files
- Lockable
- Castors



CODE	A	B	DRAWERS
TNMP	300	600	3 Drawers
TMP	426	600	3 Drawers




2 and 3 Drawer Deluxe Mobile Pedestals



- With metalbox drawer
- Solid 18mm drawer base
- DMP2 with 1 shallow drawer and 1 filing drawer
- DMP3 with 3 shallow drawers
- Fully locking
- DMP2 accepts both A4 & foolscap files
- Handles optional



CODE	A	B	DRAWERS
DMP2	426	600	2 Drawers
DMP3	426	600	3 Drawers



CODE	QUANTITY
CH2	2 Handles
CH3	3 Handles

Finish: Matt Nickel (Zinc Alloy)

Bow Handles




Add stylish handles. CH2 used on DMP2 CH3 Used on DMP3


3 Drawer Desk High Deluxe Pedestal



- Fully locking
 - Metalbox drawer surrounds
 - 18mm solid drawer base
 - Accepts both A4 & foolscap files
 - Handles optional
- P63: 600mm deep, designed to fit at 600mm side of ergonomic desk.
P83: 800mm deep, designed to fit alongside all 800mm deep desks.



CODE	A	B
P63	426	600
P83	426	800



CODE	QUANTITY
CH3	3 Handles

Finish: Matt Nickel (Zinc Alloy)

Bow Handles



Customise your pedestals with these stylish handles.

Optional handles



CH Handle Standard

PD Handle

CTR Handle

BH Handle

CODE	DESCRIPTION
CH	Bow handle
PD	Polker Dot handle
CTR	Square handle
BH	Tubular handle


All handles have the same fixings and can be used to replace existing handles to change the look of the office. All handles are metal. 96mm hole centres.

CH Handles supplied as standard on all cupboards excluding SoHo ranges.

3 Drawer Mobile Steel Pedestal



- Fully locking
- Accepts both A4 & foolscap files
- 1 filing and 2 shallow drawers
- With castors
- Ball bearing runners
- 5th castor on drawer front for anti-tilt
- Front castors have brake lock



CODE	A	B
MP3	391	545



Directiv BS 6396: 2008 Electrical systems in office furniture

With specific regard to the electrical system the following should be noted:

- * No more than six sockets allowed per supply
- * The electrical system shall be rated for a total normal load of 13A
- * No single item of equipment of a rated voltage higher than 250V or rated current higher than 5A shall be connected to the furniture.
- * For multiple socket outlets fuse protection must be used for the individual sockets.
- * Observe the stated fuse ratings on the appliance
- * Power supply cords must not exceed 2M in visible length on exit from the desk clamp
- * Ensure cable routing, system earthing and general mechanical configuration conforms to the stated requirements
- * The final installation must be subjected to an electrical test. (Separate information is available regarding this)
- * Cable must be clamped at point of entry to furniture and/or at both ends where cables connect separate moving parts of furniture
- * All extraneous metalwork should be earthed
- * Items of Office Furniture intended to be earthed shall be provided with an earthing terminal that shall be connected to the earth terminal of the Power Module
- * Provide the user with instructions concerning the safe installation and use of the furniture.

The AMP lists serve as a guide only and are not exhaustive.

2.00 Amp	Desk top Computer
0.60Amp	Lap Top Computer
1.50 Amp	Colour Monitor (not Flat Screen)
2.00 Amp	Fax Machine
0.10 Amp	Low Voltage Desk Lamp
0.05 Amp	Mobile Phone Charger
0.25 Amp	Desk Fan

Any item of equipment rated in excess of 5 Amp, MUST have a separate power supply, therefore items such as Vacuum Cleaners Kettles, Coffee Makers, and Fan Heaters should not be connected via these power modules.



Power unit & cables in Directiv cable management system. Showing sliding desktop open.



Sliding desktop OPEN



Sliding desktop CLOSED

All electrical fittings are housed inside a cable beam under the sliding desktop, providing neat & interference free cabling.

Under Desk Power Modules



All power modules supplied feature a unique spare fuse incorporated into each and every socket.

CODE	DESCRIPTION
PMK205-E	2 UK Sockets
PMK405-E	4 UK Sockets

Under Desk Data Modules



Data Modules come complete with 3m leads. Modules can also be connected directly to Under Desk Power Modules.

CODE	DESCRIPTION
PMK-DH-2-3	2 X RJ45 CAT5E 3M
PMK-DH-4-3	4 X RJ45 CAT5E 3M

Mains Starter and Connector Leads



Mains Leads with UK 3 pin plug to 3 pole connector.

Connector Leads, male 3 pole connector to Female 3 pole connector.

CODE	DESCRIPTION
ML3M-B	Mains Lead
DCL15M-B	1.5m Connector Lead
CL3M-B	3m Connector Lead