

POWER & DATA

ACCESSORIES & GADGETS



STYLES



Clip-on Multi Surface On Surface Panel Mounted In Surface

SPECIFICATION



Product
guarantee



Designed &
manufactured

BS EN63096:2008, BS EN5733, BE EN7671 (selected products)



CHROMA

PAGE 182



HUBBLE

PAGE 182



PHASE

PAGE 183



PROTON

PAGE 183



PIXEL

PAGE 184



PIXEL ARC

PAGE 184



ION

PAGE 185



PLUTO

PAGE 185



INCA

PAGE 186



AERO

PAGE 186



ECLIPSE

PAGE 187



THOLUS

PAGE 187

MODULAR COMPONENTS



UK FUSED SOCKET

The standard and instantly recognisable UK 3-pin plus socket compliant with the British Standard BS 1363



USB FAST CHARGE (A&C CONNECTORS)

USB-C port, for enhanced charging of phones and tablets, plus the original USB-A for charging legacy devices



RJ45 SOCKETS

RJ45 is a standardised physical network interface for connecting telecommunications or data. Twin terminals for attaching CAT6 cable



HDMI SOCKET

HDMI (high definition multimedia interface) is a socket and plug interface that is used to transmit both audio and video digital data



Twin clamp brackets for better stability for table tops 5mm-35mm thick

Tough and elegant aluminium body with coloured fronts that is built to last

Fun and distinctive power modules available in multiple colour options

BS5733 and UL962A certified and CE marked as applicable



HUBBLE

CLIP-ON POWER MODULE



HBL-1-R



HBL-2-DB



HBL-3-K



CODE	DESCRIPTION	W	D	H	MTO
HBL-1	1 x UK socket, 1 x USB fast charge (A&C connectors)	150	49	72	£677
HBL-2	1 x UK socket, 1 x USB fast charge (A&C connectors), 2 x RJ45 sockets	218	49	72	£878
HBL-3	2 x UK sockets, 1 x USB fast charge (A&C connectors)	218	49	72	£306

MTO

3-4 week lead time

HBL-3 only available in Black (K) and White (WH)



Black (K)

Dark Blue (DB)

Light Green (LG)

Orange (OR)

Red (R)

White (WH)

Yellow (Y)

Starter kit ML3M-B required sold separately




Excellent clamping fixtures with top and bottom fix options available

A practical and stylish addition to clip on to any desktop

Black & white units with 30 and 60 degree positioning

Manufactured and tested in accordance with BS6396:2008



CHROMA

CLIP-ON POWER MODULE



CRM-1-K



CRM-2-WH



CRM-3-WH



CODE	DESCRIPTION	W	D	H	MTO
CRM-1	2 x UK sockets, 1 x USB fast charge (A&C connectors)	279	94	62	£240
CRM-2	2 x UK sockets, 2 x RJ45 sockets	279	94	62	£130
CRM-3	2 x UK sockets, 1 x USB fast charge (A&C connectors), 2 x RJ45 sockets	333	94	62	£270

MTO

3-4 week lead time



Black (K)



White (WH)

Starter kit ML3M-B required sold separately



PHASE

MULTI-SURFACE POWER MODULE



On-surface or under-surface fitting solutions with hidden fitting bracket

Two socket apertures can be configured with power, charging or data

High-strength and flame retardant polycarbonate main body and back mouldings

All units fitted with fuses to comply to BS6396 and CE marked



USB FAST CHARGE (A&C)



UK FUSED SOCKET



TWIN RJ45 SOCKETS



PH-1-K



PH-2-WH

CODE	DESCRIPTION	W	D	H	RRP	MTO
PH-1	1 x UK socket, 1 x USB fast charge (A&C connectors)	115	63	67	£400	£400
PH-2	1 x UK socket, 2 x RJ45 sockets	115	63	67	N/A	£340

STOCKED

PH-1 only




Black (K)

MTO

3-4 week lead time



Black (K)



White (WH)

Starter kit ML3M-B required sold separately



PROTON

PANEL MOUNTED POWER MODULE



Designed for panel mounting in soft seating or screens

To cater for the needs of any corporate or educational environment

Can be snapped into panels of 16mm or screw fixed into any suitable surface

Manufactured to enable compliance with BS6396/BS7671



UK FUSED SOCKET



USB FAST CHARGE (A&C)



PTN-1T-K



PTN-2S-KG-K



PTN-1T-KG-K

CODE	DESCRIPTION	W	D	H	STOCK	ORDERED
PTN-1T-KG	1 x USB fast charge (A&C connectors)	64	8	60	N/A	£310
PTN-1T	1 x UK socket, 1 x USB fast charge (A&C connectors)	117	8	60	£330	N/A
PTN-2S-KG	2 x UK sockets	117	8	60	N/A	£175

STOCKED

PTN-1T only



Black (K)

ORDERED

3-4 week lead time



Black (K)

Starter kit ML3M-B required sold separately



Required cut out sizes

50mm

PTN-1T-KG

50 x 103mm

PTN-1T
PTN-2S-KG

1
WARRANTY
Year

Ideally suited to breakout areas, smaller meeting rooms, and hotel rooms

The perfect choice for space saving installations and discreet power solutions

CAT6 RJ45 outlet with 2m flylead & HDMI 1.3 Hi-speed outlet with 1.8m flylead

Sweeping organic curves ensure protection against liquid ingress as required by BS6396

PIXEL MULTI-SURFACE POWER MODULE



PX-2-Y



PX-1



PX-3-DB



UK FUSED SOCKET



USB FAST CHARGE (A&C)



TWIN RJ45 SOCKETS



HDMI SOCKET

Required cut out size

80mm

CODE	DESCRIPTION	W	D	H	RRP	MTO
PX-1	1 x UK socket, 1 x USB fast charge (A&C connectors)	90	90	16	£330	£330
PX-2	1 x UK socket, 1 x HDMI socket	90	90	16	N/A	£470
PX-3	1 x UK socket, 2 x RJ45 sockets	90	90	16	N/A	£300

STOCKED

MTO

PX-1 only



Black (K)

3-4 week lead time



White & Silver Bevel



Dark Blue (DB)



Light Green (LG)



Orange (OR)



Red (R)



White (WH)



Yellow (Y)

Starter kit ML3M-B required sold separately



PIXEL ARC 4 IN 1 DEVICE CHARGER

1
WARRANTY
Year

The powerful and versatile PIXEL ARC is a game changing 4-in-1 charger

Providing enough power for all your devices in a standard 80mm cutout

Offering 10W of wireless power, AC power and USB A+C or data/AV

PIXEL ARC is the ultimate charging solution to suit any contemporary space



PXARC-1-K



UK FUSED SOCKET



USB FAST CHARGE (A&C)



HDMI SOCKET

Required cut out size

80mm

CODE	DESCRIPTION	W	D	H	RRP	MTO
PXARC-1-K	Pixel Arc in-surface power module 1 x UK socket, 1 x TUF (A&C) USB connectors and 10W wireless charger - black	180	90	11.05	N/A	£500

MTO



Black (K)

Starter kit ML3M-B required sold separately



ION

MULTI-SURFACE POWER MODULE



Space saving power solution for café and dining tables

Power and connectivity conveniently placed right where you might need it

Ultra-compact to fit in 60mm or 80mm port holes or in table cutouts

BS5733 certified and conforms to CE European directives



UK FUSED SOCKET



USB TYPE A



CRM-1-K



CRM-2-WH

Required cut out size

60mm

80mm

CODE	DESCRIPTION	W	D	H	RRP
ION-1	1 x UK socket, 1 x USB Charger (type A)	100	100	2	£75



Black (K)



White (WH)

Starter kit **ML3M-B** required sold separately



PLUTO

ON-SURFACE POWER MODULE



The perfect colour or pattern to match any interior design scheme

3 socket apertures with 360° socket access for ease of use

Ideal table top module for communal meeting or dining areas

Can also be screwed to any table top with an 80mm port hole or cut-out



UK FUSED SOCKET



USB FAST CHARGE (A&C)



TWIN RJ45 SOCKETS



PL-2-R



PL-1-K



PL-3-WH

Required cut out size

80mm

CODE	DESCRIPTION	W	D	H	MTO
PL-1	2 x UK sockets, 1 x USB fast charge (A&C connectors)	140	140	73	£910
PL-2	1 x UK socket, 1 x USB fast charge (A&C connectors)	140	140	73	£525
PL-3	1 x UK socket, 1 x USB fast charge (A&C connectors), 2 x RJ45 sockets	140	140	73	£625

MTO

3-4 week lead time



Black (K)



Dark Blue (DB)



Light Green (LG)



Orange (OR)



Red (R)



White (WH)



Yellow (Y)

Starter kit **ML3M-B** required sold separately





INCA

ON-SURFACE POWER MODULE

4 usable faces offering a wide range of configurations for power and charging

Free-standing on desk module or a desk/table grommet fixing

Can also be used free-standing on table tops ideal for meetings

Flame retardant ABS plastic body independently certified to comply with BS 5733



79-1-K



79-2-WH



TWIN RJ45 SOCKETS



HDMI SOCKET

CODE	USAGE	DESCRIPTION	W	D	H	MTO
79-1	Cut out required	2 x UK sockets, 2 x USB fast charge (A&C connectors)	140	140	72	£550
79-2	Free standing	2 x UK sockets, 2 x USB fast charge (A&C connectors)	140	140	72	£550

MTO

Required cut out size

80mm

3-4 week lead time



Black (K)



Grey (G)



White (WH)

Starter kit ML3M-B required sold separately



AERO

IN TABLE FLIP TOP POWER MODULE



Aero flip power modules in grey with distinctive low profile

Ideal for boardroom environment and large meeting areas

Sloping edge design ensures cables run flat and smoothly on exit

Flame retardant ABS plastic body independently certified to comply with BS 5733



APD2PINF/1S-K



APD2PINF/1S/2D-K



APD2PINF/1S/1D/1T-K

Required cut out sizes

132 x 215mm

APD2PINF/1S-K
APD2PINF/1S/2D-K

132 x 272mm

APD2PINF/1S/1D/1T-K

CODE	DESCRIPTION	W	D	H	RRP	MTO
APD2PINF/1S	2 x UK sockets	255	150	13-63	N/A	£165
APD2PINF/1S/2D	2 x UK sockets, 2 x RJ45 sockets	255	150	13-63	N/A	£200
APD2PINF/1S/1D/1T	2 x UK sockets, 1 x RJ45 socket, 1 x USB fast charge (A&C connectors)	312	150	13-63	£330	N/A

STOCKED

MTO



TWIN RJ45 SOCKETS



UK FUSED SOCKET



USB FAST CHARGE (A&C)

APD2PINF/1S/1D/1T only



Grey/Silver (K)

3-4 week lead time



Grey/Silver (K)

Starter kit ML3M-B required sold separately



ECLIPSE

IN-TABLE ROLLOVER POWER MODULE



Designed to operate in the closed or open position

For fitting into a wide range of formal and informal office furniture

Total flexibility to meet the demands of any power and data requirement

Manufactured to enable compliance with BS6396



- UK FUSED SOCKET
- USB FAST CHARGE (A&C)
- TWIN RJ45 SOCKETS
- HDMI SOCKET



ENDD2-K



ENDD1-K



ENDD4-K

CODE	DESCRIPTION	W	D	H	RRP	MTO
ENDD1	2 x UK sockets, 1 x USB fast charge (A&C connectors)	300	150	3	£570	N/A
ENDD2	2 x UK sockets, 1 x USB fast charge (A&C connectors), 1 x RJ45 socket, 1 x HDMI socket	300	150	3	N/A	£990
ENDD4	4 x UK sockets	459	150	3	N/A	£540

STOCKED

MTO

Required cut out size

132 x 272mm

ENDD1
ENDD2

132 x 430mm

ENDD4

ENDD1-K
Black



Black/Silver
(K)

3-4 week
lead time



Black/Silver
(K)

Starter kit
ML3M-B
required sold
separately



THOLUS

IN-TABLE POWER MODULE



Aluminium extrusion body with 3mm mild steel end cap

Suitable for table tops 10mm-30mm thick and secured by the 4 screw clamps

CAT6 RJ45 outlet with 2m flylead & HDMI 1.3 Hi-speed outlet with 1.8m flylead

Certified and tested to British standard BS1363/5733



- UK FUSED SOCKET
- USB FAST CHARGE (A&C)
- TWIN RJ45 SOCKETS
- HDMI SOCKET



THL-1-S



THL-2-S

CODE	DESCRIPTION	W	D	H	RRP	MTO
THL-1	4 x UK sockets, 2 x USB fast charge (A&C connectors)	220	155	22	£1210	
THL-2	4 x UK sockets, 2 x USB fast charge (A&C connectors), 1 x RJ45 socket, 1 x HDMI socket	300	155	22	£1680	

MTO

Required cut out size

132 x 272mm

ENDD1
ENDD2

132 x 430mm

ENDD4

3-4 week
lead time



Black/Brushed Steel
(S)

Starter kit
ML3M-B
required sold
separately



Power Bar



CODE	DESCRIPTION	RRP
PMK205-E	2 x UK sockets	£65

- UK sockets which incorporate fuses as standard
- BS6396 compliant and CE marked

Power Bar



CODE	DESCRIPTION	RRP
PMK405-E	4 x UK sockets	£75

- UK sockets which incorporate fuses as standard
- BS6396 compliant and CE marked

Power Bar



CODE	DESCRIPTION	RRP
PMK305-E	3 x UK sockets	£70

- UK sockets which incorporate fuses as standard
- BS6396 compliant and CE marked

Mains Starter Lead



CODE	DESCRIPTION	RRP
ML3M-B	Mains lead	£57

- 3m long mains lead with UK 3 pin plug
- Female 3 pole connector

Connector Leads



CODE	DESCRIPTION	RRP
DCL15M-B	Connector Lead	£45

- 1.5m connector lead
- Male 3 pole connector to female 3 pole connector

Connector Leads



CODE	DESCRIPTION	MTD
CL3M-B	Connector Lead	£55

- 3m connector lead
- Male 3 pole connector to female 3 pole connector

Product	Type	Recommended for use with	Fitting details	Power cord	Separate mains lead required
Chroma	Clip-On Power Units	Desks	Clamp bracket (supplied)	Hardwired with 800mm lead to male GST Connector	✓
Hubble	Clip-On Power Units	Desks	Clamp bracket (supplied)	Hardwired with 800mm lead to male GST Connector	✓
Phase	Multi-Surface Power Units	Meeting Tables / Soft Seating	Clip-on mounting bracket (supplied)	Hardwired with 800mm lead to male GST Connector	✓
Pixel	Multi-Surface Power Units	Meeting Tables	80mm circular grommet hole	Hardwired with 800mm lead to male GST Connector	✓
Ion	Multi-Surface Power Units	Café & Dining Tables / Desks	60 or 80mm circular grommet hole	Hardwired with 800mm lead to male GST Connector	✓
Pixel Arc	On-Surface Power Units	Meeting Tables	80mm circular grommet hole	Hardwired with 800mm lead to male GST Connector	✓
Pluto	On-Surface Power Units	Meeting Tables	80mm circular grommet hole	Hardwired with 800mm lead to male GST Connector	✓
Inca	On-Surface Power Units	Meeting Tables	80mm circular grommet hole	Supplied with a 1M mains lead to 3 pole connector	✓
Proton	Panel Mounted Power Unit	Soft Seating	50mm (PTN-1T-KG) & 103mm x 50mm (PTN-1T/2S) grommet holes	Hardwired with 800mm lead to male GST Connector	✓
Aero	In-Surface Power Units	Boardroom Tables	215mm x 132mm (1S), 215mm x 132mm (1S/2D), 272mm x 132mm (1S/1D/1T), rectangular cutouts	Hardwired with 800mm lead to male GST Connector	✓
Eclipse	In-Surface Power Units	Boardroom Tables	272mm x 132mm (ENDD1-2), 430mm x 132mm (ENDD4), rectangular cutouts	Hardwired with 3M 3 pin connector	✗
Tholus	In-Surface Power Units	Boardroom Tables	192mm x 132mm (THL-1), 272mm x 132mm (THL-2), rectangular cutouts	Hardwired with 800mm lead to male GST Connector	✓
Power Bars	Under-Surface Power Units	Desks	No fitting required	Integrated GST18-3 connectors	✓