



## **Contract Filing Cabinets**



Contract filing cabinets are designed and manufactured for today's modern office environment, offering excellent value for money. They are manufactured using a fully welded carcass to ensure strength and stability.



### Contract Filing Cabinets

100% extension drawers (0.54m linear capacity). Designed for suspension filing. Fully welded carcase without bolts or rivets for greater strength. Mastered lock with 200 differs. Hardwearing textured paint finish.

















CODE

DCF2



470 470

470

622

622

711 1016

• 100% Drawer extension

High sided easy glide drawers

Anti-Tilt

- Fully welded carcass
- 35Kg drawer load capacity
- Anti-tilt drawers • Lockable, supplied with 2 keys
- Foolscap files Approved to BSEN 14073 Parts 2&3
- Approved to BSEN 14074



## **Filing Cabinets**



Flush drawer fronts and Swan handles offer a stylish look. Cabinets are fully welded for strength.



## Economy Filing Cabinets

Great value without compromise on style and security; a textured paint finish enhances the look of quality.





















W

470 470

470

622 622

622

711 1016

1321



CODE

DEF2 DEF3 DEF4


- Designed for suspension filing
   Fully welded carcase without bolts or rivets for greater strength
- Mastered lock (200 differs)
- Hardwearing textured paint finish
   Approved to BSEN 14073 Part 2 & 3
   Approved to BSEN 14074



# **Economy Cupboard**



Contract double door cupboards are designed to achieve maximum storage capacity using the least amount of space. Cupboards are assembled and manufactured from a welded carcass for increased strength and stability.



## Contract Cupboards

Supplied fully assembled, the 1806 high cupboard comes supplied with three shelves, the 1000 high has one shelf. Shelves include lateral filing rail for 350mm lateral files. Three point locking system for security and an unobstructed handle.







- Assembled
- Shelves supplied
- Shelves include lateral filing as standard
- 3 point lock
- Approved to BSEN 14073 Parts 2&3
  Approved to BSEN 14074













DSC40-C

# Tambour cupboards



Side opening tambours are the ideal solution for storage in areas where space is at a premium.



## Tambour Cupboards

Supplied fully assembled and available in a choice of 3 heights. Two independent tambour shutter doors aid use in restricted areas. The fully welded construction offers strength and rigidity. Supplied empty.



- Assembled
- Full length hand rail
- Supplied emptyApproved to BSEN 14073 parts 2&3Approved to BSEN 14074



CODE

W

D





# **Filing Cabinets**



It boasts 100% drawer extension, smooth, resistance-free slides and an anti-tilt operation for safe, ultimate ease of use. Two, three and four-drawer versions are available.



### Bisley Contract Filing Cabinets

Fitted with Anti-tilt and 100% opening drawers. Designed for suspension filing. Mastered lock with 200 differs.



Locking



Anti-Tilt









- 100% Drawer extension
- High sided easy glide drawers
- Fully welded carcass
- 40Kg drawer load capacity
- Anti-tilt drawers
- Lockable, supplied with 2 keys
- Foolscap files
  Approved to BSEN 14073 Parts 2&3
- Approved to BSEN 14074



CODE

BPSF2 BPSF3

W

470 470

470

D

622 622

711 1016

## **BS Cabinets**





Bisley 15 year warranty ensures strength and stability for all environments.



## Bisley BS Cabinets

The BS cabinet is strong and quiet. Its fully-welded carcase makes it suitably robust, while roller bearing slides ensure ultimate ease of use; a 'positive closing device' allows the drawer to close with precision, from the lightest of touches. It comes in two, three, four and five-drawer version



Locking



Anti-Tilt








Drawer Capacity

• 100% Drawer extension

- 45Kg drawer load capacity
- Anti-tilt drawers
- Lockable, supplied with 2 keys
- Suspension files
  Approved to BSEN 14073 Parts 2&3
  Approved to BSEN 14074







## **SOHO Multi Drawers**






A range of 5,10 and 15 drawer cabinets designed specifically for the small office, home office market.

## Bisley Multi Drawers

- 5,10,15 drawers
- Chrome handle design
- Individual drawer label holders











B10MD B15MD







**B5MD** 

An essential product for those seeking practical filing solutions with a small budget; Bisley 'home filers' are designed primarily for small office under desk storage.

### Bisley Multi Drawers

- Light weight

- 80% Drawer extension
   BPFA2 Single action lock secures both drawers
   BPFA3 Single action lock secures bottom 2 drawers only
- A4 files









80% Extension

## **Economy Cupboard**



Bisley contract double door cupboards are designed to be used in the most demanding of environments.



## Bisley Contract Cupboards

Available in 3 heights and supplied with shelves as standard. A fully welded cabinet provides greater strength. The low cupboard BC40 is supplied with one shelf. The BC72 is supplied with 3  $\,$ shelves and the BC78 with 4 shelves. Three point locking system for unrivalled security.



Takes Internals

- Assembled
- Shelves supplied
- 3 point lock
- Approved to BSEN 14073 Parts 2&3 Approved to BESN 14074



CODE

BC40 BC72

D

400

400 914

914 400

914


1000 1806

1968

# **Executive Cupboard**



The ubiquitous Bisley cupboard continues to impress with its accommodating design. It comes in two heights – each of which can house a range of fitments from shelves through to roll out filing frames.



### Bisley Executive Cupboards

Fitted with attractive, unobtrusive flush-front doors, two door cupboards can be used either individually or in rows. They have a magnetic door catch, two-point locking mechanism and are manufactured from high quality, heavy gauge steel.



Locking

- Magnetic latching
- 2 point locking
- Flush-handle design
- Standard slotted or universal shelves
- 1016 high supplied with one shelf
- Shelf has lateral filing as standard
- 1806 supplied empty


Quality accreditation: BS EN 14073 2004 Part 2 & 3, BS EN 14074, BS 4875 1998 Part 7 level 5 & Part 8, BS 5459 1983 Part 3, DIN 4554/485



A402W11G With 1 shelf



A722W00G Supplied empty





CODE		
BCSLF	Shelf	
BUR	Lateral filing frame	
BROSF	Roll out filing frame	





BCSLF
• Plain shelf Light Grey



BROSE

• Roll out filing frame Light Grey

Accepts A4 & Foolscap suspension files



## **BISLEY**

Bolting together the locker system quickly expands to meet demand. Two depths form this dependable range, a choice of single, two, four and six-door compartments. Additional features include under-shelf coat hooks and undershelf coat rails. Security is assured thanks to a mastered lock with 1000 differs.



### Executive Cupboards

Two depths of locker (305mm and 457mm) with a choice of single, two, four and six door compartments. Two door lockers feature an under shelf coat hook, whilst single door lockers have an under shelf coat rail for multiple hangers.



- Lockers are fitted with a camlock Hasp locks are optional
- Each locker has ventilation holes in the top and base of the carcase
- Card holder on every door
- Mastered lock with 1000 differs
- Bolt together back and sides

Locking

Quality accreditation: BS EN 14073 2004 Part 2 & 3, BS EN 14074, BS 4875 1998 Part 7 level 4, DIN 4554/485



CLK121 C

CLK122

CLK124

CODE W D CLK121 CLK122 CLK124 CLK126 1802 305 305 305 305 1802 305 1802 305 1802 305 305 CODE W D CLK181 CLK182 1802 305 457 305 457 1802 **CLK184** 305 1802 457

457

1802



**CLK186** 



## **Euro Tambours**





For stylish, affordable and efficient storage of A4-sized media, there is no better choice than the A4 EuroTambour™. Designed to a European format, it has plenty of space for a selection of internal fittings such as shelving, and filing frames.



### Bisley Euro Tambours

Great value without compromise on style and security; a textured paint finish enhances the look of quality.



Locking

- Designed for A4 filingSmaller footprint (430mm deep)
- Multiple cabinet heights and widths enable optimum configurations
- Space saving sliding doors
- Perfect for corridors and hallways
- Supplied empty



Quality accreditation: BS EN 14073 2004 Part 2 & 3, BS EN 14074, BS 4875 1998 Part 7 level 4 & Part 8, BS 476 Part 7 1987 Class 2Y





ET408/6/1S is only available in Silver/Silver (SS)







ET410/10/2S/SS

## **Duo Euro Tambours**



As Euro Tambours, adding the combination of silver with beech effect tambour doors.



## Bisley Duo Euro Tambours

Great value without compromise on style and security; a textured paint finish enhances the look of quality.




Locking

Takes Internals

- Designed for A4 filingSmaller footprint (430mm deep)
- Multiple cabinet heights and widths enable optimum configurations
- Space saving sliding doors
- Perfect for corridors and hallways
- Supplied empty

Quality accreditation: BS EN 14073 2004 Part 2 & 3, BS EN 14074, BS 4875 1998 Part 7 level 4 & Part 8, BS 476 Part 7 1987 Class 2Y





Silver/Beech



ET410/10/2S/SB




ET410/19/4S/SB

## Safes Home / Office

#### Delivery

All safes are priced delivered to ground floor (NO STEPS) Please check delivery prices prior to placing order.





## KEY











FIRE ROTECTION PR

FIRE DTECTION PROPERTY OF THE PROPERTY OF THE

FIRE PROTECTION RATING Fire resistance

WATER RECOMMENDER RESISTANT INSURANCE RATING

DED DROP E TESTE











WITH

WITH ALARM

WIT

FITTED WITH IT KEY LOC

FIT W CHAN

WITH HANGEABLE KEY LOCK

### Compact Home Office

The SS0720E Security Safes are ideal for use at home or in the office for storage of valuables and cash

- $^{\circ}$  Security Protection Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.
- Locking Simple to use with their advanced 'user-friendly' digital lock.

CODE	W	D	Н	W	D	Н	WEIGHT	CAPACITY	
SS0721E	230	170	170	228	120	160	3 KG	4 LITRES	
SS0722E	310	200	200	306	150	196	6 KG	8.5 LITRES	
SS0723E	350	250	250	346	210	246	8 KG	18 LITRES	



## Fortress

The Phoenix Fortress is designed and tested to the latest and prestigious European EN14450 – S2 test standards for Security Protection.

- Security Protection Tested to the prestigious European S2 Security standard (EN14450) giving cash cover of £4,000 or Valuables cover of £40,000
- Locking Fitted with a high security double bitted VDS class 1 keylock (SS1180K series) or high security

CODE	W	D	Н	W	D	Н	WEIGHT	CAPACITY	
SS1181K	350	300	220	270	200	140	20 KG	8 LITRES	
SS1181E	350	300	220	270	200	140	20 KG	8 LITRES	
SS1182K	450	350	550	370	250	270	38 KG	28 LITRES	
SS1182E	450	350	550	370	250	270	38 KG	28 LITRES	
SS1183K	450	350	550	370	250	470	54 KG	43 LITRES	
SS1183E	450	350	550	370	250	470	54 KG	43 LITRES	
	FXTI	FRNAL	DIMS	INT	FRNAI	DIMS			









## Titan II

The Phoenix Titan II is a modern, compact, fire and security resistant safe designed to meet the need for residential and business use.

- Fire Protection (Paper) Tested to the International NT Fire 017 60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- Fire Protection (Digital Media) Tested to MTC DIP120 60DMA fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's and memory sticks.

CODE	W	D	Н	W	D	Н	WEIGHT	CAPACITY	
FS1271E	410	342	308	330	225	220	26 KG	16 LITRES	
FS1272E	352	433	420	260	304	320	36 KG	25 LITRES	
FS1273E	404	440	522	300	300	410	53 KG	36 LITRES	
	FXTI	FRNAL	DIMS	INT	FRNAI	DIMS			

















## Safes Office

### Vertical Fire File

The Phoenix Excel Fire File FS2244K offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

• Fire Protection (Paper) – 11/2 Hrs fire protection for paper documents.

EXTERNAL DIMS INTERNAL DIMS

- Fire Protection (Data) 1½ hrs fire protection for Computer tapes and digital media if optional
- Fire Protection (Digital Media) Tested to MTC DIP120 60DM fire test standard, providing 60 minutes fire protection for digital media, USB's and memory sticks.

CODE	W	D	Н	W	D	Н	WEIGHT	CAPACITY	
FS2242K	530	675	805	385	505	255	145 KG	-	
FS2242E	530	675	805	385	505	255	145 KG	-	
FS2244K	530	675	1495	385	505	255	266 KG	-	
FS2244E	530	675	1495	385	505	255	266 KG	-	
FSDP108	Data i	nsert							



-

FS2244E

FS2242K

-

-

### Data Combi

FOUR SAFES IN ONE – this safe provides fire protection for paper documents, Computer backup tapes, Digital media (CD's DVD's, Memory sticks) and security for cash and valuables all in one unit. Suitable for use in residential or business premises.

- Fire Protection (Paper) Tested to Swedish NT Fire 017 90 Paper (DS2501E/DS2502E), NT Fire 017 – 120 Paper (DS2503E), providing up to 2 Hrs fire protection for paper documents.
- Fire Protection (Data) Tested to Swedish NT Fire 017 90dis (DS2501E/DS2502E), NT Fire 017 – 120 data (DS2503E), providing up to 2hrs Fire protection for computer backup tapes.

CODE	W	D	Н	W	D	Н	WEIGHT	CAPACITY	
DS2501E	500	500	720	375	330	510	97 KG	63/7 LITRES	
DS2502E	520	520	905	380	330	670	129 KG	84/7 LITRES	
DS2503E	655	560	1145	475	350	880	232 KG	145/13 LITRES	
	EXT	ERNAL	DIMS	INT	ERNAL.	DIMS			





### Fire Commander

The Phoenix Fire Commander safe offers unrivalled protection for documents, data and Cash.

- Fire Protection (Paper) Tested to the Swedish NT Fire 017 120 Paper standard, providing 2 Hrs fire protection for paper documents.
- Fire Protection (Digital Media) Tested to DIP120 60DM standard providing Up to 1 hr fire protection for CD, DVD, Memory stick and hard drives

CODE	W	D	Н	W	D	Н	WEIGHT	CAPACITY	
FS1901E	655	560	1250	475	350	980	228 KG	163 LITRES	
FS1902E	775	650	1715	595	440	1450	388 KG	380 LITRES	
FS1903E	1124	700	1770	945	490	1510	548 KG	699 LITRES	
	EXTE	ERNAL	DIMS	INTE	RNAL I	DIMS			





















## Fire Ranger

The Phoenix Fire Ranger sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format.

- Fire Protection Provides 30 minutes fire protection for paper records at 500°C.
- Locking Fitted with a high security double bitted VDS class 1 key lock.

CODE	W	D	Н	W	D	Н	WEIGHT	CAPACITY
FS1511K	600	520	1220	506	415	1082	71 KG	230 LITRES
FS1511E	600	520	1220	506	415	1082	71 KG	230 LITRES
FS1512K	930	520	1220	814	415	1050	90 KG	359 LITRES
FS1512E	930	520	1220	814	415	1050	90 KG	359 LITRES
FS1513K	930	520	1950	814	415	1810	142 KG	615 LITRES
FS1513E	930	520	1950	814	415	1810	142 KG	615 LITRES
FS1514K	1250	520	1950	1134	415	1810	200 KG	815 LITRES
FS1514E	1250	520	1950	1134	415	1810	200 KG	815 LITRES

EXTERNAL DIMS INTERNAL DIMS

