

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/04/2023

Reviewed on 10/04/2023

**1 Identification**

- **Product identifier**
- **Trade name:** Non OEM Remanufactured Replacement Cartridge for HP® CF412A (Yellow)
- **Article number:** 002-01-RF412A
- **Application of the substance / the mixture** Printing inks
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Static Control Components Inc.  
P.O. Box 152  
Sanford, North Carolina, 27331  
info@scc-inc.com
- **Information department:** Product Safety Department
- **Emergency telephone number:**  
During Normal Operating Hours: 919-774-3808  
Emergency Telephone Number: 1-919-770-6019

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization:** Mixtures
- **Description:** Resin mixture
- **Dangerous components:** Void

(Contd. on page 2)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2023

Reviewed on 10/04/2023

**Trade name: Non OEM Remanufactured Replacement Cartridge for HP® CF412A (Yellow)**

(Contd. of page 1)

· Non-hazardous components		
	Styrene Acrylate Copolymer	>50-≤100%
	Wax	>2.5-≤25%
	Pigment	0-≤10%
7631-86-9	silicon dioxide, chemically prepared	>2.5-≤10%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No Information Available
- **Special hazards arising from the substance or mixture**  
Like most finely divided organic powders , toner dust may form an explosive mixture in air.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
7631-86-9	silicon dioxide, chemically prepared	18 mg/m <sup>3</sup>

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2023

Reviewed on 10/04/2023

**Trade name: Non OEM Remanufactured Replacement Cartridge for HP® CF412A (Yellow)**

(Contd. of page 2)

**· PAC-2:**

7631-86-9	silicon dioxide, chemically prepared	740 mg/m <sup>3</sup>
-----------	--------------------------------------	-----------------------

**· PAC-3:**

7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m <sup>3</sup>
-----------	--------------------------------------	-------------------------

### 7 Handling and storage

**· Handling:**
**· Precautions for safe handling**

- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.

**· Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

**· Conditions for safe storage, including any incompatibilities**
**· Storage:**
**· Requirements to be met by storerooms and receptacles:**

- Store in a cool location.
- Store only in the original receptacle.

**· Information about storage in one common storage facility:**

- Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.

**· Further information about storage conditions:**

- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.

**· Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

**· Additional information about design of technical systems:** No further data; see section 7.

**· Control parameters**
**· Components with limit values that require monitoring at the workplace:**

- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**· Additional Occupational Exposure Limit Values for possible hazards during processing:**

USA OSHA (TWA/PEL): 15 mg/m<sup>3</sup> (Total Dust), 5 mg/m<sup>3</sup> (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m<sup>3</sup> (Inhalable Particulate), 3 mg/m<sup>3</sup> (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m<sup>3</sup>, ACGIH (TWA/TLV): 10 mg/m<sup>3</sup>

TRGS 900 (Luftgrenzwert): 10 mg/m<sup>3</sup> (Einatembare partikel)). 3 mg/m<sup>3</sup> (Alveolengängige fraktion)

UK WEL: 10 mg/m<sup>3</sup> (Respirable Dust) 5 mg/m<sup>3</sup> (Inhalible Dust)

**· Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2023

Reviewed on 10/04/2023

**Trade name: Non OEM Remanufactured Replacement Cartridge for HP® CF412A (Yellow)**

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Wash hands before breaks and at the end of work.  
Do not inhale dust / smoke / mist.
- **Protection of hands:**  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

### 9 Physical and chemical properties

- |   |                                    |
|---|------------------------------------|
| · <b>Information on basic physical and chemical properties</b>                                    |                                    |
| · <b>General Information</b>  |                                    |
| · <b>Appearance:</b>  |                                    |
| · <b>Form:</b>  | Powder                             |
| · <b>Color:</b>   | According to product specification |
| · <b>Odor:</b> Light  |                                    |
| · <b>Odor threshold:</b> Not determined.  |                                    |
| · <b>pH-value:</b> Not applicable.  |                                    |
| · <b>Change in condition</b>  |                                    |
| · <b>Melting point/Melting range:</b>   | Undetermined.                      |
| · <b>Boiling point/Boiling range:</b>   | Undetermined.                      |
| · <b>Flash point:</b> Not applicable.   |                                    |
| · <b>Flammability (solid, gaseous):</b> Not determined.   |                                    |
| · <b>Decomposition temperature:</b> Not determined.   |                                    |
| · <b>Ignition temperature:</b> Product is not selfigniting.                                       |                                    |
| · <b>Danger of explosion:</b> Product does not present an explosion hazard in its original state. |                                    |
| · <b>Explosion limits:</b>  |                                    |
| · <b>Lower:</b>   | Not determined.                    |
| · <b>Upper:</b>   | Not determined.                    |
| · <b>Vapor pressure:</b> Not applicable.  |                                    |
| · <b>Density:</b> SG: 1.3-1.8   |                                    |
| · <b>Relative density</b> Not determined.   |                                    |
| · <b>Vapor density</b> Not applicable.  |                                    |
| · <b>Evaporation rate</b> Not applicable.   |                                    |
| · <b>Solubility in / Miscibility with</b>   |                                    |
| · <b>Water:</b>   | Soluble.                           |

(Contd. on page 5)

-US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2023

Reviewed on 10/04/2023

**Trade name: Non OEM Remanufactured Replacement Cartridge for HP® CF412A (Yellow)**

(Contd. of page 4)

- |   |  |
|---|--|
| <b>· Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| <b>· Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not applicable.                            |
| <b>Kinematic:</b>                                 | Not applicable.                            |
| <b>· Solvent content:</b>                         |  |
| <b>VOC content:</b>                               | 0.00 %                                     |
| <b>Solids content:</b>                            | 100.0 %                                    |
| <b>· Other information</b>                        | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity** Non reactive.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- **on the eye:** No toxic irritating effect, according to Directive 67/548/EEC or Directive 199/45/EC.
- **Sensitization:** No toxic sensitizing effects known, according to EU Directive 67/548/EEC or Directive 199/45/EC.
- **Other information (about experimental toxicology):**  
Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7631-86-9 | silicon dioxide, chemically prepared

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2023

Reviewed on 10/04/2023

**Trade name: Non OEM Remanufactured Replacement Cartridge for HP® CF412A (Yellow)**

(Contd. of page 5)

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· <b>UN-Number</b>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· <b>DOT, ADR, IMDG, IATA</b>	Void
· <b>UN proper shipping name</b>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA
· <b>DOT, ADR, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· <b>DOT, ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>Packing group</b>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· <b>DOT, ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.

(Contd. on page 7)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2023

Reviewed on 10/04/2023

**Trade name: Non OEM Remanufactured Replacement Cartridge for HP® CF412A (Yellow)**

(Contd. of page 6)

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **UN "Model Regulation":** Void

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

7631-86-9 | silicon dioxide, chemically prepared

ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/04/2023

Reviewed on 10/04/2023

**Trade name: Non OEM Remanufactured Replacement Cartridge for HP® CF412A (Yellow)**

(Contd. of page 7)

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Contact:****· Date of preparation / last revision** 10/04/2023**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

**· \* Data compared to the previous version altered.**

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.