



## Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 10

SDS No. : 242373  
V001.2

Pritt Multi-Tack

Revision: 25.02.2020  
printing date: 17.11.2020  
Replaces version from: 15.06.2015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Pritt Multi-Tack

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:  
Adhesive pad

#### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd  
Wood Lane End  
HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000  
Fax-no.: +44 (1442) 278071

ua-productsafety.uk@henkel.com

#### 1.4. Emergency telephone number

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

#### 2.2. Label elements

##### Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

#### 2.3. Other hazards

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### General chemical description:

Solvent-free adhesive pads

##### Base substances of preparation:

Polybutylen

Mineral fillers

##### Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components<br>CAS-No.                          | EC Number<br>REACH-Reg No. | content  | Classification            |
|--|----------------------------|----------|---------------------------|
| Polyisobutylene<br>9003-27-4                             |                            | 10- 20 % | Aquatic Chronic 4<br>H413 |
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | 238-878-4                  | 1- 5 %   |                           |

For full text of the H - statements and other abbreviations see section 16 "Other information".

Substances without classification may have community workplace exposure limits available.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of adverse health effects seek medical advice.

##### Inhalation:

Move to fresh air, consult doctor if complaint persists.

##### Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

##### Eye contact:

Rinse immediately with plenty of running water, seek medical advice if necessary.

##### Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

##### Extinguishing media which must not be used for safety reasons:

High pressure waterjet

#### 5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>) can be released.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

### 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

### 6.3. Methods and material for containment and cleaning up

Remove mechanically.

Dispose of contaminated material as waste according to Section 13.

### 6.4. Reference to other sections

See advice in section 8

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

No particular measures required.

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry place.

Store protected from light.

Temperatures between + 5 °C and + 25 °C

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

### 7.3. Specific end use(s)

Adhesive pad

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational Exposure Limits

Valid for  
Great Britain

| Ingredient [Regulated substance]   | ppm | mg/m <sup>3</sup> | Value type                   | Short term exposure limit category / Remarks | Regulatory list |
|--|-----|-------------------|------------------------------|--|-----------------|
| Limestone<br>1317-65-3<br>[CALCIUM CARBONATE, INHALABLE DUST]                    |     | 10                | Time Weighted Average (TWA): |  | EH40 WEL        |
| Limestone<br>1317-65-3<br>[CALCIUM CARBONATE, RESPIRABLE DUST]                   |     | 4                 | Time Weighted Average (TWA): |  | EH40 WEL        |
| Limestone<br>1317-65-3<br>[LIMESTONE, RESPIRABLE MARBLE, RESPIRABLE]             |     | 4                 | Time Weighted Average (TWA): |  | EH40 WEL        |
| Limestone<br>1317-65-3<br>[LIMESTONE, TOTAL INHALABLE MARBLE, TOTAL INHALABLE]   |     | 10                | Time Weighted Average (TWA): |  | EH40 WEL        |
| Quartz (SiO <sub>2</sub> )<br>14808-60-7<br>[SILICA, RESPIRABLE CRYSTALLINE]     |     | 0,1               | Time Weighted Average (TWA): |  | EH40 WEL        |
| Quartz (SiO <sub>2</sub> )<br>14808-60-7<br>[RESPIRABLE CRYSTALLINE SILICA DUST] |     | 0,1               | Time Weighted Average (TWA): |  | EU OELIII       |
| Titanium dioxide<br>13463-67-7<br>[TITANIUM DIOXIDE, TOTAL INHALABLE]            |     | 10                | Time Weighted Average (TWA): |  | EH40 WEL        |
| Titanium dioxide<br>13463-67-7<br>[TITANIUM DIOXIDE, RESPIRABLE]                 |     | 4                 | Time Weighted Average (TWA): |  | EH40 WEL        |

#### Occupational Exposure Limits

Valid for  
Ireland

| Ingredient [Regulated substance]   | ppm | mg/m <sup>3</sup> | Value type                   | Short term exposure limit category / Remarks | Regulatory list |
|--|-----|-------------------|------------------------------|--|-----------------|
| Limestone<br>1317-65-3<br>[CALCIUM CARBONATE, RESPIRABLE DUST]   |     | 4                 | Time Weighted Average (TWA): |  | IR_OEL          |
| Limestone<br>1317-65-3<br>[CALCIUM CARBONATE, TOTAL INHALABLE DUST]  |     | 10                | Time Weighted Average (TWA): |  | IR_OEL          |
| White mineral oil (petroleum)<br>8042-47-5<br>[MINERAL OIL, PURE, HIGHLY & SEVERELY REFINED, INHALABLE FRACTION] |     | 5                 | Time Weighted Average (TWA): |  | IR_OEL          |
| Quartz (SiO <sub>2</sub> )<br>14808-60-7<br>[QUARTZ, RESPIRABLE DUST (SEE CRYSTALLINE SILICA)]                   |     | 0,1               | Time Weighted Average (TWA): |  | IR_OEL          |
| Quartz (SiO <sub>2</sub> )<br>14808-60-7<br>[RESPIRABLE CRYSTALLINE SILICA DUST]                                 |     | 0,1               | Time Weighted Average (TWA): |  | EU OELIII       |
| Titanium dioxide<br>13463-67-7<br>[TITANIUM DIOXIDE, RESPIRABLE]   |     | 4                 | Time Weighted Average (TWA): |  | IR_OEL          |

|   |  |    |                                 |  |        |
|---|--|----|---------------------------------|--|--------|
| DUST]   |  |    |                                 |  |        |
| Titanium dioxide<br>13463-67-7<br>[TITANIUM DIOXIDE, TOTAL<br>INHALABLE DUST] |  | 10 | Time Weighted Average<br>(TWA): |  | IR_OEL |

**Biological Exposure Indices:**

None

**8.2. Exposure controls:**

Respiratory protection:  
Not needed.

Hand protection:  
Not needed.

Eye protection:  
Not needed.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|   |                                    |
|---|------------------------------------|
| Appearance  | Kneading mass<br>sticky<br>white   |
| Odor  | odourless                          |
| Odour threshold   | No data available / Not applicable |
| pH  | Not applicable                     |
| Melting point   | No data available / Not applicable |
| Solidification temperature                                    | No data available / Not applicable |
| Initial boiling point   | > 316 °C (> 600.8 °F)              |
| Flash point   | Not applicable                     |
| Evaporation rate  | No data available / Not applicable |
| Flammability  | No data available / Not applicable |
| Explosive limits  | No data available / Not applicable |
| Vapour pressure   | No data available / Not applicable |
| Relative vapour density:                                      | No data available / Not applicable |
| Density<br>(20 °C (68 °F))                                    | 1,7 g/ml                           |
| Bulk density  | No data available / Not applicable |
| Solubility  | No data available / Not applicable |
| Solubility (qualitative)<br>(23 °C (73.4 °F); Solvent: Water) | Insoluble                          |
| Partition coefficient: n-octanol/water                        | No data available / Not applicable |
| Auto-ignition temperature                                     | No data available / Not applicable |
| Decomposition temperature                                     | No data available / Not applicable |
| Viscosity   | No data available / Not applicable |
| Viscosity (kinematic)   | No data available / Not applicable |
| Explosive properties  | No data available / Not applicable |
| Oxidising properties  | No data available / Not applicable |

**9.2. Other information**

No data available / Not applicable

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reaction with acids: production of heat and carbon dioxide.

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

None if used for intended purpose.

**10.5. Incompatible materials**

See section reactivity.

**10.6. Hazardous decomposition products**

None known.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute oral toxicity:**

| Hazardous substances<br>CAS-No.                             | Value<br>type | Value         | Species | Method        |
|---|---------------|---------------|---------|---------------|
| Polyisobutylene<br>9003-27-4                                | LD50          | > 5.000 mg/kg | rat     | not specified |
| Quartz (SiO <sub>2</sub> ), <1%<br>respirable<br>14808-60-7 | LD50          | > 5.050 mg/kg | rat     | not specified |

**Acute dermal toxicity:**

| Hazardous substances<br>CAS-No.                             | Value<br>type | Value         | Species       | Method        |
|---|---------------|---------------|---------------|---------------|
| Polyisobutylene<br>9003-27-4                                | LD50          | > 5.000 mg/kg | rat           | not specified |
| Quartz (SiO <sub>2</sub> ), <1%<br>respirable<br>14808-60-7 | LD50          | > 2.000 mg/kg | not specified | not specified |

**Acute inhalative toxicity:**

No data available.

**Skin corrosion/irritation:**

| Hazardous substances<br>CAS-No. | Result         | Exposure<br>time | Species | Method   |
|---------------------------------|----------------|------------------|---------|--|
| Polyisobutylene<br>9003-27-4    | not irritating |                  | rabbit  | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

**Serious eye damage/irritation:**

| Hazardous substances<br>CAS-No. | Result         | Exposure<br>time | Species | Method  |
|---------------------------------|----------------|------------------|---------|---|
| Polyisobutylene<br>9003-27-4    | not irritating |                  | rabbit  | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |

**Respiratory or skin sensitization:**

No data available.

**Germ cell mutagenicity:**

No data available.

**Carcinogenicity**

No data available.

**Reproductive toxicity:**

No data available.

**STOT-single exposure:**

No data available.

**STOT-repeated exposure::**

No data available.

**Aspiration hazard:**

No data available.

**SECTION 12: Ecological information****General ecological information:**

Do not empty into drains, soil or bodies of water.

**12.1. Toxicity****Toxicity (Fish):**

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value        | Exposure time | Species        | Method   |
|--|---------------|--------------|---------------|----------------|--|
| Polyisobutylene<br>9003-27-4                             | LC50          | > 100 mg/l   | 96 h          | Leuciscus idus | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | LC50          | > 1.000 mg/l |               | not specified  | OECD Guideline 203 (Fish, Acute Toxicity Test) |

**Toxicity (Daphnia):**

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value        | Exposure time | Species       | Method   |
|--|---------------|--------------|---------------|---------------|--|
| Polyisobutylene<br>9003-27-4                             | EC50          | > 100 mg/l   | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | EC50          | > 1.000 mg/l |               | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

**Chronic toxicity to aquatic invertebrates**

No data available.

**Toxicity (Algae):**

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value        | Exposure time | Species       | Method  |
|--|---------------|--------------|---------------|---------------|---|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | EC50          | > 1.000 mg/l |               | not specified | OECD Guideline 201 (Alga, Growth Inhibition Test) |

#### Toxicity to microorganisms

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value        | Exposure time | Species       | Method   |
|--|---------------|--------------|---------------|---------------|--|
| Polyisobutylene<br>9003-27-4                             | EC0           | > 1.000 mg/l | 3 h           |               | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | EC0           | > 1.000 mg/l |               | not specified | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |

#### 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

| Hazardous substances<br>CAS-No.                          | PBT / vPvB  |
|--|---|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances. |

#### 12.6. Other adverse effects

No data available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code  
080410

**SECTION 14: Transport information****14.1. UN number**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.2. UN proper shipping name**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.3. Transport hazard class(es)**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.4. Packing group**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.5. Environmental hazards**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.6. Special precautions for user**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

VOC content 0,0 %  
(VOCV 814.018 VOC regulation  
CH)

**15.2. Chemical safety assessment**

A chemical safety assessment has not been carried out.

## SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:  
H413 May cause long lasting harmful effects to aquatic life.

### Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your\_company.com).

**Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.**