

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) and (EC) No.1272/2008 (CLP)

Version CLP-1.1  
Date of issue : 2021-03-12  
Revision Date : 2021-07-15

## 1. Identification of the mixture and of the company

### 1.1 – Product identifier

Product name : Infilled ink about following items.

JMNIE RT 0.7 (Black)	4C Refill 0.7 (Black)
SL-F1 0.7 (Black)	F Refill 0.7 (Black)
F-xMD (Black)	F Refill 1.0 (Black)
F-301 0.7(Black)	K Refill 0.7 (Black)
F-301 1.0(Black)	SH Refill 0.7 (Black)
X-701 (Black)	
H-8000 (Black)	

### 1.2 – Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture : Ink for writing implement
- Recommended restrictions on use : No information available
- Uses Advised Against : No information available

### 1.3 – Details of the supplier of the SDS

- Importer : ZEBRA PEN UK LTD. HUNGARY BRANCH  
1039 Budapest, Pünkösfürdö u. 52. HUNGARY
- TEL : +36-1-630-9173
- FAX : +36-1-308-3368
- Manufacture : ZEBRA CO., LTD.  
2-9 Higashi-gokencho Shinjuku-ku Tokyo JAPAN
- TEL : +81-3-3268-1193
- FAX : +81-3-3268-1197

### 1.4 – Emergency telephone number

- Importer : +49-2131-178-2900
- Manufacture : +81-3-3268-1193

This phone number is available only during office hours: 9 a.m. to half past 5 p.m.  
(Japan time)

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

According to (EC) No.1272/2008 (CLP)

#### Physical hazards

Flammable liquids	Not classified
Pyrophoric liquids	Not classified
Self-heating mixtures	Not classified
Corrosive to metals	Not classified

#### Health hazards

Acute toxicity-Oral	Category 4
Acute toxicity-Dermal	Not classified
Acute toxicity-Inhalation:vapour	Not classified
Skin corrosion / irritation	Category 2
Serious eye damage / eye irritation	Category 2
Respiratory or skin sensitization	Not classified/Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified

Reproductive toxicity	Not classified
Specific target organ toxicity (Single exposure)	Not classified
Specific target organ toxicity(Repeated exposure)	Not classified
Aspiration hazard	Not classified

**Environmental hazards**

Hazardous to the aquatic environment(acute)	Not classified
Hazardous to the aquatic environment(chronic)	Category 2

**2.2 Label elements**

According to (EC) No.1272/2008 (CLP)

**Pictograms or Symbol**

Exclamation mark      Environment

**Signal Word**

Warning

**Hazard statement**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary Statements****Prevention**

P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with soap and water.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
P337+P313	If eye irritation persists : Get medical advice/attention .

**Storage****Disposal**

P501	Dispose of contents/container to in accordance with local government regulation.
------	--

**Supplemental information****2.3 Other hazards**

The ink does not have data whether a substance metting the critera for PBT or vPvB in accordance with EC 1907/2006 Annex III.

**3. Composition/information on ingredients****3.1 Substance** : Not applicable**3.2 Mixture****Component and Amount**

Component	Amount	CAS No.	EC No.	Reach No.	Hazard Statement and Class	
Dyes	30 – 35%	Nondisclosure	Nondisclosure	— *		
2-Phenoxyethanol	30 – 35%	122-99-6	204-589-7	— *	H302	Acute Tox. 4 **
					H319	Eye Irrit. 2 **
Benzyl alcohol	15 – 20%	100-51-6	202-859-9	— *	H302	Acute Tox. 4 **

(Z)-octadec-9 -enylamine	1 - 5%	112-90-3	204-015-5	— *	H302	Acute Tox. 4 **
					H304	Asp. Tox. 1 **
					H314	Skin corr. 1B **
					H335	STOT SE 3 **
					H373	STOT RE 2 **
					H400	Aquatic Acute 1 **
					H410	Aquatic Chronic 1 **
Resins	15 - 20%	Nondisclosure	Nondisclosure	— *		
Additives	1 - 5%	Nondisclosure	Nondisclosure	— *		

\* Exempt from REACH Registry.

\*\* See (EC)No 1272/2008 Annex VI Section 1.2.1.

## 4. First-aid measures

### 4.1 Description of First-aid measures

#### After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### After skin contact:

Call a POISON CENTER or doctor/physician if you feel unwell.  
IF ON SKIN: Wash with soap and water.  
Take off contaminated clothing and wash it before reuse.  
If skin irritation occurs: Get medical advice/attention.

#### After eye contact:

IF IN EYES: Rinse continuously with water for several minutes.  
Remove contact lenses if present and easy to do . Continue rinsing.  
If eye irritation persists : Get medical advice/attention.

#### After ingestion:

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
Rinse mouth.

#### Protection of the person who takes first aid

Nothing in particular.

### 4.2 Most important symptoms and effects, both acute and delayed

No significant reaction of the human body to this product known.

### 4.3 Indication of any immediate medical attention and special treatment needed

There is no specific and immediate treatment, but should consult a doctor.

## 5. Fire-fighting measures

### 5.1 Suitable Extinguishing media

Carbon dioxide, dry chemical powder, water fog, foam

### 5.2 Special hazards arising from the substance or mixture

#### Prohibition extinguishing media for safety reason

Water spray (straight)

### 5.3 Advice for firefighters

#### Specific hazards

May produce toxic fumes if burning.

#### Specific fire fighting procedures

If safe to do so, move undamaged containers from the fire area.

If can't move the container , cool containers and surrounding with spray water

Cool containers with large quantities of water until well after extinguished the fire.

#### Special protective equipment for fire-fighters

Fire-fighting should be performed from the windward side.

Respiratory protection, and other suitable protective equipment

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

The pollution area should be established as off limits without concerned persons.

#### Protective equipment and emergency measure

Do not touch the leakage or its damaged container without suitable protection.

Do not walk through the leakage.

Keep sufficient ventilation if the area is indoor.

Remove ignition sources.

### 6.2 Environmental precautions

Keep away from drains, and prevent from releasing to the environment.

### 6.3 Methods and materials for containment and cleaning up

#### Methods for cleaning up

Use non-flammable absorbent materials, and put them in airtight container.

Dispose of absorbent in accordance with law.

#### Prevention of secondary disaster

Remove nearby ignition source and hot surface.

Equipped with suitable extinguishing.(Preparation for in case of ignition)

### 6.4 Reference to other sections

Refer to section 8 and 13.

## 7. Handling and storage

### 7.1 Precautions for safe handling

#### Technical measures

Do suitable equipment measures and use suitable protection that refer to  
"8. Exposure control/ personal protection".

#### Local exhaust ventilation and general ventilation

Use local exhaust ventilation and general ventilation that refer to  
"8. Exposure control/ personal protection".

#### Caution

When handling do not use high temperature articles, spark and fire.

Handle container with care, do not make it turn over, drop, give impact and drag.

Do not breathe, contact and swallow.

Maintain air concentrations below exposure limit using exhaust ventilation.

Do not eat, drink or smoke when using this product.

Wash hand thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

#### Avoid contact

Refer to section 10 about stability and reactivity.

### 7.2 Conditions for safe storage, including incompatibilities

#### Storage

##### Incompatible materials

Refer to section 10 about stability and reactivity.

#### Storage condition

Store away from heat/sparks/open flames – No smoking

Store in a well ventilated place. Keep cool and container tightly closed.

Store locked up.

#### The Containers

Use the container that our company filled up when ship products

### 7.3 Specific end uses

Not applicable

## 8. Exposure control/ personal protection

### 8.1 .1 Control parameters

#### Exposure limit values

Chemical name	EU-OEL (2006/15/EC,2009/161/EU)		Germany TRGS900	UK. EH40 Workplace Exposure Limits (WELS)	
	Eight hours	Short-term		Long-term exposure limit	Short-term exposure limit
2-Phenoxyethanol	—	—	5.7mg/m <sup>3</sup>	—	—
Benzyl alcohol	—	—	22mg/m <sup>3</sup>	—	—
(Z)-octadec-9-enylamine	—	—	—	—	—

### 8.2 Exposure controls

#### Equipment measures

Put up local exhaust ventilation. Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Put up emergency eyewash and shower in case of storage or handling about this product.

#### Protection

##### Respiratory protection

Use suitable respiratory protection.

##### Hand protection

Use suitable protective glove.

##### Eye protection

Use suitable eye protection

##### Skin/body protection

Use suitable face protection.

##### Hygiene measures

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling

## 9. Physical and chemical properties

Appearance	Black Liquid
Odour	Peculiar odour
Odour threshold	No data available
pH	No data available
Evaporation rate	No data available
Flammability	No data available
Melting point / Coagulating point	No data available
Boiling point	No data available
Flash point	No data available
Explosive limit UEL	No data available
Explosive limit LEL	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	No data available
Partition coefficient n-octanol/water	No data available
Ignition point	No data available
Decomposition point	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

### 9.2 Other information

No data available

## 10. Stability and reactivity

10.1 Reactivity	No hazardous reactions if stored and handled as prescribed.
10.2 Chemical stability	This product is stable in normal condition.
10.3 Possibility of hazardous reaction	No data available
10.4 Conditions to avoid	High temperature
10.5 Incompatible materials	Strong oxidizing agent
10.6 Hazardous decomposition products	Nothing in particular

---

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### • Specific Component information

Acute toxicity	Oral : LD <sub>50</sub>	2-Phenoxyethanol is Category 4. Benzyl alcohol is Category 4. (Z)-octadec-9-enylamine is Category 4.
	Dermal : LD <sub>50</sub>	No information is available.
	Inhalation : LD <sub>50</sub>	No information is available. (Z)-octadec-9-enylamine is Category 1B. (Z)-octadec-9-enylamine is Category 1B.
Skin irritation		No information is available.
Eye irritation		No information is available.
Sensitization		No information is available.
Mutagenicity		No information is available.
Chromosome aberration		No information is available.
Carcinogenicity		No information is available.
Reproductive toxicity		No information is available.
Sub-Acute toxicity		No information is available.
Aspiration hazard		No information is available.

---

## 12. Ecological information

### 12.1 Toxicity

Fish toxicity :	No information is available.
Acute toxicity to daphnia-magna :	No information is available.
Daphnia-magna Reproduction :	No information is available.
Algal inhibition :	No information is available.
Inhibitory effect assessment of activated sewage sludge :	No information is available.
12.2 Persistence and degradability :	No information is available.
12.3 Bioaccumulative potential :	No information is available.
12.4 Mobility of soil :	No information is available.
12.5 Results of PBT and vPvB assessment :	No information is available.
12.6 Other adverse effect :	No information is available.

---

## 13. Disposal considerations

### Waste treatment methods

#### Waste residues

Disposal must be made according to official regulations.

Avoid release to the environment.

#### Contaminated container and packaging

Do not flush into the sewer.

Remove all contents when you dispose of empty containers.

---

## 14. Transport information

14.1 UN number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packaging group
International regulation

**IMDG (Maritime transport)**

UN No.	Not applicable
Class	–
Packing Group	–
Marine Pollutant	–
Shipping name	–

**ICAO/IATA (Air transport)**

UN No.	Not applicable
Class	–
Packing Group	–
Shipping name	–

**ADR/RID(Land transport)**

UN No.	Not applicable
Class	–
Packing Group	–
Shipping name	–

**14.5 Environmental hazards**

Hazardous to the aquatic environment(acute)	Not classified
Hazardous to the aquatic environment(chronic)	Category 2

**14.6 Special precautions for user**

Not applicable.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC code**

Not applicable.

**Special precautions**

Prevent from falling, stumbling and doing damage when the container loading..

Avoid acute vibration and friction for container.

If there are some indications of hazard in transporting like acute leak in transporting, take emergency measures and report the accident at once to disaster management agency.

Avoid transport with foods or feeds.

Above regulations are not applied to transport of writing instruments filled with the ink.

Follow all regulation in your country.

**15. Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This ink is not deplete the ozone layer, Seveso category.

## 15.2 Chemical safety assessment

Chemical safety assessment has not benn carried out.

## 15.3 Futher information

No information is available.

**16. Other information****16.1 Full text of H-Statements referred to under Sections 2 and 3**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

**16.2 Other information**

In this sheet, the contents of ingredients and the value of physical and chemical properties are not guaranteed performance.

The information contained in this sheet is based on the data available at now.

But this shall not constitute a guarantee for any specific or classification.

Please be alert to handling this product because chemicals shall have unknown hazards.

This sheet may be revised when we get new information.

The information is assumed in the case of large-scale handling on business operations.

They cannot be always applicable to general use of writing instruments.

**Revision**

2021/3/12 First version

2021/7/15 Ver 1.1