

# SAFETY DATA SHEET Swarfega Jizer Aerosol

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Swarfega Jizer Aerosol
Product number SJZ500ML, SJZ500SFX

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. Car maintenance product.

## 1.3. Details of the supplier of the safety data sheet

Supplier SC Johnson Professional Ltd

Denby Hall Way

Denby Derbyshire DE5 8JZ

+44 (0) 1773 855100 info.prouk@scj.com

#### 1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

# Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards STOT SE 3 - H336

Environmental hazards Not Classified

### 2.2. Label elements

## Hazard pictograms





Signal word Danger

Hazard statements H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated. H336 May cause drowsiness or dizziness.

**Precautionary statements** P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing vapour/ spray.

P271 Use only outdoors or in a well-ventilated area.

P501 Dispose of contents/ container in accordance with national regulations.

# Swarfega Jizer Aerosol

Supplemental label

information

EUH066 Repeated exposure may cause skin dryness or cracking.

Contains NAPTHA (PETROLEUM) HYDROTREATED HEAVY

**Detergent labelling** ≥ 30% aliphatic hydrocarbons, < 5% aromatic hydrocarbons, < 5% non-ionic surfactants

Supplementary precautionary

P211 Do not spray on an open flame or other ignition source.

statements

P251 Do not pierce or burn, even after use.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## NAPTHA (PETROLEUM) HYDROTREATED HEAVY

60-100%

CAS number: 64742-48-9 EC number: 919-857-5 REACH registration number: 01-

2119463258-33-XXXX

## Classification

Flam. Liq. 3 - H226 STOT SE 3 - H336 Asp. Tox. 1 - H304

BUTANE 1-10%

CAS number: 106-97-8 EC number: 203-448-7 REACH registration number: 01-

2119474691-32-XXXX

### Classification

Flam. Gas 1 - H220

XYLENE 1-10%

CAS number: 1330-20-7 EC number: 215-535-7

#### Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information Move affected person to fresh air at once. Get medical attention if any discomfort continues.

# Swarfega Jizer Aerosol

**Inhalation** Move affected person to fresh air at once. When breathing is difficult, properly trained

personnel may assist affected person by administering oxygen. Keep affected person warm

and at rest. Get medical attention immediately.

Ingestion Give plenty of water to drink. Keep affected person under observation. Get medical attention if

any discomfort continues. Show this Safety Data Sheet to the medical personnel. Rinse

mouth thoroughly with water. Rinse mouth thoroughly with water.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Vapours may cause headache, fatigue, dizziness and nausea.

IngestionNo specific symptoms known.Skin contactNo specific symptoms known.

**Eye contact** Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

#### SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray,

fog or mist.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

5.3. Advice for firefighters

Protective actions during

Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

**firefighting** exposed co

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

## 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Leave small quantities to evaporate, if safe to do so. Do not allow material to enter confined spaces, due to the risk of

explosion. If leakage cannot be stopped, evacuate area.

#### 6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

# Swarfega Jizer Aerosol

#### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Keep away from heat, sparks and open flame. Avoid spilling. Provide adequate ventilation.

Avoid inhalation of vapours. Use approved respirator if air contamination is above an

acceptable level. Avoid contact with skin, eyes and clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

#### Occupational exposure limits

#### **BUTANE**

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³ Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

#### XYLENE

Long-term exposure limit (8-hour TWA): WEL 50 ppm 220 mg/m³

Short-term exposure limit (15-minute): WEL 100 ppm 441 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit. Sk = Can be absorbed through skin.

Ingredient comments WEL = Workplace Exposure Limits

## 8.2. Exposure controls

### Protective equipment





Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

Not required normally but wear eye protection if you are conducting an operation where there

is a risk of this product getting in the eyes.

**Hand protection** Use protective gloves.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

prolonged vapour contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit. Use chemical cartridge

protection with appropriate cartridge.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Aerosol.

# Swarfega Jizer Aerosol

Colour Yellowish

Odour Characteristic.

**pH** Not determined.

Melting point Not determined.

Initial boiling point and range Not determined.

Flash point -60 Deg C°C

**Evaporation rate** Not determined.

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 3% Upper flammable/explosive limit: 18.6%

Vapour pressure Not determined.

Vapour density Not determined.

Relative density Not relevant.

Solubility(ies) Immiscible with water

**Auto-ignition temperature** Not determined.

**Decomposition Temperature** Not relevant.

Viscosity Not relevant.

Oxidising properties Not available.

9.2. Other information

Other information None.

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

Not relevant.

reactions

products

10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition. Avoid contact with the following materials:

Strong oxidising agents. Strong alkalis. Strong mineral acids.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition

illoii

Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

# Swarfega Jizer Aerosol

Acute toxicity - dermal

**ATE dermal (mg/kg)** 91,666.67

Acute toxicity - inhalation

ATE inhalation (gases ppm) 375,000.0
ATE inhalation (vapours mg/l) 916.67

ATE inhalation (dusts/mists

mg/l)

125.0

Inhalation May cause respiratory system irritation. Vapours may cause headache, fatigue, dizziness and

nausea. Prolonged inhalation of high concentrations may damage respiratory system.

**Skin contact** Product has a defatting effect on skin. May cause skin irritation/eczema.

**Eye contact** Irritating to eyes.

Route of exposure Inhalation Skin and/or eye contact

## SECTION 12: Ecological information

**Ecotoxicity** Dangerous for the environment if discharged into watercourses.

#### 12.1. Toxicity

## 12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

## 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility Not applicable.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

General information Only experts should be permitted to carry out disposal of this material.

**Disposal methods** Empty containers must not be punctured or incinerated because of the risk of an explosion.

Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

## **SECTION 14: Transport information**

### 14.1. UN number

UN No. (ADR/RID) 1950
UN No. (IMDG) 1950
UN No. (ICAO) 1950

# Swarfega Jizer Aerosol

**UN No. (ADN)** 1950

#### 14.2. UN proper shipping name

Proper shipping name

AEROSOLS, Flammable, Class 2.1, (D).

(ADR/RID)

Proper shipping name (IMDG) AEROSOLS, Flammable, Class 2.1, (D).

Proper shipping name (ICAO) AEROSOLS, Flammable, Class 2.1, (D).

Proper shipping name (ADN) AEROSOLS, Flammable, Class 2.1, (D).

### 14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

#### Transport labels



## 14.4. Packing group

ADR/RID packing group None

IMDG packing group None

ICAO packing group None

ADN packing group None

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

**EmS** F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

EH40/2005 Workplace exposure limits.

# Swarfega Jizer Aerosol

#### **EU** legislation

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision comments New SDS Software

Revision date 14/12/2018

Revision 7

Supersedes date 10/11/2016

Hazard statements in full H220 Extremely flammable gas.

H222 Extremely flammable aerosol. H226 Flammable liquid and vapour.

H229 Pressurised container: may burst if heated. H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin. H315 Causes skin irritation. H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.