

SAFETY DATA SHEET

B3294 Part B

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	B3294 Part B	
Container size	25ml	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Two-component, epoxy-based adhesive.	
1.3. Details of the supplier of t	the safety data sheet	
Supplier	Bondloc UK Ltd Units 1 & 2 Bewdley Business Park Long Bank Bewdley Worcestershire DY12 2TZ United Kingdom +44 (0)1299 269269 +44 (0)1299 269210 sales@bondloc.co.uk	
1.4. Emergency telephone nu	mber	
Emergency telephone	+44 (0)1299 269269	
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst	tance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Flam. Liq. 2 - H225	
Health hazards	Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 - H335	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard pictograms		
Signal word	Danger	
Hazard statements	H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.	

Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTRE/doctor if you feel unwell. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

Contains

methyl methacrylate

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

methyl methacrylate		30-60%
CAS number: 80-62-6	EC number: 201-297-1	REACH registration number: 01- 2119452498-28-0000
Classification		
Flam. Liq. 2 - H225		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
oxydipropyl dibenzoate		5-10%
CAS number: 27138-31-4	EC number: 248-258-5	REACH registration number: 01- 2119529241-49-0000
Classification		2119529241-49-0000
Aquatic Chronic 2 - H411		

3,5-Diethyl-1,2-dihydro-1-phe	anyi-z-propyipynain	1-5%
CAS number: 34562-31-7	EC number: 252-091-3 REACH registration number: 01- 2120769712-47-0000	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312		
The full text for all hazard state	ements is displayed in Section 16.	
SECTION 4: First aid measure	95	
4.1. Description of first aid me	asures	
Inhalation	Place unconscious person on their side in the recovery position and ensure breathing can take place. Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.	
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention. Never give anything by mouth to an unconscious person.	
Skin contact	Remove affected person from source of contamination. Wash skin thoroughly with soap and water. Get medical attention if symptoms are severe or persist after washing. Use appropriate hand lotion to prevent defatting and cracking of skin.	
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Get medical attention if irritation persists after washing.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Skin contact	May cause skin irritation/eczema.	
4.3. Indication of any immedia	te medical attention and special treatment ne	eded
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry po	owder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	an extinguisher, as this will spread the fire.	rapours, fumes and smoke. Do not use water jet a Cool containers exposed to flames with water unter by containing and keeping it out of sewers and
Special protective equipment for firefighters	Wear positive-pressure self-contained breat clothing.	thing apparatus (SCBA) and appropriate protectiv

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.		
6.2. Environmental precautions			
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Eliminate all sources of ignition.		
6.4. Reference to other section	ns		
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.		
SECTION 7: Handling and sto	orage		
7.1. Precautions for safe hand	lling		
Usage precautions	Provide adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required. Avoid contact with skin and eyes. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
Advice on general occupational hygiene	When using do not eat, drink or smoke.		
7.2. Conditions for safe storag	e, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.		
Storage class	Flammable liquid storage.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure control	Is/Personal protection		
8.1. Control parameters Occupational exposure limits methyl methacrylate			
Long-term exposure limit (8-hour TWA): WEL 50 ppm 208 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 416 mg/m³ WEL = Workplace Exposure Limit.			
8.2. Exposure controls			
Protective equipment			

Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Eye/face protection	Wear chemical splash goggles.
Hand protection	Wear protective gloves made of the following material: Rubber (natural, latex).

Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Provide eyewash station. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Ph	ysical and chemica	l properties
---------------	--------------------	--------------

-	
9.1. Information on basic phys	ical and chemical properties
Appearance	Paste.
Colour	White/off-white.
Odour	Acrylic
Odour threshold	No information available.
рН	Not available.
Melting point	No information available.
Initial boiling point and range	Not available.
Flash point	10°C Tag closed cup.
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Solubility(ies)	No information available.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	Not available.
Oxidising properties	Not available.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	See Section 10.3 (Possibility of hazardous reactions) for further information.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. May polymerise.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	May polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid

Avoid contact with the following materials: Alkali metals. Strong oxidising agents. Strong acids. Strong alkalis. Organic peroxides/hydroperoxides.

10.6. Hazardous decomposition products

Hazardous decomposition Oxides of: Carbon. Other toxic gases and vapours products

SECTION 11: Toxicological information		
11.1. Information on toxicolog	jical effects	
Acute toxicity - oral		
ATE oral (mg/kg)	35,714.29	
Acute toxicity - dermal		
ATE dermal (mg/kg)	78,571.43	
Inhalation	Irritation of nose, throat and airway. Coughing.	
Ingestion	Causes burns. May cause chemical burns in mouth, oesophagus and stomach. May cause stomach pain or vomiting.	
Skin contact	Product has a defatting effect on skin. Dryness and/or cracking. Harmful in contact with skin.	
Eye contact	Causes burns. Irritation of eyes and mucous membranes. Severe irritation, burning and tearing.	
Toxicological information on in	ngredients.	
	methyl methacrylate	
Carcinogenicity		
IARC carcinoger	nicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.	
	3,5-Diethyl-1,2-dihydro-1-phenyl-2-propylpyridin	
Acute toxicity - o	pral	
ATE oral (mg/kg) 500.0	
Acute toxicity - d	dermal	
ATE dermal (mg	J/kg) 1,100.0	
SECTION 12: Ecological information		
12.1. Toxicity		

Ecotoxicity

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential Potentially bioaccumulating.

Partition coefficient No information available.

12.4. Mobility in soil

12.4. Mobility in soil		
Mobility	Not available	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	Not available.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Waste class	08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances.	
SECTION 14: Transport inform	nation	
14.1. UN number		
UN No. (ADR/RID)	1133	
UN No. (IMDG)	1133	
UN No. (ICAO)	1133	
UN No. (ADN)	1133	
14.2. UN proper shipping name	e	
Proper shipping name (ADR/RID)	ADHESIVES	
Proper shipping name (IMDG)	ADHESIVES	
Proper shipping name (ICAO)	ADHESIVES	
Proper shipping name (ADN)	ADHESIVES	
14.3. Transport hazard class(e	<u>es)</u>	
ADR/RID class	3	
ADR/RID classification code	F1	
ADR/RID label	3	
IMDG class	3	
ICAO class/division	3	
ADN class	3	

Transport labels



14.4. Packing group

ADR/RID packing group	Ш
IMDG packing group	П
ICAO packing group	П
ADN packing group	П

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	2
Emergency Action Code	•3YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislationRegulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
December 2008 on classification, labelling and packaging of substances and mixtures (as
amended).
Dangerous Preparations Directive 1999/45/EC.
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	20/02/2020
Revision	1
Supersedes date	07/09/2018
SDS number	5685
Hazard statements in full	 H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.



SAFETY DATA SHEET

B3294 Part A

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of t	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	B3294 Part A
Container size	25ml
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Two-component, epoxy-based adhesive.
1.3. Details of the supplier of	the safety data sheet
Supplier	Bondloc UK Ltd Units 1 & 2 Bewdley Business Park Long Bank Bewdley Worcestershire DY12 2TZ United Kingdom +44 (0)1299 269269 +44 (0)1299 269210 sales@bondloc.co.uk
1.4. Emergency telephone nu	Imber
Emergency telephone	+44 (0)1299 269269
SECTION 2: Hazards identific	cation
2.1. Classification of the subs	
Classification (EC 1272/2008)	tance or mixture
Classification (EC 1272/2008) Physical hazards	tance or mixture) Flam. Liq. 2 - H225
Classification (EC 1272/2008) Physical hazards Health hazards	tance or mixture) Flam. Liq. 2 - H225 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335
Classification (EC 1272/2008) Physical hazards	tance or mixture) Flam. Liq. 2 - H225
Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	tance or mixture) Flam. Liq. 2 - H225 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335
Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	tance or mixture) Flam. Liq. 2 - H225 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335
Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	tance or mixture) Flam. Liq. 2 - H225 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

B3294 Part A

Precautionary statements	ts P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N smoking.			
	P240 Ground and bond container and receiv	ving equipment		
	P241 Use explosion-proof electrical equipm			
	P242 Use non-sparking tools.	ent.		
	P260 Do not breathe vapour/ spray.	43 Take action to prevent static discharges.		
	P261 Avoid breathing vapour/ spray.	fter bendling		
	P264 Wash contaminated skin thoroughly a	-		
	P271 Use only outdoors or in a well-ventilate			
	P272 Contaminated work clothing should no P273 Avoid release to the environment.	t be allowed out of the workplace.		
		thing/ove protection/face protection		
	P280 Wear protective gloves/ protective clob			
	P301+P330+P331 IF SWALLOWED: Rinse	•		
	P302+P352 IF ON SKIN: Wash with plenty (
	P303+P361+P353 IF ON SKIN (or hair): Tal Rinse skin with water or shower.	te on infinediately all contaminated clothing.		
		a freeh eir and keen comfartable far breething		
	-	o fresh air and keep comfortable for breathing.		
		ously with water for several minutes. Remove		
	contact lenses, if present and easy to do. Co	-		
	P310 Immediately call a POISON CENTER/ P312 Call a POISON CENTRE/doctor if you			
	-			
	P321 Specific treatment (see medical advice	-		
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.			
	P362+P364 Take off contaminated clothing and wash it before reuse.			
	P363 Wash contaminated clothing before reuse.			
	P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.			
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.			
	P403+P235 Store in a well-ventilated place. Keep cool.			
	P405 Store locked up.			
	P501 Dispose of contents/ container in accordance with national regulations.			
Contains	methyl methacrylate, methacrylic acid, male	ic acid		
0.0.04				
2.3. Other hazards				
SECTION 3: Composition/inf	ormation on ingredients			
3.2. Mixtures				
mothyd mothe en date		30-60%		
methyl methacrylate		30-00%		
CAS number: 80-62-6	EC number: 201-297-1	REACH registration number: 01-		
		2119452498-28-0000		
Classification				
Flam. Liq. 2 - H225				
Skin Irrit. 2 - H315				
Skin Sens. 1 - H317				
STOT SE 3 - H335				

maleic acid			1-59
CAS number: 110-16-7	EC number: 203-742-5	REACH registration number: 01- 2119488705-25-0000	
Classification			
Acute Tox. 4 - H302			
Skin Irrit. 2 - H315			
Eye Irrit. 2 - H319			
Skin Sens. 1 - H317			
STOT SE 3 - H335			
methacrylic acid			1-59
CAS number: 79-41-4	EC number: 201-204-4	REACH registration number: 01- 2119463884-26-0000	
Classification			
Acute Tox. 4 - H302			
Acute Tox. 4 - H312			
Skin Corr. 1A - H314			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
2,6-Di-Tert-Butyl-P-Cresol (BHT)			1-5
	50 1 004 004 4		1-0
CAS number: 128-37-0	EC number: 204-881-4	REACH registration number: 01- 2119480433-40-0000	
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			
α,α-dimethylbenzyl hydroperoxide			<1
CAS number: 80-15-9	EC number: 201-254-7	REACH registration number: 01- 2119475796-19-0000	
		2119475790-19-0000	
Classification			
Org. Perox. E - H242			
Acute Tox. 4 - H302			
Acute Tox. 4 - H312			
Acute Tox. 3 - H331			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
STOT RE 2 - H373			
Aquatic Chronic 2 - H411			

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Place unconscious person on their side in the recovery position and ensure breathing can take place. Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.	
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention. Never give anything by mouth to an unconscious person.	
Skin contact	Remove affected person from source of contamination. Wash skin thoroughly with soap and water. Get medical attention if symptoms are severe or persist after washing. Use appropriate hand lotion to prevent defatting and cracking of skin.	
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Get medical attention if irritation persists after washing.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Skin contact	Burns can occur.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	ures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Do not use water jet as an extinguisher, as this will spread the fire. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	S	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Eliminate all sources of ignition.	

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage 7.1. Precautions for safe handling Usage precautions Provide adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required. Avoid contact with skin and eyes. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Advice on general When using do not eat, drink or smoke. occupational hygiene 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Storage class Flammable liquid storage. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2. SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

methyl methacrylate

Long-term exposure limit (8-hour TWA): WEL 50 ppm 208 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 416 mg/m³

2,6-Di-Tert-Butyl-P-Cresol (BHT)

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Eye/face protection	Wear chemical splash goggles.
Hand protection	Wear protective gloves made of the following material: Rubber (natural, latex). Neoprene. Nitrile rubber.
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Provide eyewash station. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
SECTION 9: Physical and che	amical properties

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste.
Colour	White/off-white.
Odour	Acrylic
Odour threshold	No information available.
рН	Not available.
Melting point	No information available.
Initial boiling point and range	Not available.
Flash point	11°C Tag closed cup.
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Solubility(ies)	Insoluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Oxidising properties	Not available.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	See Section 10.3 (Possibility of hazardous reactions) for further information.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. May polymerise.
10.3. Possibility of hazardous	
Possibility of hazardous reactions	May polymerise.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Avoid contact with the following materials: Alkali metals. Strong oxidising agents. Strong acids. Strong alkalis. Organic peroxides/hydroperoxides. Inorganic peroxides.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Oxides of: Carbon. Other toxic gases and vapours
SECTION 11: Toxicological in	

11.	1.	Information	on	toxicological	effects
-----	----	-------------	----	---------------	---------

mg/l)

11.1. Information on toxicologi	cal effects		
Acute toxicity - oral			
ATE oral (mg/kg)	6,250.0		
Acute toxicity - dermal			
ATE dermal (mg/kg)	15,714.29		
Acute toxicity - inhalation			
ATE inhalation (vapours mg/l)	600.0		
Inhalation	Irritation of nose, throat and airway. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.		
Ingestion	Causes burns. May cause chemical burns in mouth, oesophagus and stomach. May cause stomach pain or vomiting.		
Skin contact	Causes burns. May cause skin sensitisation or allergic reactions in sensitive individuals.		
Eye contact	Causes burns. Irritation of eyes and mucous membranes. Severe irritation, burning and tearing.		
Toxicological information on in	gredients.		
	methyl methacrylate		
Carcinogenicity			
IARC carcinogen	icity IARC Group 3 Not classifiable as to its carcinogenicity to humans.		
	maleic acid		
Acute toxicity - or			
ATE oral (mg/kg)	500.0		
	methacrylic acid		
Acute toxicity - or			
ATE oral (mg/kg)	500.0		
Acute toxicity - de	ermal		
ATE dermal (mg/	kg) 1,100.0		
	2,6-Di-Tert-Butyl-P-Cresol (BHT)		
Carcinogenicity			
IARC carcinogen	icity IARC Group 3 Not classifiable as to its carcinogenicity to humans.		
	α,α-dimethylbenzyl hydroperoxide		
Acute toxicity - or			
ATE oral (mg/kg)	500.0		
Acute toxicity - de	ermal		
ATE dermal (mg/	kg) 1,100.0		
Acute toxicity - in	halation		
ATE inhalation (v	apours 3.0		

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Ecological information on ingredients.

Ecological information on ingr	edients.		
	2,6-Di-Tert-Butyl-P-Cresol (BHT)		
Acute aquatic to	xicity		
LE(C)50	$0.1 < L(E)C50 \le 1$		
M factor (Acute)	1		
Chronic aquatic toxicity			
NOEC	0.01 < NOEC ≤ 0.1		
Degradability	Non-rapidly degradable		
M factor (Chroni	c) 1		
12.2. Persistence and degrad	ability		
Persistence and degradability	There are no data on the degradability of this product.		
12.3. Bioaccumulative potenti	al		
Bioaccumulative potential	Potentially bioaccumulating.		
Partition coefficient	No information available.		
12.4. Mobility in soil			
Mobility Not available			
12.5. Results of PBT and vPv	B assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.		
12.6. Other adverse effects			
Other adverse effects	Not available.		
SECTION 13: Disposal consid	Jerations		
13.1. Waste treatment method	ds		
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
SECTION 14: Transport infor	mation		
14.1. UN number			
UN No. (ADR/RID)	1133		
UN No. (IMDG)	1133		
UN No. (ICAO)	1133		
UN No. (ADN)			

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ADHESIVES			
Proper shipping name (IMDG)	ADHESIVES			
Proper shipping name (ICAO)	ADHESIVES			
Proper shipping name (ADN)	ADHESIVES			
14.3. Transport hazard class(es)				
ADR/RID class	3			
ADR/RID classification code	F1			
ADR/RID label	3			
IMDG class	3			
ICAO class/division	3			
ADN class	3			

Transport labels



14.4. Packing group	
ADR/RID packing group	II
IMDG packing group	П
ICAO packing group	II
ADN packing group	II
14.5. Environmental hazards	

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for u	Iser	
EmS	F-E, S-D	
ADR transport category	2	
Emergency Action Code	•3YE	
Hazard Identification Number (ADR/RID)	33	
Tunnel restriction code	(D/E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
SECTION 15: Regulatory information		
15.1. Sofaty, health and any ironmontal regulations/legislation apositic for the subst		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information		
Revision date	20/02/2020	
Revision	1	
Supersedes date	07/06/2018	
SDS number	5686	
Hazard statements in full	 H225 Highly flammable liquid and vapour. H242 Heating may cause a fire. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. 	

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.