



Professional compact label printer with built-in Wi-Fi

Print durable, long lasting labels from your PC, Mac, smartphone or tablet.




www.brother.co.uk

- Use as portable device, with optional li-ion battery.
- Share label printing between many users.
- Built-in auto cutter with full/half cut feature.
- Includes tape cassette, AC adapter, USB cable.
- Prints 3.5, 6, 9, 12, 18 and 24mm labels.



“As our P-touch P750W is shared over the network, everyone in the office can print labels from their PC and Mac, and from their smartphone and tablet using the free iPrint&Label app.”

“Our facilities team use the P-touch P750W with the optional Li-ion battery. Its portability means they can label equipment and create signage throughout our site, using their tablets to design and print the label.”



P-touch
P750W

Professional label printing for the modern office

The P-touch P750W is an advanced yet easy-to-use Wi-Fi enabled labelling machine that everyone in your organisation can use to quickly design and print labels up to 24mm in width. Label file folders, archive documents, data backup discs/USB sticks, shelves and workplace equipment or create custom signage. P-touch Editor 5 software lets you use your PC's fonts, and include images, symbols and barcodes on your labels, or download the iPrint&Label app to design and print labels from your smartphone or tablet.

Key features

- Fast print speeds of up to 30mm/sec (when used with AC adapter)
- Use as a portable device with optional Li-ion battery
- Print labels 3.5 to 24mm in width.
- Built-in Wi-Fi to share around the office.
- Automatic cutter with half-cut option for easy-to-peel labels and reduced wastage.
- Choose from any of your installed true type fonts.
- Add a logo, symbol or frame to your labels.
- Free iPrint&Label design app for your iOS and Android smartphone/tablet.
- NFC reader to easily connect your NFC enabled mobile device.



P-touch laminated labels – designed to last

Brother P-touch laminated TZe tapes consist of six layers of materials, resulting in a thin yet extremely strong label. The thermal transfer ink is sandwiched between two protective layers of PET(polyester film), which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.



Laminated



Temperature Resistant



Water Resistant



Fade Resistant



Abrasion Resistant



Chemical Resistant



Easy Peel



Strong Adhesion

Clearly identify items with a durable P-touch label

Around the home, office, school, shop and other places of work, there are many uses for long lasting, durable P-touch labels. Common examples include:

- Cables and plugs •CD's and DVD's •Office equipment •File folders •Staff and visitor name badges
- Filing cabinets •Signage •Mail rooms •Notice boards •Shelving •Telephone extension numbers



PT-P750W

In the box

PT-P750W labelling machine
24mm black on white tape cassette (4m)
AC adapter
USB cable
Quick set up guide

Main features

Interfaces: USB 2.0, Wireless (802.11b/g/n), NFC
Print speed: 30mm / second (maximum)
Maximum tape width: 24mm
Maximum print height: 18.1mm
Cutter type: Automatic full & half cutter
Battery type: BA-E001 Li-ion rechargeable battery (not supplied)
6 x AA alkaline/rechargeable batteries (LR6/HR6 - not supplied)

iPrint&Label mobile app

Mobile operating system support: iOS 5 or higher, Android 2.2 or higher
Image Support: Photo function
Template: Yes (67)
Label Collection: Yes (23)
Tape size and colour detection: Yes
Label length setting: 24-600mm

PC software

Supported operating systems: Windows Vista®, Windows® 7, Windows® 8, Mac OS X 10.7 - 10.9
Cable labelling wizard: Yes
Font faces: All installed true-type fonts
Font styles: 12
Image import: JPG, BMP, TIFF and other popular types
Screen capture: Yes
Frames: 154
Barcodes: 21 protocols including 1D/2D barcodes
Database connection support: Microsoft Excel, csv, mdb, txt

General

Supplies

Tape type ; Tape widths: TZe tape cassettes ; 3.5, 6, 9, 12, 18, 24mm

Optional accessories

Batteries: BA-E001 Li-ion rechargeable battery
AA alkaline/rechargeable batteries (LR6/HR6)
AD-E001 AC adapter

AC adapter

Weights & Dimensions

PT-P750W: 78mm(w) x 143mm(h) x 152mm(d) ; 800g

For detailed specifications and to see the full product range, please visit www.brother.eu



brother
at your side



Brother UK Ltd,
Audenshaw, Manchester M34 5JD
Tel: +44(0)8444 999 444 • Fax: +44(0)161 931 2218
Web: www.brother.co.uk/labelling

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Label images shown are for illustrative purposes only and some aspects may not be reproducible on this model. Product specifications may be subject to change. E&OE.