



Lexmark CS510 Series



CS510de

Professional quality colour. Peak performance.

Meet the new star in Lexmark's colour laser printer lineup for midsize workgroups. The Lexmark CS510 Series colour laser printer provides spot-on PANTONE® colour matching, smart print management and super-fast speeds that make it a workhorse winner. Want more capacity? Get the CS510dte.

Present your brand with accurate colour.

Produce beautiful, vibrant tones and print your branded materials in-house. This all-new model packs advanced productivity capabilities to help you work faster and smarter.

Professional colour matching: Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurately matching your colours.



Colour



Up to
30 ppm



10.9 cm
touch screen



Solutions



High resolution graphics: With up to true 1200x1200 dpi resolution, images and graphics stay crisp. Lexmark's Unison™ Toner ensures consistent quality, too.

Super fast and quiet output: Power through projects with print speeds up to 30 pages per minute in black and colour - plus produce a 1-page colour document in as little as 10 seconds.

Print complex documents even faster: Even complex colour documents print fast, thanks to its high-speed dual-core processor, 512 MB of upgradeable memory and Gigabit Ethernet.

More performance. Less hassle.

In a tough, deadline-driven environment, this system really performs. With a bright colour touch screen, convenient USB port, large paper input capacity and more, our solution makes printing a pleasure. With up to 2.5 GB of upgradeable memory, an 800 MHz dual-core processor and Gigabit Ethernet, delivers the power you need to react quickly to a competitor's price move by printing locally on demand.

Reliable high performance: Easily print up to 7,000 pages per month, plus enjoy fewer maintenance hassles, thanks to our state-of-the-art paper handling.

Bright touch screen: Our easy-to-use 10.9 cm colour touch screen allows you to preview and make post job changes fast.



Run larger jobs without interruption: With an input capacity of up to 1,450 sheets and extra high yield toner cartridge options, you won't have to add paper or change cartridges as often.

Innovative toner that optimises performance: Get greater system performance with Lexmark's Unison™ Toner, which delivers consistent image quality from first print to last.

Network intelligent. Management wise.


Quickly respond to changing business needs with our eco-friendly printers that help streamline your workflow using productivity solutions.

Print anytime and anywhere*: With this system, you can print from desktops as well as mobile devices that can run applications.

Better manage print jobs: Take advantage of smart functions like job waiting, custom messaging and programmable alerts.

Enjoy enterprise-level security: Now you can authenticate, authorise and audit employee usage. Plus, protect sensitive data using standard network security protocols.

Save resources and the planet: An instant warm-up fuser and built-in 2-sided printing, plus Quiet, Hibernate and Eco modes minimise noise and save paper and energy.



Product specifications	Lexmark CS510de	Lexmark CS510dte
Printing		
Display	Lexmark e-Task 10.9 cm (4.3-inch) colour touch screen	
Print Speed: Up to ⁶	Black: 30 ppm / Colour: 30 ppm	
Time to First Page: As fast as / Time to First Page: as fast as	Black: 9 seconds / Colour: 10 seconds	
Print Resolution	Black: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)	
Memory / Processor	standard: 512 MB / maximum: 2560 MB / Dual Core, 800 MHz	
Hard Disk	Option available	
Recommended Monthly Page Volume ²	1500 - 7000 Pages	
Maximum Monthly Duty Cycle: Up to ³	85000 pages per month	
Supplies⁷		
Laser Cartridge Yields (up to) ¹	1,000-page Black and Colour (CMYK) Cartridges, 3,000-page Colour (CMY) High Yield Cartridges, 4,000-page Black High Yield Cartridge, 4,000-page Colour (CMY) Extra High Yield Cartridges, 8,000-page Black Extra High Yield Cartridge	
Photoconductor Estimated Yield: Up to ⁵	40,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage	
Cartridge(s) Shipping with Product ¹	6,000-page Black Starter Return Programme Toner Cartridge, 4,000-page Colour (CMY) Extra High Yield Return Programme Toner Cartridges	
Paper Handling		
Included Paper Handling	250-Sheet Input, 125-Sheet Output Bin, Integrated Duplex, Single-Sheet Manual Feed	250-Sheet Input, 550-Sheet Duo Tray with 100-Sheet Feeder, 125-Sheet Output Bin, Integrated Duplex, Single-Sheet Manual Feed
Optional Paper Handling	550-Sheet Tray, 550-Sheet Duo Tray with 100-Sheet Feeder	550-Sheet Tray
Paper Input Capacity: Up to	Standard: 250+1 pages 75 gsm bond / Maximum: 1450+1 pages 75 gsm bond	Standard: 900+1 pages 75 gsm bond / Maximum: 1450+1 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 125 pages 75 gsm bond / Maximum: 125 pages 75 gsm bond	
Media Types Supported	Card Stock, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.
Media Sizes Supported	A4, A5, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oficio	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oficio
General Information⁴		
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear USB 2.0 Specification Hi-Speed Certified port (Type A)	
Optional Network Ports	MarkNet N8352 802.11b/g/n Wireless	
Noise Level: Operating	Print: 50 dBA	
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2,896 Metres (9,500 Feet)	
Product Guarantee	1-Year Onsite Service	
Size (mm - H x W x D) / Weight	306 x 442 x 407 mm / 20.9 kg	437 x 442 x 416 mm / 25.1 kg

¹Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. ²Recommended Monthly Page Volume[®] is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³Maximum Monthly Duty Cycle[®] is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁶Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁷Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/ for more details.



www.lexmark.co.uk

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.