

# Multi-document A4 colour

KV-S2087

Departemental Scanner / 85ppm



## KEY FEATURES

- Incredibly fast scanning speed of up to 85ppm/ 170 ipm in duplex
- U-turn and straight feeding path
- One-touch scanning of up to 200 documents in ADF
- Passport, card and long paper scanning
- Daily Duty Cycle : 15,000 pages

## Exceptional capabilities, exceptional cost

The brand-new KV-S2087 high-speed, multi-document A4 colour scanner allows you to scan multiple sizes and materials at once while still delivering exceptional results. Thanks to its innovative extended features, time-saving functionality and competitive price, it is the new must-have for medium and large-sized businesses across the finance, legal, healthcare and hospitality industries.



## SPECIFICATIONS

Feature	Specification
Scanning Face	Duplex
Scanning Method	CIS
Scan Background Color	Black or White
Scanning Speed	Simplex: Up to 85 ppm*1, Duplex: Up to 170 ipm*1 (Binary/Colour, A4 or letter size, 200/300 dpi)
Compression	MH, MMR (Software ICP), JPEG
Binary Mode Halftone	Dither, Error Diffusion
Image Control	Automatic Brightness Adjustment, Multi Colour Drop Out, Dynamic Threshold, White Level From Paper, Image Emphasis, Gamma, Automatic Separation, Noise Reduction
Other Functions	Length Control, Patchcode Detection (Kodak-2, Kodak-3, Kodak-T), Control Sheet detection, Long Paper, Double Feed Skip
Documents Width	48mm - 216mm (1.9 in. - 8.5 in.)
Documents Length	Automatic feeding: 70 mm - 356 mm (2.75 in. - 14 in.), Manual feeding: 70 mm - unlimited (2.75 in. - unlimited)
Documents Thickness	0.04 mm - 0.66 mm (1.6 mils - 25.98 mils), Note: 1 mil = 0.001 in.
Documents Weight	U-turn path (front exit): 20 g/m <sup>2</sup> - 157 g/m <sup>2</sup> (5.2lb. - 42lb.), Straight path (rear exit): Automatic feeding: 20 g/m <sup>2</sup> - 157 g/m <sup>2</sup> (5.2lb. - 42lb.) Manual feeding: 20 g/m <sup>2</sup> - 546 g/m <sup>2</sup> (5.2lb. - 145lb.)
Card Format	ISO format
Card Size	85.6 mm
Card Thickness	0.76 mm (0.03 in.)
Feed Tray Capacity	200 sheets: 80 g/m <sup>2</sup> (21 lb.) High-quality woodfree paper
Supported Operating System	Windows XP SP3 or later ( 32-bit),Windows Vista SP2 or later (32 / 64-bit),Windows 7 (32 / 64-bit),Windows 8 (32 / 64-bit),Windows 8.1 (32 / 64-bit),Windows 10 (32 / 64-bit),Windows Server 2003 SP2 (32 / 64-bit),Windows Server 2003 R2 SP2 (32 / 64-bit),Windows Server 2008 SP2 (32 / 64-bit),Windows Server 2008 R2 SP1,Windows Server 2012 (32 / 64-bit), Windows Server 2016 (32 / 64-bit), Windows Server 2019 (32 / 64-bit), Mac OS X 10.8-10.11, macOS 10.12-10.15,Linux RedHat Enterprise Desktop 6/7,Ubuntu 12/14/15/16/17/18/19
Computer Interface	USB 3.0 interface, Note: If the scanner is connected to a USB hub, it is not guaranteed to work.
External Dimensions (W x D x H)	350 mm
Weight	9.0 Kg (19.84 lbs)
Power Requirement	AC100 - 127 V, 50/60 Hz, 1.2 A: AC100 - 240 V, 50/60 Hz, 1.2 - 0.7 A: AC220 - 240 V, 50/60 Hz, 0.7 A
Power Consumption Maximum	75W or less
Power Consumption Minimum	20W or less
Power Consumption (Sleep)	3.0W or less
Power Consumption (Power Off)	0.5W or less
Operating Environment	Temperature: 5
Storage Environment	Temperature: -10
Accessories	Quick Installation Guide, Power Cord, USB Cable (1.5m/USB3.0), CD-ROM:(Device Driver, ISIS driver software, TWAIN driver software, User utility, Scan Button Setting

	Tool, Image Capture Plus with the OCR Engine, Operating Manual, Control data sheet (PDF))
<b>Roller Exchange Kit</b>	KV-SS063
<b>Roller Cleaning Paper</b>	KV-SS03
<b>Imprinter Unit</b>	KV-SS020 (Post)
<b>Ink Cartridge</b>	KV-SS021
<b>Carrier Sheet</b>	KV-SS076
<b>Optional Flatbed Scanner</b>	KV-SS081
<b>Footnote</b>	*1 The scanning speed is as determined by Panasonic methods of speed measurement. The scanning speed differs depending on the host computer, the operating system, the application, the measuring method, the quantity of data in the image and the paper type.
<b>Scanning Resolution</b>	[ICP, TWAIN] 50 - 600 dpi (1 dpi step) and 1200dpi (software), [ISIS] 100 - 600 dpi (1 dpi step) and 1200dpi (software) Optical: 300 dpi / 600 dpi (Automatic switch)

URL: <https://business.panasonic.co.uk/communication-solutions/kv-s2087-0>

## CONTACT

Web: <https://business.panasonic.co.uk/communication-solutions/contact-us>