HP Color LaserJet Pro 3202dw



High-Speed. Vivid Colour. Pro Performance.

Designed for business work teams that need professional performance with fast, high-quality two-sided colour printing, laser productivity, and award-winning reliability in a space-saving design.¹¹





Dynamic security enabled printer. Contains technology that may prevent cartridges with non-HP chips or circuitry from working now or in the future. More at: http://www.hp.com/learn/ds



Fast two-sided printing



Time saving



Printer security settings

Environmental globe

Professional colour and speed

- Experience high-speed automatic two-sided colour printing at 25 pages per minute.¹
- Bring your business to life with next-generation TerraJet Toner designed for more true-to-life, vibrant colours.8
- Streamline your workspace and help boost your team's efficiency with this compact laser printer.

Peace-of-mind with award-winning reliability¹¹

- Performance you can count on page after page with award-winning reliability.¹¹
- Keep your business connected with reliable Wi-Fi® that automatically reconnects to stay online.² •
- Rely on low maintenance printing to avoid downtime and stay focused on your business.

Pro level security to help protect your business

- Safeguard your business with proactive, embedded security ready out of the box and tamper-resistant toner.
- Professional level printer security with preconfigured settings mean it's ready for business.
- Strengthen and simplify compliance. HP Security Manager upgrade applies policies across your printer network $^{\rm 10}$

Compact and energy efficient design

- Designed in a compact size with energy saving auto-on/auto-off technology to optimise printer energy use
- Specially formulated HP TerraJet Toner engineered for low energy use when printing.⁷
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Easily recycle your used Original HP Toner Cartridges for free through the HP Planet Partners program.⁹ •

Product walkaround

HP Color LaserJet Pro 3202dw

- 1. Fast, automatic two-sided printing
- 2. Dual-band Wi-Fi®, Wi-Fi® Direct, High-Speed USB ports, Ethernet
- 3. Print speed up to 26/25 ppm (Letter/A4)
- 4. 250-sheet input tray with 1-sheet MP tray
- 5. Timesaving Shortcuts
- 6. Hybrid Control Panel with easy, guided setup
- 7. Auto-jam recovery
- 8. Wolf Pro Security



Accessories, Supplies and Support

Supplies	W2190A HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages black)		
	W2190X HP 219X High Yield Black Original Laser Jet Toner Cartridge (~3,200 pages black)		
	W2191A HP 219A Cyan Original Laser Jet Toner Cartridge (~1,200 pages cyan) W2191X HP 219X High Yield Cyan Original Laser Jet Toner Cartridge (~2,500 pages cyan) W2192A HP 219A Yellow Original Laser Jet Toner Cartridge (~1,200 pages yellow) W2192X HP 219X High Yield Yellow Original Laser Jet Toner Cartridge (~2,500 pages yellow) W2192A HP 219X High Yield Yellow Original Laser Jet Toner Cartridge (~2,500 pages yellow) W2193A HP 219A Magenta Original Laser Jet Toner Cartridge (~1,200 pages magenta)		
		W2193X HP 219X High Yield Magenta Original Laser Jet Toner Cartridge (~2,500 pages magenta)	
		Service and Support	UH761E - HP 3 years Standard exchange for HP Color Laser Jet Pro 3201-3203, 3288 Printer Series UH757E - HP 3 years Next Business Day exchange for HP Color Laser Jet Pro 3201-3203, 3288 Printer Series UH764E - HP 3 years Return to Depot for HP Color Laser Jet Pro 3201-3203, 3288 Printer Series (UH761E - available in all EMEA countries except Adriatic, Africa, CIS, EEM, Israel, ME, Russia, Romania, Slovenia, South Africa, Turkey, UH757E - available in Austria, Belgium, Czech Rep, Denmark, Finland, France, Germarny, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK, UH764E - available in Adriatic, Africa, CIS, EEM, Israel, ME, Russia, Romania, Slovenia, South Africa, Turkey)

Technical specifications

-
HP Color LaserJet Pro 3202dw
499R0F
Print
2° MGD display, 4 buttons (Back, Home, Cancel and OK); 1 directional pad (Up, Down, Left and Right)
Läser
Black (A4, normal): Up to 25 ppm Colour (A4, normal): Up to 25 ppm; Black (A4, duplex): Up to 15 ipm Colour (A4, duplex): Up to 15 ipm
Black (A4, ready): As fast as 10.9 sec Colour (A4, ready): As fast as 11.0 sec ; Black (A4, sleep): As fast as 11.1 sec
Black (best): Up to 600 × 600 dpi Colour (best): Up to 600 × 600 dpi
Up to 40,000 pages A4; Recommended monthly page volume ³ : 150 to 2,500
HP PCL6, PostScript, HP PCL5, PDF, URF, PWG-Raster, JPEG
111 Scalable TrueType Fonts
Print margins Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Night: 5 mm; Maximum print area : 216 x 356 mm
Automatic
1.2 GHz
1 Hi-Speed USB 2.0 (device); 1 Wi-Fi 802.11ac (dual band); Auto-crossover Ethernet; 1 Gigabit Ethernet 10/100TX network
HP Smart App; Apple AirPrint™; Mobile Apps; Mopria™ Certified; Wi-Fr [®] Direct Printing
TCP/IPv4, TCP/IPv6, DHCP, DNS.
Built-in 10/100 Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Standard: 256 MB ; Maximum: 256 MB
Standard: 2 ;Maximum: 2
Paper (bond, brochure, coloured, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Custom (metric): 76 x 127 mm to 216 x 356 mm Supported (metric): 102 x 127 mm to 216 x 356 mm
Standard input: 250 sheets Main Input Tray; 1 sheet Priority Feed Tray Standard output: 100 sheets Output Tray
60 to 163 g/m² Paper; Up to 176 g/m² with postcards; Up to 200g/m² Glossy Papers
Tray 1: 1 sheet for all media type Tray 2: Sheets: Up to 250; Transparencies: Up to 10mm; Envelope: Up to 10 Maximum: Up to 251 sheets
Standard: Up to 100 sheets @ 75gsm (or Up to 15mm stack) Envelopes: Up to 10 envelopes Transparencies: Up to 10 mm stack Maximum: Up to 100 sheets @ 75gsm (or Up to 15mm stack)
Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux
Windows 11; Windows 10; mac0S 12 Monterey; mac0S 13 Ventura; mac0S 14 Sonoma; mac0S 15 Sequoia; Linux
Windows: Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection Mac: Apple® macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required
HP Printer Software downloadable from https://www.hpsmart.com/download
Device Unique Password, Enable/Disable USB Ports, EWS Session Timeout, Access Control for Device Features, Remote Scan Enable/Disable
HP Web Jetadmin
Minimum 390 x 419.12 x 254.19 mm; Maximum 390 x 472 x 266 mm
13.8 kg
Temperature: 15 to 30°C Humidity: 30 to 70% RH
Temperature -20 to 60°C
Acoustic power emissions: 6.2 B(A) Acoustic pressure emissions: 51 dB(A)
Requirements: 220-volt input voltage: 220 – 240V (±10%) @ 50Hz ± 3 Hz; 101-volt input voltage: 110 – 127V (±10%) @ 50Hz ± 3 Hz, 60Hz ±
HP Auto-On/Auto-Off Technology
RCM (Australia). The Control of the Control of the CC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chile, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; (ISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 155, ICES-003, Issue 6:2019; (Other Telecom approvals as required by individual countries Blue Angel Compliant Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies Telecom compliance: Wrieless: EU RED 2014/53/EU; EN 301 489-17: V32.23 (F 300 328: V22.27 (EN301 893 V2.1.1/EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart B, Class B / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; (ER6231:12020; Other Telecom approvals as enproveds as enproved by individual countries
Toz sou s, co s, teccs 11.2000, tenes 11.2000, cuter relection approvals as required by molecular contines.
contains post-consumer recycled plastic
Made in Vietnam
Made in Vietnam 499R0F HP Color LaserJet Pro 3202dw, Power cord; Toner cartridge; User Guide; Flyers 4 perinstalled HP LaserJet Toner cartridges (Black: 600 pages, Introductory-Cyan, Magenta, Vellow: 500 pages)

Footnotes

¹ Neasured using ISO/IEC 24734 and excludes first set of test documents. For more information, see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
² Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3

non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: https://www.hpsmart.com

⁵ HP Web Jetadmin is available for download at no additional charge at https://www.hp.com/go/webjetadmin

⁷ HP calculations based on normalised Energy Star® TEC data of HP Laser Jet Pro and Enterprise series with HP TerraJet Cartridges compared to predecessors. See https://www.hp.com/TerraJet/energysaving ⁸ Standard print mode for HP Color LaserJet Pro series with HP TerraJet Toner Cartridges compared to predecessors. See https://www.hp.com/TerraJet/colors

⁹ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see https://www.hp.com/recycle

¹⁰ HP Security Manager must be purchased separately. For details, see https://www.hp.com/go/securitymanager

¹¹ Buyers Lab (BLI) 2022-2024 Most Reliable A4 Brand Award based on devices tested by Keypoint Intelligence from 2017 to 2021. See https://www.keypointintelligence.com/view-award?region=&id=135871174680 The police-class printing systems are select Managed and Enterprise devices visits FutureSmart firmware 4.5 and up, Pro devices, Laser Intps://www.keypolinintentigence.com/metagence.co

13 Based on 2023 Q2 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2023 Q2 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

¹⁸ HP account required for full functionality.

¹⁹ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

Technical specifications disclaimers

¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

² For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield . Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors

³ Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/qo/toneryield

⁴ End to End Dimensions when printer is set up and on standby

⁵ Configuration tested: base model, simplex printing, A4 paper at an average of 25 ppm

⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁷ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁸ Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁹ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty

period.
¹⁰ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

Windows Server 2016, Windows Server 2019, Windows Server 2022, Linux (For more information see https://www.developers.hp.com/hp-linux-imaging-and-printing.)

¹² Warranty and support options vary by product, country, and local legal requirements

¹³ Product Weight Inclusive of Starter Supplies





© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. gb-en January 2025

