



PIXMA TS4150i

PIXMA, NEED IT, PRINT IT.

Hassle-free, high-quality, and superfast wireless printing for the whole household, no matter what your device.





Speedier printing for busy lives

Whether it's a vital work document or gig ticket, get what you need when you need it, thanks to an upgraded print head and increased number of nozzles supercharging productivity with print speeds of 14ipm mono and 9ipm colour



Superior quality with pigment black ink

Experience clearer prints that are easier to read with intelligent dot placement and ink optimisation, delivered by our FINE cartridge system and new pigment black ink.



Seamless use thanks to enhanced connectivity

Enjoy hassle-free operation however you print, thanks to stable dual band Wi-Fi (5GHz/2.4GHz)*



Mobile printing that's smartphone savvy

Smartphone printing is easier than ever with or the Canon PRINT app functionality — compatible with Apple and Android devices, plus cloud services.



Cost-effective PIXMA Print Plan

Save up to 50%* on ink. Never run out of ink again and keep tabs on your printing costs with our smart subscription service, which automatically dispatches a new cartridge when you're running low***.

PRODUCT RANGE



PIXMA TS7750i



PIXMA TS7650i



PIXMA TS7550i



PIXMA TS6550i



* Not available in MEA

** Region dependent

TECHNICAL SPECIFICATIONS

PIXMA TS4150i

PRINTER SPECIFICATIONS

Print Resolution	Up to 1200 x 1200 dpi ^[1]
Print Technology	2 ink cartridges: Black (Pigment BK) and Colour (C, M, Y) Inkjet FINE print head Approx. 14.0 ipm ^[2] Approx. 9.0 ipm ^[2]
Mono Print Speed	Borderless 10x15cm : Approx. 39 seconds ^[3]
Colour Print Speed	
Photo Print Speed	
First-Print-Out Time	Mono: 7.5 sec (ready) Colour: 9.5 sec (ready) ^[20]
Borderless Printing	Yes ^[4] A4, B5, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (127 mm x 127 mm) Auto Duplex Print (A4, LTR - Plain Paper)
Two Sided Printing	

CARTRIDGES AND YIELDS

Standard Ink Cartridges	PG-595 (Black) CL-586 (Colour)
Optional XL Ink Cartridges	PG-595XL (Black) CL-586XL (Colour)
Cartridge Yield (Plain Paper)	A4 Colour Document ^[5] Black: 180 pages Colour: 180 pages
XL Cartridge Yield (Plain Paper)	A4 Colour Document ^[5] Black: 300 pages Colour: 300 pages
Cartridge Yield (Photo)	10x15cm photo ^[6] CL-586 Colour: 69 photos CL-586XL Colour: 109 photos

PAPER SUPPORT

Paper Types	Plain Paper (64 g/m ² - 105 g/m ²) Canon Red Label Superior (WOP111) Canon Oce Office Colour Paper (SAT213) High Resolution Paper (HR-101N) Photo Paper Plus Glossy II (PP-201) Photo Paper Pro Luster (LU-101) Photo Paper Plus Semi-gloss (SG-201) Matte Photo Paper (MP-101) Glossy Photo Paper "Everyday Use" (GP-501) Envelope Greeting Card (manufactured by Avery and RedRiverPaper)
Maximum Paper Input	Cassette: Max. 100 sheets (plain paper)
Paper Sizes	A4, A5, B5, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (127 mm x 127 mm), #10 Envelope, DL Envelope, [Custom size] width 89 mm - 215.9 mm, length 127 mm - 297 mm Cassette: Plain paper: 64 - 105 g/m ² Canon specialty paper: max paper weight : approx. 265 g/m ² (Photo Paper Plus Glossy II PP-201)
Paper Weight	

SCANNER

SPECIFICATIONS	
Scanner Type	Flatbed
Scanner Resolution (Optical)	1200 x 2400 dpi ^[21]
Line Scanning Speed	Greyscale: Approx. 6.05 sec(A4), Approx. 5.69 sec(LTR), (Approx. 1.8 ms/line) (300 dpi)
	Colour: Approx. 12.10 sec(A4), Approx. 11.39 sec(LTR), (Approx. 3.5 ms/line) (300 dpi) ^[22]
Scanning Depth (Input / Output)	Colour: RGB each 8bit Greyscale: 8 bit
Maximum Document Size	Flatbed: A4 / LTR (216 mm x 297 mm)

COPIER SPECIFICATIONS

Copy Speed	sFCOT/Simplex: Approx. 18 sec. eSAT/Simplex: Approx. 2.0 ipm 99 copies max.
Multiple Copy	
Copy Functions	Standard Copy, Photo Copy, Borderless copy
Copy Zoom	Fit to page
CONNECTIVITY	Communication Protocol: SNMP/ HTTP/TCP/IP (IPv4/IPv6) TLS 1.3/1.2 Supported Standards: IEEE802.11n, IEEE802.11g, IEEE802.11b, IEEE802.11a 7 Frequency Bandwidth: 2.4GHz / 5GHz Range: Indoor 50 m* depends on the transmission speed and conditions Security: WPA-PSK (AES) WPA2-PSK (AES) WPA3-SAE(AES)
Wireless LAN	Hi-Speed USB B Port Canon PRINT app ^[8] Easy-PhotoPrint Editor app ^[9] Cloud Integration Service ^[10] Available from smartphone or tablet only Apple AirPrint Canon Print Service Plugin (Android) ^[11] Mopria (Android) ^[12] Wireless Direct Connection 2.4GHz & 5 GHz ^[13]
Interface	
Mobile Apps	
Printer Features	

SOFTWARE

Supported Operating Systems	Windows 11、Windows 10、Windows 8.1、Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed operating system. Printer Driver and IJ Printer Assistant Tool support the following OS: Windows Server 2008 R2 SP1、Windows Server 2012 R2、Windows Server 2016、Windows Server 2019, Windows Server 2022 and Windows Server 2025.
	Display environment: XGA 1024 x 768 or more
	Mac: macOS Monterey 12 - macOS Sequoia 15
Software Included	Mobile Operating Systems: iOS [®] , iPadOS, Android [™] , Chrome OS ^[15] Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download) ^[16] Easy-Layout Editor (download)

PHYSICAL FEATURES

Weight	Approx. 5.2 kg
Dimensions (W x D x H)	Approx. Approx. 374 x 355 x 168 with the trays retracted Approx. 374 x 533 x 168 with the trays extended
Acoustic Noise Levels	Approx. 47.0dB(A) (PC Print on Plain Paper) ^[18]
Recommended-Operating Environment	Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation)
Power Source	AC 100-240V, 50/60Hz Off: Approx. 0.10W Copying: Approx. 15W ^[19] Standby (USB connection to PC): Approx. 0.9W Standby (all ports connected): Approx. 1.5W* Time to enter Standby mode: 10 minutes 05 seconds*
Power Consumption	

*<EU only - for ErP Lot 26 regulation>

Footnotes:

- ^[1] Ink droplets can be placed with a minimum pitch of 1/1200 inch
- ^[2] Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- ^[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- ^[4] Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- ^[5] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- ^[6] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- ^[7] Wireless printing requires a working network with wireless 802.11b/g/n/a or a capability, operating at 2.4GHz or 5GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- In some countries/regions, Wi-Fi 5GHz is not supported either infrastructure nor direct mode.
- ^[8] Requires an Internet connection and the Canon PRINT app, available for free on the App Store and at Google Play. Compatible with iOS, iPadOS devices running iOS 16 or later, and Android mobile devices running Android 7 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a/ capability as your printer.
- ^[9] The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.9.0, available for free on the App Store and at Google Play. Compatible with iOS and iPadOS devices running iOS 15 or later, and Android mobile devices running Android 7 or later. Certain exceptions may apply.
- ^[10] [Requires an Internet connection and the Canon PRINT app, available for free on the App Store and at Google Play. Compatible with iOS, iPadOS devices running iOS 16 or later, and Android mobile devices running Android 7 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer.
- ^[11] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android 7 onwards devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- ^[12] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- ^[13] In some countries/regions, Wi-Fi 5GHz is not supported either infrastructure nor direct mode.
- ^[14] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- ^[15] The Easy-PhotoPrint Editor software requires an Internet connection. The Easy-PhotoPrint Editor software v1.9.0 is compatible with the following operating systems; Microsoft Windows 11 (64-bit), Windows 10 (64-bit/32-bit), macOS High Sierra v10.13 onwards. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution
- ^[16] Acoustic Noise is measured based on ISO7779 standard with default setting.
- ^[19] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- ^[20] Document print speeds are the averages of FPOT in Office Category Test for the default simplex mode, ISO/IEC17629. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- ^[21] Optical resolution scan is available, only when you use TWAIN Driver.

Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

- ^[22] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.

- ^[23] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

Disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

**PIXMA, NEED IT,
PRINT IT.**

PIXMA TS4150i

Hassle-free, high-quality, and superfast wireless printing for the whole household, no matter what your device.

Sales Start Date: September 2025



Product details

Product Name	Mercury Code	EAN Code
PIXMA TS4150i	7181C008	4549292249583

Consumables

Product Name	Mercury Code	EAN Code
Standard size		
PG-595	7171C001AA	4549292249309
CL-586	6227C001AA	4549292223408
XL Size		
PG-595XL	7170C001AA	4549292249279
CL-586XL	6226C001AA	4549292223408

**PIXMA, NEED IT,
PRINT IT.**

PIXMA TS4150i

Hassle-free, high-quality, and superfast wireless printing for the whole household, no matter what your device.



Measurement / logistic information

Product Name	Mercury Code	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Net Weight (kg)	Gross Weight (kg)
PIXMA TS4150i	7181C008	Individual	1	498	239	446	6.14	7.60
		Pallet (Upper)	30	999	1198	895	122.8	153.5
		Pallet (Bottom)	30	999	1198	895	122.8	153.5

**PIXMA, NEED IT,
PRINT IT.**

PIXMA TS4150i

Hassle-free, high-quality, and superfast wireless printing for the whole household, no matter what your device.



What's in the box

PIXMA TS4150i

- All-in-one printer – PIXMA TS4150i
- 2 FINE Cartridges
- Power cord
- Manuals

