

# EB-955WH



## DATASHEET



Small and light enough to be moved and used across several rooms, this high-quality projector produces clear bright images and comes with a range of easy-to-use features

This portable projector comes with a carry bag included to make for easy transport and storage of the projector when not in use. Ideal for use in meeting rooms, classrooms and home offices, the EB-955WH can display presentations with bright images and vibrant colours thanks to 3LCD technology. It also has a range of flexible installation options and connectivity features.

The EB-955WH uses 3LCD technology and an equally high White and Colour Light Output to deliver exceptional image quality and accurate colours. A 10,000:1 contrast ratio produces clearer image detail.

Epson understands that being in control is important when presenting in a corporate or education environment. The EB-955WH comes with multi-PC projection software, which allows content from up to four devices, including PCs, tablets and smartphones, to be displayed simultaneously. The moderator function allows the host, whether it is the teacher, lecturer or leader of the meeting, to take control of displayed content from the devices.

Set up is easy and flexible with horizontal and vertical keystone correction, helping you achieve a perfectly shaped image without distortion. This means projectors can be quickly moved and set up in different classrooms and meeting rooms.

This projector has enhanced connectivity, giving choice and flexibility however you intend to present. The EB-955WH can connect to the latest digital devices or legacy analogue products, meaning older hardware doesn't necessarily need to be replaced. Connecting smart devices couldn't be easier with the iProjection QR code connectivity<sup>1</sup> - simply scan a projected QR code using your smart device to connect and start working.

## KEY FEATURES

- **Portable**  
Small and light enough to be carried and used across several rooms
- **High-quality, bright image**  
3LCD technology and equally high 3,200lm White and Colour Light Output
- **Enhanced connectivity and networking**  
Dual HDMI ports; MHL support; RJ-45 Ethernet; optional Wi-Fi; iProjection via QR code
- **Flexible installation**  
Horizontal and vertical keystone correction and optical zoom for flexible placement
- **Low Total Cost of Ownership (TCO)**  
Long lamp life; A/V mute function pauses presentation and conserves power by 70%



**EPSON**  
EXCEED YOUR VISION

## PRODUCT SPECIFICATIONS

### IMAGE

|                          |                                                                       |
|--------------------------|-----------------------------------------------------------------------|
| Colour Reproduction      | Upto 1.07 billion colours                                             |
| Colour Light Output      | 3,200 lumen- 2,240 lumen (economy)                                    |
| White Light Output       | 3,200 lumen - 2,240 lumen (economy) In accordance with ISO 21118:2012 |
| Resolution               | WXGA, 1280 x 800, 16:10                                               |
| Contrast Ratio           | 10,000 : 1                                                            |
| Lamp                     | 200 W, 5,000 h durability, 10,000 h durability (economy mode)         |
| Keystone Correction      | Auto vertical: $\pm 30^\circ$ , Manual horizontal $\pm 30^\circ$      |
| High Definition          | HD ready                                                              |
| Aspect Ratio             | 16:10                                                                 |
| Colour Processing        | 10 Bits                                                               |
| 2D Vertical Refresh Rate | 50 Hz - 85 Hz                                                         |

### TECHNOLOGY

|                   |                                             |
|-------------------|---------------------------------------------|
| Projection System | 3LCD Technology, RGB liquid crystal shutter |
| LCD Panel         | 0.59 inch with MLA (D8)                     |

### OPTICAL

|                               |                                   |
|-------------------------------|-----------------------------------|
| Projection Ratio              | 1.38 - 2.24:1                     |
| Zoom                          | Manual, Factor: 1.6               |
| Image Size                    | 33 inches - 280 inches            |
| Projection Distance Wide/Tele | 1.79 m - 2.92 m ( 60 inch screen) |
| Projection Lens F Number      | 1.51 - 1.99                       |
| Focal Distance                | 18.2 mm - 29.2 mm                 |
| Focus                         | Manual                            |
| Offset                        | 10 : 1                            |
| Lens                          | Optical                           |

### CONNECTIVITY

|                       |                                                                                                                                                                                                                                                                                                                  |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USB Display Function  | 3 in 1: Image / Mouse / Sound                                                                                                                                                                                                                                                                                    |
| Interfaces            | USB 2.0 Type A, USB 2.0 Type B, RS-232C, Wireless LAN IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (2x), Composite in, Component in (2x), S-Video in, RGB in (2x), Stereo mini jack audio out, Stereo mini jack audio in (2x), Ethernet interface (100 Base-TX / 10 Base-T), MHL, Microphone input |
| Epson iProjection App | Ad-Hoc / Infrastructure                                                                                                                                                                                                                                                                                          |

### ADVANCED FEATURES

|                    |                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Security           | Kensington lock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection                                                                                                                                                                                                                                                              |
| Features           | AV Mute Slide, Automatic keystone correction, Built-in speaker, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre-setting, Horizontal and vertical keystone correction, MHL audio/video interface, Network projection, OSD copy function, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjection set-up by QR code |
| Video Colour Modes | Blackboard, Dynamic, Presentation, sRGB, Theatre                                                                                                                                                                                                                                                                                                                      |

### GENERAL

|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| Energy Use         | 287 W, 215 W (economy), 0.26 W (standby)                                      |
| Product dimensions | 297 x 269 x 87 mm (Width x Depth x Height)                                    |
| Product weight     | 2.9 kg                                                                        |
| Noise Level        | Normal: 37 dB (A) - Economy: 29 dB (A)                                        |
| Included Software  | EasyMP Network Monitor, EasyMP Multi PC Projection, EasyMP Network Projection |
| Loudspeaker        | 16 W                                                                          |

### OTHER

|          |                                                                                                |
|----------|------------------------------------------------------------------------------------------------|
| Warranty | 36 months On-site service, Lamp: 12 months or 1,000 h<br>Optional warranty extension available |
|----------|------------------------------------------------------------------------------------------------|

## EB-955WH

## WHAT'S IN THE BOX

- Carrying bag
- VGA cable
- Main unit
- Power cable
- Remote control incl. batteries

## OPTIONAL ACCESSORIES

EB-955WH

- Active Speakers (2 x 15W) - ELPSP02  
V12H467040DA
- Control and Connection Box - ELPCB02  
V12H614040DA
- Wireless LAN Adapter - ELPAP10  
V12H731P01
- Air Filter - ELPAF32  
V13H134A32
- Ceiling Mount (White) - ELPMB23  
V12H003B23
- ELPLP88  
V13H010L88
- Quick Wireless Connect USB key - ELPAP09  
V12H005M09
- Screen (80" Multi-Aspect) - ELPSC26  
V12H002S26

## LOGISTICS INFORMATION

|                         |               |
|-------------------------|---------------|
| SKU                     | V11H683041    |
| EAN code                | 8715946545370 |
| Multiple Order Quantity | 1 Units       |
| Country of Origin       | Philippines   |



3LCD



MHL™

For more information please contact:

Telephone: 01952 607111 (UK)+  
01 436 7742 (Republic of Ireland)  
E-mail: [enquiries@epson.co.uk](mailto:enquiries@epson.co.uk)  
Chat: [etalk.epson-europe.com](https://etalk.epson-europe.com)  
Fax: 0871 222 6740  
+ Local call rate.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

1. – QR code function requires iProjection app, available  
on Android and iOS devices

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.

**EPSON®**