



## Lexmark CS417dn



CS417dn

### Fantastic colour. Faster. With PANTONE® accuracy.

Save money by printing your colour documents and images in-house. The CS417dn produces images and documents with PANTONE colour accuracy at higher speeds—up to 30 pages per minute. It boasts a 6-cm colour LCD screen, keypad, advanced security and front USB port. Includes mobile print capability.\*

### Brilliant, accurate colour—faster

The CS417dn offers colour-matching tools and PANTONE calibration to make it easy to get consistently accurate colour output at up to 30 pages per minute, so you can save time and money by creating colour prints and documents in-house. Thanks to a dual-core processor and 256MB of memory (upgrades up to 2.3GB), even complex documents with graphics and images print quickly. The CS417dn can deliver the first colour page in as little as 10 seconds.



Colour



Up to 30 ppm



Network



Duplex



Unison Toner



Security



Mobility

### Security, plus Confidential Print. Mobile print capability.

Tested and proven network security features and protocols protect your device, information and network from unauthorised access. Keep your sensitive documents safe by enabling the Confidential Print feature, which requires entering a customised, unique PIN on the device's keypad before the document can be printed.

Print from mobile devices using an optional Wi-Fi adapter or Lexmark's free Mobile Print app.



### 4-year Guarantee

Given the choice, wouldn't you prefer to buy a device that protects your investment with a guarantee? The affordable CS417dn is so well made, we back it with a guarantee that covers repair actions including the cost of spare parts if they are needed in the first four years\*\*. The guarantee also offers you free 24-hour online support and access to technical support by phone during working hours.

\*Requires free Lexmark Mobile Print app with Android or iOS mobile device

\*\*Offer applies if the product is registered within 90 days from the date of purchase. Supplies and/or consumable parts, such as fuser or transfer unit, are excluded. Please refer to the detailed terms and conditions available at [lexmark.com/myguarantee](http://lexmark.com/myguarantee).



### High Yield cartridges offer lower cost per page

The CS417dn can use available High Yield cartridges to produce up to 3,500 color pages and 6,000 black pages. They never require shaking, which minimises interruptions and keeps your work moving. Lexmark's print system and exclusive Unison™ Toner ensure consistent print quality throughout the life of the cartridge to prevent wasted prints.

### User-friendly

The CS417dn makes everything easy, thanks to its networking and full compatibility with nearly every operating system and network, so you'll be up and running in minutes.

It's built to last, so you'll easily be able to print up to 6,000 pages per month, thanks to our state-of-the-art paper handling technology and long-life consumables.

Monitor operating status and supply levels on the printer's easy-to-use, 6 cm (2.4 inch) colour LCD screen or from a remote location via its web interface. Add up to two extra paper trays to boost input to 1,450 pages for fewer interruptions.

### Eco-friendly

Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first colour page as fast as 10 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimise noise and energy consumption.

Through LCCP, the Lexmark Cartridge Collection Programme, Lexmark offers a free and easy way for you to return your empty cartridges for sustainable recycling or remanufacturing. Learn more at <http://www.lexmark-emea.com/LCCP/recycling>



| Product specifications                                          |                                                                                                                                                                            | Lexmark CS417dn |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| Printing                                                        |                                                                                                                                                                            |                 |
| Display                                                         | 6 cm (2.4 inch) colour LCD display                                                                                                                                         |                 |
| Print Speed: Up to <sup>3</sup>                                 | Black: 30 ppm / Colour: 30 ppm                                                                                                                                             |                 |
| Time to First Page: As fast as / Time to First Page: as fast as | Black: 9 seconds / Colour: 10 seconds                                                                                                                                      |                 |
| Print Resolution                                                | Black: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)                                               |                 |
| Memory / Processor                                              | standard: 256 MB / maximum: 2304 MB / Dual Core, 800 MHz                                                                                                                   |                 |
| Hard Disk                                                       | Not Available                                                                                                                                                              |                 |
| Recommended Monthly Page Volume <sup>7</sup>                    | 800 - 6,000 Pages                                                                                                                                                          |                 |
| Maximum Monthly Duty Cycle: Up to <sup>5</sup>                  | 75,000 pages per month                                                                                                                                                     |                 |
| Supplies <sup>2</sup>                                           |                                                                                                                                                                            |                 |
| Laser Cartridge Yields (up to) <sup>1</sup>                     | 2,300-page Colour (CMY) Cartridges, 3,000-page Black Cartridge, 3,500-page Colour (CMY) High Yield Cartridges, 6,000-page Black High Yield Cartridge                       |                 |
| Photoconductor Estimated Yield: Up to <sup>4</sup>              | 40,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage                                                                                      |                 |
| Cartridge(s) Shipping with Product <sup>1</sup>                 | 1,400-page Black Starter Return Program Toner Cartridge, 750-page Colour (CMY) Starter Return Program Toner Cartridge                                                      |                 |
| Paper Handling                                                  |                                                                                                                                                                            |                 |
| Included Paper Handling                                         | 250-Sheet Input, 125-Sheet Output Bin, Integrated Duplex, Single-Sheet Manual Feed                                                                                         |                 |
| Optional Paper Handling                                         | 550-Sheet Tray, 550-Sheet Duo Tray with 100-Sheet Feeder                                                                                                                   |                 |
| Paper Input Capacity: Up to                                     | Standard: 250+1 pages 75 gsm bond / Maximum: 1,450+1 pages 75 gsm bond                                                                                                     |                 |
| Paper Output Capacity: Up to                                    | Standard: 125 pages 75 gsm bond / Maximum: 125 pages 75 gsm bond                                                                                                           |                 |
| Media Types Supported                                           | Card Stock, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.                                                                              |                 |
| Media Sizes Supported                                           | A4, A5, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oficio                                                                                                         |                 |
| General Information <sup>6</sup>                                |                                                                                                                                                                            |                 |
| Standard Ports                                                  | USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Ethernet 10/100BaseTX (RJ-45), also works with 1000Base-T |                 |
| Optional Network Ports                                          | External MarkNet™ N7020e Gigabit Ethernet, MarkNet N8352 802.11b/g/n Wireless                                                                                              |                 |
| Noise Level: Operating                                          | Print: 50 dBA                                                                                                                                                              |                 |
| Specified Operating Environment                                 | Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet)                                                         |                 |
| Product Guarantee                                               | 4-Year Guarantee - Upon Registration Only                                                                                                                                  |                 |
| Size (mm - H x W x D) / Weight                                  | 291 x 442 x 407 mm / 20.5 kg                                                                                                                                               |                 |
| Part Number                                                     | 28DC075                                                                                                                                                                    |                 |

<sup>1</sup>Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. <sup>2</sup>Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/regions](http://www.lexmark.com/regions) for more details. <sup>3</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>4</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. <sup>5</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>6</sup>Printers are sold subject to certain license/agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details. <sup>7</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

