



Kasa Spot Pan Tilt

Indoor Security Camera



KC110



Features



Crystal Clear Video

Sharp and clear 1080p full-HD provides high-quality video right in the palm of your hand.

Pan and Tilt

Swipe up, down, left and right on your phone to rotate and set the camera's point of view.

Motion Tracking

When motion activity is detected, Kasa Spot Pan Tilt tracks and follows the subject to keep it within the camera's field of view.



Cloud Storage Plans

Upgrade your Kasa Care subscription plan and enjoy video recordings for up to 30 days.

Two-Way Audio

Use crisp two-way audio to communicate with nosy roommates, family or even mischievous pets.

Patrol Mode

Set multiple distinct viewpoints and program your pan tilt camera to keep an eye on each region at intervals of your choosing.



Night Vision

Even in the dark, the camera has Night Vision up to 30 feet. Never miss a thing at night and still get the same high-quality video you're used to.

Activity Zones

Control what alerts you receive by creating up to 16 custom activity zones, at no charge, around areas that are important to you.

Specifications

Camera

Image Sensor: 1/2.7"(Φ6.6)
Resolution: 1080p HD
Night Vision: 850 nm IR LED up to 30 ft
Lens: F/NO: 2.2; Focal Length: 3.97mm
View Range: 360° horizontal and 118° vertical

Audio

Audio Communication: 2-way audio
Audio Input & Output:
Built-in microphone and speaker

Video

Video Compression: H.264
Frame Rate: 15fps
Video Streaming: 1080p
Audio Compression: AAC

Activity Notifications

Input Trigger:
Motion detection, Audio detection,
Motion tracking
Output Notification:
Push notification

Hardware

Button: RESET button
Indicator LED: System LED
Adapter Input: 100-240VAC, 50/60Hz, 0.5A
Adapter Output: 5.0VDC, 2.0A
Dimensions (W x D x H):
3.2 x 3.2 x 4.4 in. (82 x 82 x 112.6 mm)

Network

Wireless Rate:
11Mbps(802.11b)
54Mbps(802.11g)
150Mbps(802.11n)
Frequency: 2.4GHz
Wireless Security: WEP, WPA/WPA2-PSK
Security: 128 bit AES encryption with SSL/TLS

System

Regulatory Certification:
FCC, IC, CE, RoHS
System Requirements:
iOS 10+, Android 5.0+

Environment

Operating Temperature:
0°C~40°C (32°F~104°F)
Storage Temperature:
-20°C~70°C (-4°F~158°F)
Operating Humidity:
10%~90%RH non-condensing
Storage Humidity:
5%~90%RH non-condensing

Package Contents

Kasa Spot PanTilt
Power Adapter
10 ft USB Cable
Quick Start Guide
Mounting Screws
Mounting Plate

