

4 Port USB 3.0 Hub (SuperSpeed 5Gbps) with Fast Charge – Portable USB 3.1 Gen 1 Type-A Laptop/Desktop Hub - USB Bus Power or Self Powered for High Performance – Mini/Compact

Product ID: ST4300MINI



This 4-port USB 3.0 hub turns a single USB port on your laptop into four USB-A ports and features a compact, USB-powered design that makes it perfect for travel. For devices that demand extra power, the hub also comes with an external power adapter.

Add USB ports, virtually anywhere you go

With its compact and lightweight design, this 4-port USB hub is tailored for mobility. You can easily tuck it into your laptop bag when traveling, which makes it easy to expand your connection options almost anywhere you need to. It's perfect for connecting common USB devices such as a mouse, keyboard, or flash drive, right when you need them.

You can install the versatile USB 3.0 hub virtually anywhere, because it takes up minimal space on a desk, and fits perfectly in hot-desk or BYOD environments.





Provide more power when needed

This self-powered USB hub comes with an external power adapter to support power-hungry USB devices, such as larger external drives and enclosures, which require more power than USB power can provide on its own.

With the power adapter, you can also charge your smartphone on one of the available ports. Each USB-A port supports USB Battery Charging Specification 1.2. It's recommended to only charge one device at a time.

Universally supported, for easy installation

This USB 3.0 hub will work with a wide range of computers because it requires no additional software or drivers. It installs automatically when you connect it to your laptop or desktop, so you can be up and running quickly. It also works with a range of operating systems such as Windows®, macOS, Linux® and Chrome OS^{TM} , so it's multi-platform compatible.

The ST4300MINI is backed by a StarTech.com 2-year warranty and free lifetime technical support.





Certifications, Reports and Compatibility











Applications

- Connect and use USB devices that require additional power, using the included power adapter
- Carry the hub with you while you're traveling, and connect your USB devices wherever you go
- Perfect for home, office, and hot-desk environments

Features

- PERFORMANCE: 4-port USB 3.0 hub 5Gbps w/ 4x USB Type-A ports, incl. a BC 1.2 port for charging USB peripherals/devices; USB buspowered or self-powered w/ incl power adapter for high performance
- USB HUB WITH POWER ADAPTER: Provides 15W of shared power to support BC 1.2 fast charge (1.5A/7.5W) on 1x USB port and/or power high performance devices like HDD/SSD enclosures
- SMALL FORM FACTOR: Compact/slim design w/ attached 5.9" USB-A host cable requires minimal desktop space & fits easily in your laptop bag; ideal for small spaces and workstations in your home or office
- FAST DATA TRANSFER: USB 3.1 Gen 1 hub w/ data transfer speeds up to 5Gbps SuperSpeed, connect multiple peripherals like data storage banks, USB-enabled SSDs & thumb drives
- COMPATIBILITY: Mini hub is hot-pluggable and supports a driverless setup w/ any operating system incl Windows, macOS, Linux & Chrome OS; Backward compatible with USB 1.x and 2.0 (at reduced speeds)



Data Sheet

	Warranty	2 Years
Hardware	Bus Type	USB 3.0
	Chipset ID	VIA/VLI - VL813
	Fast-Charge Port(s)	Yes
	Interface	USB 3.0
	Ports	4
	USB-C Device Port(s)	No
	USB-C Host Connection	No
Performance	Maximum Data Transfer Rate	5 Gbps
	MTBF	40,103 hours
	Type and Rate	USB 3.0 - 5 Gbit/s
Connector(s)	Connector Type(s)	4 - USB Type-A (9 pin) USB 3.0 (5 Gbps) Female
		1 - USB Type-A (9 pin) USB 3.0 (5 Gbps) Male
Software	OS Compatibility	OS Independent; No additional drivers or software required
Special Notes / Requirements	Note	Each USB-A port supports USB Battery Charging Specification 1.2. It's recommended to only charge one device at a time.
	System and Cable Requirements	Available USB Port
Power	Center Tip Polarity	Positive
Power	Center Tip Polarity Input Current	Positive 0.6A
Power		
Power	Input Current	0.6A
Power	Input Current Input Voltage	0.6A 100 - 240 AC
Power	Input Current Input Voltage Output Current	0.6A 100 - 240 AC 3.0A
Power	Input Current Input Voltage Output Current Output Voltage	0.6A 100 - 240 AC 3.0A 5 DC
Power	Input Current Input Voltage Output Current Output Voltage Plug Type	0.6A 100 - 240 AC 3.0A 5 DC M
	Input Current Input Voltage Output Current Output Voltage Plug Type Power Source	0.6A 100 - 240 AC 3.0A 5 DC M AC Adapter Included
	Input Current Input Voltage Output Current Output Voltage Plug Type Power Source Humidity	0.6A 100 - 240 AC 3.0A 5 DC M AC Adapter Included 10~90% RH
	Input Current Input Voltage Output Current Output Voltage Plug Type Power Source Humidity Operating Temperature	0.6A 100 - 240 AC 3.0A 5 DC M AC Adapter Included 10~90% RH 0°C to 70°C (32°F to 158°F)
Environmental	Input Current Input Voltage Output Current Output Voltage Plug Type Power Source Humidity Operating Temperature Storage Temperature	0.6A 100 - 240 AC 3.0A 5 DC M AC Adapter Included 10~90% RH 0°C to 70°C (32°F to 158°F) -50°C to 120°C (-58°F to 248°F)
Environmental	Input Current Input Voltage Output Current Output Voltage Plug Type Power Source Humidity Operating Temperature Storage Temperature Cable Length	0.6A 100 - 240 AC 3.0A 5 DC M AC Adapter Included 10~90% RH 0°C to 70°C (32°F to 158°F) -50°C to 120°C (-58°F to 248°F) 5.9 in [150 mm]
Environmental Physical	Input Current Input Voltage Output Current Output Voltage Plug Type Power Source Humidity Operating Temperature Storage Temperature Cable Length Color	0.6A 100 - 240 AC 3.0A 5 DC M AC Adapter Included 10~90% RH 0°C to 70°C (32°F to 158°F) -50°C to 120°C (-58°F to 248°F) 5.9 in [150 mm] Black



Data Sheet

	Product Height	0.6 in [1.5 cm]
	Product Length	11.5 in [29.2 cm]
	Product Width	1.4 in [35 mm]
	Weight of Product	2 oz [56 g]
Packaging Information	Package Height	2.2 in [57 mm]
	Package Length	8.9 in [22.5 cm]
	Package Width	6.2 in [15.7 cm]
	Shipping (Package) Weight	12 oz [340 g]
What's in the Box	Included in Package	1 - USB 3.0 hub
		1 - universal power adapter (NA/JP, UK, EU, ANZ)

Product appearance and specifications are subject to change without notice.