

USB C Multiport Video Adapter - USB-C to 4K 60Hz Mini DisplayPort 1.2 or 1080p VGA Monitor Adapter - USB Type-C 2-in-1 MDP HBR2 HDR/VGA Display Converter - TB3 Compatible

Product ID: CDP2MDPVGA



This USB-C multiport video adapter offers a portable solution for connecting your USB Type-C laptop to a Mini DisplayPort or VGA display. The adapter supports High Dynamic Range (HDR) and provides sharper images with enhanced video.

Avoid the hassle of carrying different adapters, with a 2-in-1 USB-C monitor adapter. The multiport adapter features both Mini DP and VGA outputs, you can conveniently connect your laptop to any mDP or VGA-equipped display.

The adapter features a durable aluminum enclosure and can withstand being carried in your travel bag.

The Mini DisplayPort output on this USB-C video adapter lets you harness the audio and video capabilities that are built into your computer's USB-C connection, delivering the astonishing quality of UHD to your 4K 60Hz display. Plus, the VGA output supports HD resolutions up to 1920 x 1080, ensuring you won't have to sacrifice picture quality when connected to a VGA monitor or projector.

With HDR support, you can enjoy lifelike images with increased contrast, brightness and colors and greater luminosity than standard digital imaging.

The USB-C display adapter has a Space Gray housing and built-in USB-C cable designed to match your Space Gray MacBook or MacBook Pro. The adapter is compatible with USB-C DP Alt Mode devices.

CDP2MDPVGA is backed by a 3-year StarTech.com warranty and free lifetime technical support.

<small>Note: This adapter only supports a single display - you are not able to output Mini DisplayPort and VGA video simultaneously. </small>

## **Certifications, Reports and Compatibility**



## Applications

- Connect to virtually any Mini DisplayPort or VGA display while traveling or in the office
- Output video to a secondary Mini DP or VGA monitor
- Stream, view and edit 4K and HD video on your mDP or VGA display

## Features

• FLEXIBLE VIDEO OUTPUT: 2-in-1 portable USB-C multiport video adapter w/ Mini DP 1.2 or VGA, is the perfect video hub for working from a home or office workstations, boardrooms or on the road

• COMPATIBILITY: USB C adapter for devices like Dell XPS/Precision/Latitude, Lenovo ThinkPad X1 Carbon/Extreme, Surface Pro 7/Laptop 3, MacBook Pro/Air, HP Elite/EliteBook/Spectre/ZBook, Chromebook

• TESTED & VERIFIED: USB-C display adapter tested for peak performance @ 4K 60Hz (mDP) and 1080p (VGA) on projectors/displays incl brands like Samsung, Dell, HP, Lenovo, Asus, Acer, LG, Sharp & Sony

• EASY TO USE: USB C (DisplayPort over USB-C) video adapter for any TB3/USB Type C laptop/tablet/smartphone & supports driverless plug & play setup in Windows, macOS, iPadOS, Chrome OS, Linux, Android

• HIGH PERFORMANCE: USB C (DP Alt Mode) to Mini DisplayPort 1.2 4K 60Hz HBR2 or VGA 1080p display adapter converter on a single monitor with 2ch audio, compatible with HDCP 2.2/1.4 and Thunderbolt 3

Warranty	3 Years
AV Input	USB-C
AV Output	Mini DisplayPort - 1.2
	VGA
Audio	Yes
Chipset ID	Realtek RTD2142S-CG
Maximum Cable Distance To Display	6.6 ft [2 m]
Video Revision	DisplayPort 1.2
Supported Resolutions	Mini DisplayPort: 3840x2160 (4K) / 60Hz
	VGA: 1920x1080 / 60Hz
	Lower resolutions and refresh rates may also be supported
	AV Input AV Output Audio Chipset ID Maximum Cable Distance To Display Video Revision



	Wide Screen Supported	Yes
	Audio Specifications	Mini DisplayPort - 2 Channel Audio
		VGA - No Audio Support
Connector(s)		
	Connector A	USB-C (24 pin) DisplayPort Alt Mode
	Connector B	Mini DisplayPort
		VGA (15 pin, High Density D-Sub)
Special Notes / Requirements		
·	Note	Your USB-C device must support DP Alt Mode to work with this adapter
		This adapter only supports a single display - you are not able to output Mini DisplayPort and VGA video simultaneously
		To achieve HDR, your USB-C port must support DisplayPort 1.4 and your display must support HDMI 2.0b
Environmental		
	Operating Temperature	0C to 70C (32F to 158F)
	Storage Temperature	-10C to 55C (14F to 131F)
	Humidity	5~90% RH (no condensation)
Physical Characteristics		
	Color	Space Gray
	Material	Aluminum
	Cable Length	6.0 in [15.2 cm]
	Product Length	2.4 in [62.0 mm]
	Product Width	1.7 in [44.0 mm]
	Product Height	0.6 in [15.0 mm]
	Weight of Product	1.8 oz [51.0 g]

Packaging Information



	Package Length	5.9 in [15 cm]
	Package Width	3.1 in [80 mm]
	Package Height	0.8 in [20 mm]
	Shipping (Package) Weight	2.6 oz [73 g]
What's in the Box		
	Included in Package	USB-C to Mini DisplayPort and VGA Adapter

\*Product appearance and specifications are subject to change without notice.

