Printing date 11/08/2022 Reviewed on 11/08/2022 acc. to OSHA HCS

1 Identification

- · Product identifier
- · Trade name: Ink for whiteboard marker AH704 2ink
- · Article number: 100000000505
- · Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture dry erase whiteboard ink

Currently no such applications are identified

- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: ZEBRA CO., LTD.

2-9 Higashi-gokencho Shinjuku-ku Tokyo JAPAN

Phone: +81-3-3268-1193

Fax:+81-3-3268-1197

Emergency telephone : +81-3-3268-1193

This phone number is available only during office hours:

9am to 5:30pm (Japan time)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness. STOT SE 3

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

- · Signal word Danger
- · Hazard-determining components of labeling:

1-methoxy-2-propanol

propan-2-ol

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

 ${\it Use explosion-proof electrical/ventilating/lighting/equipment.}$

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

(Contd. on page 2)

Trade name:

(Contd. of page 1)

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 3 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 1
Fire = 3
Reactivity = 0

- · Other hazards
- \cdot Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous | · Dangerous components: | | |
|-------------|-------------------------|---------|--|
| 64-17-5 | ethanol | 50-100% | |
| 107-98-2 | 1-methoxy-2-propanol | 10-25% | |
| 67-63-0 | propan-2-ol | 2.5-10% | |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- \cdot After swallowing: If $symptoms\ persist\ consult\ doctor.$
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

 \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- \cdot Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:

Water

Water with full jet

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- \cdot Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

· Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water.

 \cdot Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

(Contd. on page 3)

Printing date 11/08/2022 Reviewed on 11/08/2022 acc. to OSHA HCS

Trade name:

(Contd. of page 2) · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | | |
|----------|----------------------|-------------|
| 64-17-5 | ethanol | 1,800 ppm |
| 107-98-2 | 1-methoxy-2-propanol | 100 ppm |
| 67-63-0 | propan-2-ol | 400 ppm |
| · PAC-2: | | |
| 64-17-5 | ethanol | 3300* ppm |
| 107-98-2 | 1-methoxy-2-propanol | 160 ppm |
| 67-63-0 | propan-2-ol | 2000* ppm |
| · PAC-3: | | |
| 64-17-5 | ethanol | 15000* ppm |
| 107-98-2 | 1-methoxy-2-propanol | 660 ppm |
| 67-63-0 | propan-2-ol | 12000** ppm |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- \cdot Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

| | · Cont | rol parameters | | | | |
|---|--|---|--|--|--|--|
| | · Components with limit values that require monitoring at the workplace: | | | | | |
| ſ | 64-17-5 ethanol (50-100%) | | | | | |
| Ī | PEL | Long-term value: 1900 mg/m³, 1000 ppm | | | | |
| | REL | Long-term value: 1900 mg/m³, 1000 ppm | | | | |
| | TLV | Short-term value: 1880 mg/m³, 1000 ppm | | | | |
| ſ | 107-98-2 1-methoxy-2-propano1 (10-25%) | | | | | |
| | REL | Short-term value: 540 mg/m^3 , 150 ppm Long-term value: 360 mg/m^3 , 100 ppm | | | | |
| | TLV | Short-term value: 369 mg/m³, 100 ppm Long-term value: 184 mg/m³, 50 ppm | | | | |

67-63-0 propan-2-ol (2.5-10%)

PEL Long-term value: 980 mg/m³, 400 ppm Short-term value: 1225 mg/m³, 500 ppm RET. Long-term value: 980 mg/m³, 400 ppm Short-term value: 984 mg/m³, 400 ppm TLVLong-term value: $492~\text{mg/m}^3$, 200~ppm

· Ingredients with biological limit values:

67-63-0 propan-2-ol (2.5-10%)

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

acc. to OSHA HCS

Trade name:

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the $preparation/\ the\ chemical\ mixture.$ Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| · Information on basic physical and chemical properties | | |
|---|--|--|
| · General Information | | |
| · Appearance: | | |
| Form: | Fluid | |
| Color: | According to product specification | |
| · Odor: | Alcohol-like | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 78 °C (172 °F) | |
| · Flash point: | 13 °C (55 °F) | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Ignition temperature: | 287 °C (549 °F) | |
| · Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. | |
| · Explosion limits: | | |
| Lower: | 1.7 Vol % | |
| Upper: | 15.0 Vol % | |
| · Vapor pressure at 20 °C (68 °F): | 59 hPa (44 mm Hg) | |
| · Density: | Not determined. | |
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Partly miscible. | |
| · Partition coefficient (n-octanol/water): | Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |

(Contd. on page 5)

acc. to OSHA HCS

Trade name:

| | (Contd. of page 4 |
|--|--|
| Kinematic at 20 °C (68 °F): | 9 s (DIN 53211/4) |
| · Solvent content: Organic solvents: | 81.6 % |
| Solids content: · Other information | 7.4 % The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications. |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- \cdot Aquatic toxicity: No further relevant information available.
- \cdot Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- \cdot ${\it Bioaccumulative~potential}$ No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- \cdot Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 11/08/2022 Reviewed on 11/08/2022

acc. to OSHA HCS

Trade name:

(Contd. of page 5)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| UN-Number | |
|---------------------------------|---|
| DOT, ADR, IMDG, IATA | UN1263 |
| UN proper shipping name | |
| DOT | Paint |
| ADR | 1263 Paint |
| IMDG, IATA | PAINT |
| Transport hazard class(es) | |
| DOT | |
| TYMMINET TOWN | |
| Class | 3 Flammable liquids |
| Label | 3 |
| ADR | |
| Class | 3 (F1) Flammable liquids |
| Label | 3 |
| IMDG, IATA | |
| Class Label | 3 Flammable liquids |
| Packing group | |
| DOT, ADR, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids |
| Danger code (Kemler): | 33 |
| EMS Number: | F-E , $S-E$ |
| Stowage Category | В |
| Transport in bulk according to | Annex II of |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional informatio | n: |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L |
| ADR | |
| Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| IMDG | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E2 |
| | Manadamana and amanabitan and impana analandina. 20 ml |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |

Trade name:

(Contd. of page 6)

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · DSL/NDSL (Canada) All ingredients are listed
- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





· Signal word Danger

· Hazard-determining components of labeling:

1-methoxy-2-propanol

propan-2-ol

Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

easy to do. Continue rinsing.

Use only outdoors or in a well-ventilated area.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 8)

Printing date 11/08/2022 Reviewed on 11/08/2022

acc. to OSHA HCS

Trade name:

(Contd. of page 7)

- · National regulations:
- · Technical instructions (air):

| Class | Share in % |
|-------|------------|
| NK | 50-100 |

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 01/06/2017 / 24
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IMDS: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

CAS: Chemical Abstracts Service (division of the Amer. NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

REI: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids - Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

 \cdot * Data compared to the previous version altered.