Specifications



APC Smart-UPS Charge Mobile Battery for Microsoft Surface Hub 2S & Surface Hub 3

CSH2

Overview	
Presentation	APC Smart-UPS Charge Mobile Battery is a lithium-ion battery system designed to power Microsoft Surface Hub 2S and Surface Hub 3 on-the-go, so you stay connected regardless of the location.
Lead Time	Usually in Stock
Main	
Main Input Voltage	100 V 120 V 230 V
Input Connection Type	IEC 60320 C13
Battery Type	Li-Ion (Lithium-Ion)
Provided Equipment	DC cable Detachable IEC C13 to IEC C14 power cord Screw set User manual USB cable

Batteries & Runtime

Number Of Battery Filled Slots	1
Number Of Battery Free Slots	0

Physical

-	
Height	429.26 mm
Width	279.40 mm
Depth	88.90 mm
Net Weight	9.98 kg
Mounting Mode	Not rack-mountable
Usb Compatible	Yes

Input

Network Frequency

40...70 Hz

Conformance

Product Certifications	California Energy Commission (CEC) CE cTUVus UN 38.3
Standards	FCC part 15 class A



Environmental

Ambient Air Temperature For Operation	040 °C
Relative Humidity	085 %
Ambient Air Temperature For Storage	-2060 °C
Storage Relative Humidity	095 % non-condensing

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	429.26 mm
Package 1 Width	88.90 mm
Package 1 Length	279.40 mm
Package 1 Weight	13 kg

Logistical informations

Country Of Origin

СН

Contractual warranty

Warranty

3 years repair or replace



Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- $\rm CO_2$ products.

Learn more about Green Premium >

Well-being performance

Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information



