



# PRODUCT DATA SHEET

3-36® Multi-Purpose Lubricant & Corrosion Inhibitor, 1 Gal  
Part Number: 03006



## Product Description

A versatile petroleum based compound that forms a clear, thin film that lubricates and protects against wear and corrosion. Multi-purpose product lubricates, protects, displaces moisture, and cleans.

## Applications

Tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks, drill rod, heat treated parts, machined surfaces, finished welds, aluminum extrusions, air actuated tools, conveyors, frozen joints, locks, hoists, etc.

## Unit Package Description

1 Gallon Bottle

## Brand

CRC

## Generic Description 1

Multi-Purpose Precision Lubricant & Corrosion Inhibitor

## Net Fill

1 Gal

## UPC Code

078254030067

## Unit Dimensions

10.25H x 5W x 6.13D in

## Units Per Case

4

## Case Dimensions

11.44H x 10.88W x 13.25D in

## Cases Per Pallet

60

## Case Weight

31 lbs

## I 2 of 5 Code

30078254030068

## Appearance

Clear Blue-Green Liquid

## Base Type

Petroleum

## Flash point (F)

192°F

## Flash point (C)

89°C

## Flammability Class - CPSC

None

## Spec Gravity Concentrate

0.83

## Plastic Safe

No

## Film Type

Non-Drying

## Film Thickness

0.025 to 0.075 MILS

## Evaporation Rate

Slow

## Dielectric Strength

38,800 Volts

Last revised: 6/6/2016  
Page 1 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
[www.crcindustries.com](http://www.crcindustries.com)

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



## PRODUCT DATA SHEET



|                              |  |
|------------------------------|--|
| Working Temp (F)             | -50 to 250°F   |
| Working Temp (C)             | -45.6 to 121.1°C   |
| Propellant                   | None   |
| NSF Category Code            | H2   |
| NSF Number                   | 017429   |
| Federal Specification Number | V-V-P-216,O-W-1284   |
| DOT Proper Shipping Name     | Not Regulated  |
| VOC % (Federal)              | 0  |
| VOC g/L (Federal)            | 0  |
| VOC Lbs./Gal. (Federal)      | 0  |
| VOC Category                 | Multi-Purpose Lubricant  |
| Removal (How To)             | Remove with petroleum products, mineral spirits, or contact cleaner. |

Last revised: 6/6/2016  
Page 2 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
[www.crcindustries.com](http://www.crcindustries.com)

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.