


PRODUCT DATA SHEET





A versatile petroleum based compound that forms a clear, thin film that lubricates and protects against wear and corrosion. Multi-purpose product lubricates, protects,

displaces moisture, and cleans.

Applications

Tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks, drill rod, heat treated parts, machined surfaces, finished welds, aluminum extrusions, air

actuated tools, conveyors, frozen joints, locks, hoists, etc.

Unit Package Description

CRC

Generic Description 1 Multi-Purpose Precision Lubricant & Corrosion Inhibitor

Net Fill

5 Gal

UPC Code

078254030098

5 Gallon Pail

Unit Dimensions

13.75H x 11.25W x 11.25D in

Units Per Case

Case Dimensions 13.8H x 11.3W x 11.3D in

Cases Per Pallet

35 lbs Case Weight

Appearance Clear Blue-Green Liquid

Base Type Petroleum Flash point (F) 192°F Flash point (C) 89°C

Flammability Class - CPSC None Spec Gravity Concentrate 0.83 Plastic Safe No

Film Type Non-Drying

Film Thickness 0.025 to 0.075 Mils

Evaporation Rate Slow

Dielectric Strength 38,800 Volts Working Temp (F) -50 to 250°F

Last revised: 6/6/2016

Page 1 of 2



CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified

and adheres to the strictest guidelines for quality in all facets of research, development and production.



PRODUCT DATA SHEET

H2



Working Temp (C) -45.6 to 121.1°C

Propellant None

NSF Category Code

NSF Number 017429

Federal Specification V-V-P-216, O-W-1284

Number

DOT Proper Shipping Name Not Regulated

VOC % (Federal) VOC g/L (Federal) 0 VOC Lbs./Gal. (Federal) 0

VOC Category Multi-Purpose Lubricant

Removal (How To) Remove with petroleum products, mineral spirits, or

contact cleaner.

Last revised: 6/6/2016



and adheres to the strictest guidelines for quality in all facets of research, development and production.

