



Product Family
North Polar Insulated Leather
Palm - 70/6465NK

High performance protection in cold weather. Thinsulate® liner provides excellent thermal protection, from temperatures down to -36° F (-38° C). Waterproof vinyl liner helps to prevent hands from getting wet. Gunn cut and wing thumb construction for wearer comfort.



Overview

Key Features

High performance protection in cold weather. Thinsulate® liner provides excellent thermal protection, from temperatures down to -36° F (-38° C). Waterproof vinyl liner helps to prevent hands from getting wet. Gunn cut and wing thumb construction for wearer comfort.

Recommended Industries/Use

- Construction
- Forestry
- Municipal Services

Hazards

- Abrasion
- Thermal

Regulations

- ANSI/ISEA 105 - ASTM D3389-05 Abrasion Test
- ANSI/ISEA 105 - ASTM F1790-97 Cut Test
- EN388 - Mechanical risks from abrasion, cut, tear and puncture
- EN420 - General Requirements - This standard defines the general requirements for protective gloves in terms of construction, fitness of purpose and safety.
- OSHA Standard -29 CFR 1915.157 - The employer shall ensure that each affected employee uses appropriate hand protection and other protective clothing where there is exposure to hazards such as skin absorption of harmful substances, severe cuts or lacerations, severe abrasions, punctures, chemical burns, thermal burns, harmful temperature extremes, and sharp objects.

Warranty Information

LIMITED WARRANTY. Except for any warranty for a particular product or part specifically stated in our product literature, we warrant all goods sold under this agreement against defects in materials and workmanship for one year from shipment. In the event of such defects, we will, at our sole option and as your exclusive remedy, repair or replace the defective product without charge, or refund the price you have paid. In order for this warranty to be effective, you must notify us within 15 days of discovery of the defect. you must return the defective product to us within the warranty period, properly packaged and with insurance and transportation costs prepaid. We will reship the product to you at our expense in the United States. Products will conform to Honeywell published specifications if properly used and maintained and will be free from defects in materials and/or workmanship. no changes to Honeywell published specifications will be valid without Honeywell written consent. This warranty does not cover defects which we determine are because of accident, alteration, modification, negligence, misuse, abuse failure to perform adequate maintenance, or normal wear and tear.

Specifications

Construction

- Gunn cut, wing thumb

Gauge / mil

- NA

Glove Type

- Thermal glove

Material

- Split leather and cotton canvas

Material Color

- Blue and yellow

Literature & Documents

2851_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356739/1033.aspx

Lightweight Cut Level Relative Mechanical Performance Guide for Cut Resistant Gloves 4 2 Puncture Level ANSI/ISEA EN388: 2003 105-2005 2 1 Glove Type Tear Level 43 Abrasion Level 4 3 4 3 44 4 3 4 4 34 4 1 4 1 11 4 2 4 1 11 2234432343 1113232233 Light Task Plus IITM -Dyneema seamless liner with white polyurethane coat

2852_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356740/1033.aspx

NorthFlex™ Palm-Coated Hand Protection Selection Guide Product Abrasion Resistance Cut Resistance Tear Resistance Puncture Resistance Tactility Dexterity Grip NFK14 Duro Task Plus™ Gloves Better Best Best Better Good Good Best NFK13 Nitri Task Plus™ Gloves Best Best Best Better Good Good Good NFKL13 Nitri Task KL™ Glov

Additional Information

Recommended for temperatures down to -36°F (-38°C)

Technical Support

Technical Support is available Monday through Friday, 8:00 AM to 7:00 PM EST. 1.800.873.5242
hsptechsupport@honeywell.com