

2017 WORKBOOK: 34 YEARS OF TENACITY

NOTHING SOLD SEPARATELY.

Enough with the caveats, prefaces, qualifiers, and quid pro quos – right? And don't get us started on "in-app purchases." We just want to play Pokémon Go in peace. Is that too much to ask? Okay, we're not actually serious on the pocket monster, but really, is it that hard to say what you mean and mean what you say? What happened to one-stop shops, renaissance men, and batteries included? Well, friends, you now hold in your hands evidence that those ideas... those ideals, rather, haven't been put out to pasture just yet.

Since we planted our flag in 1983, we've stood ready and able to meet your needs, handle your business, and keep you and yours in one piece out there on the job. All without the tiny footnotes or pesky fine print* to trip you up; cause that ain't our style. Nope. We're all about a safer day at work. Genuine. Authentic. True. Period.

If, like us, you long for the days when your word was your bond and you didn't have to haggle over rust-proofing, service plans, or paying extra for fries, then you've come to the right place. Here, you won't have to look in a separate aisle to find our determination to innovate; our attention to detail and craft; our execution honed by decades of experience and care; or (dare we say) our stunning good looks. Believe it or not, this whole package comes standard in every box.

Take that mad, mad, mad, mad world.



PPE: PROTECTION. PRO

THREE PRODUCT PILLARS, ONE PURPOSE.
MAKE THE WORKPLACE A BETTERPLACE.

Is there anything sadder than Thanksgiving dinner with no cranberry sauce? Maybe the '85 Bears without William 'Refrigerator' Perry? Or, best one yet: Cheers without Mayday Malone? Point is, harmony is only achieved when the parts all fit together. Remove one element and you're left eating dry turkey, my friend. It's in this spirit of harmoniousness that we endeavor to provide you with a sweet song of PPE. These are the three pillars of safety upon which our Tenacious Work Gear® is built. Remove one pillar and the edifice comes crashing down which, you know, would be bad. We strive to provide Protection, increase your Productivity and help you to manage the Elements you face daily in fields, mines, factories, warehouses, towers, and roadways ... We've put these interconnected safety pillars together to form a more perfect union and guarantee that you'll be covered from every angle no matter what your bailiwick may be. You can trust that our years of expertise, drive, and innovation, combined with leading edge technology, will guide you to peak PPE performance. Let's Make the Workplace a Betterplace[™].





DUCTIVITY. ELEMENTS.

{ PROVIDE } PROTECTION

{ IMPROVE } PRODUCTIVITY

{ MANAGE } ELEMENTS

PROFLEX® GLOVES

Trades Series	Pgs. 22-27
Dorsal Impact-Reducing Series	Pgs. 28-29
Thermal Series	Pgs. 30-31
Vibration-Reducing Series	Pgs. 32-33
Fire & Rescue Series	Pg. 34

PROFLEX® KNEE PADS

Gel Series	Pgs. 40-42
Standard Series	Pgs. 44-45
Kneeling Pad Series	Pgs. 46-47

PROFLEX® SUPPORTS

Back Support Series	Pgs. 52-53
Wrist Support Series	Pgs. 54-55
Wraps & Sleeves Series	Pgs. 56-57

GLOWEAR® HI-VIS APPAREL

Class 2 Vest Series Pgs. 62-65	
Class 3 & Class E Series Pgs. 66-67	
Shirt Series Pgs. 68-70	
Non-Certified Series Pg. 71	
Foul Weather Series Pgs. 72-75	
Headwear Series Pgs. 76-77	
Accessory Series Pg. 77	

SKULLERZ®

EYE PROTECTION

Safety Glasses Series	Pgs. 86-89
Accessory Series	Pgs. 90-91

SKULLERZ®

HEAD PROTECTION

Bump Cap Series	Pgs. 94-95

SQUIDS® LANYARDS & WORKSITE ORGANIZERS

Tethering Solutions	Pgs. 104-105
Tool Attachment Series	Pgs. 106-107
Tool Lanyard Series	Pgs. 108-113
Retractor Series	Pg. 114
Grabber Series	Pgs. 116-117

ARSENAL® GEAR STORAGE

Pgs. 122-123
Pgs. 124-125
Pgs. 126-129
Pgs. 130-133

ARSENAL® TOOL STORAGE

Belt & Accessory Series	Pgs. 138-143
Bag & Organizer Series	Pgs. 144-147

CHILL-ITS® COOLING PRODUCTS

Evaporative Series	Pgs. 156-162
Absorptive Series	Pgs. 164-165
Phase Change Series	Pgs. 166-167
Hydration Series	Pgs. 168-169

SHAX® PORTABLE WORK SHELTERS

Pgs. 172-173
Pg. 173
Pg. 173

N-FERNO® WARMING PRODUCTS

Heated Clothing & Acc. Series	Pgs. 178-179
Thermal Clothing Series	Pgs. 180-181
Thermal Liner Series	Pgs. 182-184
Thermal Balaclava Series	Pgs. 185-187
Thermal Hat & Cap Series	Pgs. 188-189
Thermal Accessory Series	Pgs. 190-191

TREX™ FOOTWEAR ACCESSORIES

Ice Traction Series Pgs. 194-195

PARTY IN THE FRONT, BUSINESS IN THE BACK.

Reference all the great Ergo product in the front of the book, then learn about Sizing, Index and Warranty info in the back.

No kidding and no mullet.

Item Number Index	Pgs. 196-197
Size Charts	Pgs. 198-200
Warranty Info	Pg. 201
Live Tenaciously	Pgs. 202-203

DON'T BE THAT GUY (OR GAL.)

YOU AND THE ERGO WORKBOOK. A LESSON IN USAGE.

Who doesn't fall for the lovable old crank who proudly owns no cell phone and calls it Tweeter? It's cute. But you don't have to be that guy to appreciate 200+ pages of embossed, glossy goodness designed to get dogeared. This hot off the presses, glorious guide will help you navigate our product pages better than a GPS on a bluebird day. Less a table of contents, more a table of context. And if you want to be a 21st Century Digital Boy, visit our new website on any device for current company info, fresh social media posts, and the full skinny on all our gear. You won't find this at the library next to the rack of newspapers either. Some things don't belong on a stick.

MODEL NUMBER

If we remember correctly it goes Kingdom, Phylum, Class, Family, Order, Genus, Model Number. Right?

TECH TAGS

Sure, it looks cool. But what does it do? Use our handy tech tag icons and wonder no more.



- Armortex®-backed palm for enhanced cut protection
- Padded palm with Tena-Grip[™] reinforcement
- Technical hex-stretch poly-knit construction
- Neoprene knuckle pad
- Low-profile molded hook and loop closure with ID

ГЕМ#	SIZE	COLOR	ITEM #	SIZE	COLOR	
7122	S	Black	17125	XL	Black	
7123	M	Black	17126	2XL	Black	
7124	1	Black				_

// PATENT PENDING

PATENT DESIGNATOR

Thomas Edison had 1,093 of these bad boys. We're hot on his tail.

ERGODYNE IN PIXELS:

AC/DC, Lithium lon ... however your device is powered ... know that it longs to use that energy on the Ergo website. Full product info, Tester reviews, video content. It's all here. Oh yes it is. Enjoy.





ERGODYNE IN PRINT:

Here's the long and short of Ergo info presentation in the beloved workbook. Learn it. Live it. Love it.

ORDER MULTIPLE

You're ordering by the case, my friend. Check here for case quantities and minimum order requirements.

PRODUCT NAME

What's in a name? How about trust, reliability, quality, integrity, accountability, notoriety, recognition?
Must we go on?

PRODUCT PHOTO

Our gear is ready for its close-up, Mr. DeMille. And we've made sure to get its good side.

SPECIAL SHOUT-OUTS

If a product meets the requirements of ANSI, ASTM, or any other industry standard, we'll display those badges as proudly as a Boy Scout.

FEATURES & BENEFITS

If it can withstand the freeze, block out the sun, or lay golden eggs, we'll let you know about it.

ITEM NUMBERS

Item Numbers – the universal language. Use these to speak our native tongue and get exactly what you need.

ERGODYNE IN THE FIELD:

What good is a product that doesn't go out and get up? OurTenacious Testers™ are real-world users that evaluate our gear and tell us how they really feel. Look for these sidebars throughout the workbook.



TESTER: TRAVIS BURKE

PRODUCT: 922CR

"Tve been using the 922CR gloves during assembly, test and disassembly of our tools. This testing involved handling parts at elevated temperatures and exposure to oil, grease and water. I've found that with the nitrile dipped palm I am still able to handle smaller parts well and I have a good grip even when the gloves are wet from grease and oil. These gloves are definitely a good product."

ONE WORD REVIEW: GRIP



THE TENACIOUS NATION NEEDS YOU. ENLIST NOW.

Wanna join the corps? We call 'em Tenacious Testers™. Our exclusive field-testing program specifically designed for those who are grinding it out in the trenches each day (desk jockeys and merchandise slingers need not apply). If accepted into our elite and limited tenacious ranks you'll receive product to test – but this ain't no free lunch. Learn more at Ergo.Zone/TTenlist



FOR

After a few (dozen) fortnights, our NEW! responsive-design website is live and in living color (a glowing PANTONE 1655 C, natch). Our humble new web home is easy enough for a troglodyte to navigate on any device – read: no more pinch-and-zoom! On www.ergodyne.com, you can get the full scoop on all of our gear, stay hip on all tenacious happenings (check out our blog!), and so much more. Move over, Huff Post, www.ergodyne.com is trending.

GET SOCIAL WITH US

Got Ergodyne FOMO? Follow us and cure what ails you. Don't know what FOMO is? Tweet us and we'll tell you.

FRESH SQUEEZED DIGITAL GOODNESS

















TECH TAGS PERFORMANCE AND REGULATORY TAGS

The ancient Egyptians communicated via an intricate system of pictograms known as hieroglyphics. With this system, they wrote histories, conquered many lands, and completed the ultimate pyramid scheme. All while walking sideways! Consider our tech tag system a humble nod to those sun-worshipping ancients. Check the key for all the performance and regulatory characteristics of our Tenacious Work Gear®.



Abrasion Resistant



Acrylic Polymer Crystals



ANSI Compliant



Anti-Stink



Ballistic Material



Break-awa Design



Captive Eye



Chemical Free



Computer Storage



CSA Compliant



Cut Resistant



Dorsal Protection



Dry Surface Grip Technology



EN Compliant



ESD / Non-Static



Flame Resistant



Flat Seams



Foreign Materials Management



Hand Washahle



Gel Polymer



Genuine Leather Construction



High Visibility



High



Impact



Membrane



LEDs



Machine Washable



Magnetic



Built with 3M™ Materials



Micro-Fiber



MIL-PRF

32432



Modular



Moisture Management



Non-Conductive or ESD



OutDry® Waterproof Membrane



Patented Nu²O₂® Polymer



Patented Open-Center Stay™



P.A.L.S.



PVA Cooling Material



Patented Sticky Fingers® Stay



Puncture Resistant



1-Hand Operation



Reflective Accents



Reversible Design



Rubber Base



Soil



Stainles



Storm Drains



Swiveling Design



Touch Screen Compatible



Thermal



UV Protection

Water Repellent




Weight Rated



Wet Surface Grip Technology



Wheeled Design





Shine up your apples and sharpen your pencils. Our safety train(ing) is full steam ahead. Whether on Planet Orange or on the job, our array of Tenacious U's, webinars, blog posts, and on-site visits will have you speaking fluent safety in no time. Whatever the topic, we're ready to roll up our sleeves and get down to business talking jobsite risks, regulatory wrinkles, and how to put our Tenacious Work Gear® straight to work. Sweeping the country, our Tenacious Assault Vehicle takes the show on the road, dropping knowledge - not to mention jaws - at our Tailgate Talks™. Start taking notes, kids, 'cause this one will be on the test.



AFRESH COAT OF 'AW YEAH!'

ON THE SALES FLOOR, CLAIM THE SPACE, CONQUER THE BATTLEFIELD!

Is your Doobie Brothers poster sunbleached? Has the shag carpet lost its luster? Sounds like it's time to spruce up the joint. And we're not talking pine tree air fresheners and new throw pillows. We mean a full-on Orange-ification of the premises in the form of Ergodyne merchandisers. Standees, signage, specialty cases. All new corrugated show room features? You name it. We've got the goods to accompany all of our fine merchandise and get it flying out your doors. So get on the horn and place your orders. Operators are standing by ...

INTERESTED IN THESE DISPLAYS?

Contact orders@ergodyne.com to view the full line of display options and get the skinny on how to get 'em in your store.



99705





99710



99720

MERCHANDISING BANNERS

"TENACITY SOLD HERE"

Horizontal Banner - Large

• ITEM #99705

Horizontal Banner - Small

• ITEM #99710

Vertical Banner

• ITEM #99715

Authorized Dealer Door Clings

• ITEM #99720 (Packed in Sets of 10)





CORRUGATED DUMP DISPLAYS

HEAT STRESS
• ITEM #99911

HI-VIS

• ITEM #99913

COLD STRESS

• ITEM #99912















CORRUGATED HUTCH DISPLAYS

HEAT STRESS
• ITEM #99915

HI-VIS

• ITEM #99917

COLD STRESS

• ITEM #99916

GLOVE

• ITEM #99918



CUKKUGATED SMALL COUNTER TOP DISPLAYS

HEAT STRESS
• ITEM #99925

GLOVES

• ITEM #99926

EYEWEAR DISPLAYS

12 PAIR LOCKING DISPLAY

• ITEM #99848

7 PAIR NON-LOCKING DISPLAY

• ITEM #99847



SOMETHIN' SPECIAL JUST FOR YOU

Roll out the red orange carpet and call the paparazzi, 'cause Ergodyne's SWAG supply is enough to turn golden Ozzy green with envy. But don't worry, we'll spare you the pencils and pepper spray - only the best for you, beloved safety warrior. If you bleed orange and live tenaciously day in and day out, this stuff is meant for you. But don't hog it all - share it like an ice cold Coke on a warm summer's day, make a friend or three dozen. Pass out the pens, and let the good times roll.

READY TO GET THE SWAG TRAIN ROLLING?

See the full list of Tenacious Goods (and get them for yourself!) on www.ergodyne.com





BLACK FLEXFIT HAT SIZE: L/XL



TENACIOUS HITCH COVER
ITEM #90222



ERGO BOTTLED WATER ITEM #99740 / 24pk.





BORN TENACIOUS ONESIE SIZES: Infant, 6 mo. 12 mo.



LIGHTWEIGHT MOCK SIZES: XS-3XL



LIGHTWEIGHT HALF-ZIP SIZES: XS-3XL



ITEM #90217

BEVERAGE EXTRICATION TOOL



TENACIOUS PEN ITEM #90199



AWARENESS MULTI-BANDS



WHITE CANVAS TOTE ITEM #90215

DITTY BAG ITEM #90219



LUGGAGE TAG ITEM #90216









PRofLex®

- >> GLOVES
- >> KNEE PADS // KNEELING PADS
- >> BACK SUPPORTS
- >> SUPPORTS // WRAPS // SLEEVES


GLOWEAR®


- >> VESTS // SHIRTS
- >> FOUL WEATHER GEAR
- >> HEADWEAR
- >> ACCESSORIES

SKULLERZ°

- >> EYE PROTECTION
- >> HEAD PROTECTION










Thumbs separate us from the animals and help you hitch a ride after you've bounced from a job like Johnny Paycheck. So take care of the digits that dote on you. With ProFlex® Gloves' combination of durability and world-class technological advancements like Armortex®, AX Suede™, OutDry®, and Thinsulate™—we've got a phalanx of protection for your phalanges. We'd say that deserves a hand, don't you think?





TRADES SERIES

DIFFERENTIATED BY DESIGN





17044 L

17273 M

17274 L

HV Lime

HV Lime

// PATENT PENDING

17276

2XL

HV Lime

zones.

Black

// PATENT PENDING









COLOR

Black

Black

Black

ITEM #

17122

17124 L

17123

SIZE

// PATENT PENDING



• Technical hex-stretch poly-knit construction

COLOR

Black

Black

Black

· Low-profile molded hook and loop closure with ID

ITEM #

17135

17136

SIZE

XL

2XL

COLOR

Black

Black

· Neoprene knuckle pad

SIZE

// PATENT PENDING

ITEM #

17132

17134 L

17133 M



- Padded palm with durable leather reinforcement
- · Leather fingertips, thumb, and thumb saddle
- Technical hex-stretch material construction
- Neoprene knuckle pad
- · Low-profile molded hook and loop closure with ID

TEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17142	S	Black	17145	XL	Black
17143	M	Black	17146	2XL	Black
17144	L	Black			

// PATENT PENDING



ITEM #

17125 XL

17126

SIZE

2XL

COLOR

Black

Black

PULLS A BLADE IN 20MM PATHS ACROSS GLOVE SURFACE UNDER VARIED GRAM LOADS AND **MEASURES THE WEIGHT NEEDED** TO CUT THROUGH //////





















NEW ANSI 105-2016



EN 388:2016 IS ALSO REFERENCED GLOBALLY (CAN, MEX, AUS/NZ, S. AMERICA)

START HERE:

EN BLADE CUT: ROTATING BLADE UNDER A FIXED WEIGHT THAT SPINS ON GLOVE SURFACE UNTIL CUT THROUGH; COMPARES RESULTS TO REFERENCE









INDEX: ≥ 2.5

INDEX: ≥ 5.0





IF GLOVE MATERIAL DULLS COUPE TESTER BLADE, USE ISO 13997 CUT TEST



ISO 13997: PULLS A BLADE IN 20MM PATHS ACROSS GLOVE SURFACE AND MEASURES THE FORCE NEEDED TO CUT THROUGH IN NEWTONS













ASTM & ISO CUT TESTS NOW ALLOW FOR A MORE ACCURATE COMPARISON.

RADES SERIES

DIFFERENTIATED BY DESIGN

RUGGED REINFORCEMENTS

Tena-Grip™ reinforcement zones on palm, thumb saddle, and fingertips resist abrasion and provide superior grip on tools and equipment.

760





write your name or initials.

Molded TPR closure keeps debris out and

glove secure as well as provides a place to

FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE **FULL LINE OF ERGODYNE GLOVES AT: WWW.ERGODYNE.COM**



- Padded palm with Tena-Grip[™] reinforcement
- Tena-Grip[™]-reinforced fingertips and thumb saddle
- Technical hex-strech poly knit construction
- Molded hook and loop closure with ID space

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17662	S	Black	17665	XL	Black
17663	M	Black	17666	2XL	Black
17664	L	Black			

// PATENT PENDING





- Abrasion resistant Tena-Grip[™] palm and fingers
- Tena-Grip[™]-reinforced thumb saddle
- Technical hex-stretch poly-knit construction
- Neoprene knuckle pad
- · Low-profile molded hook and loop closure with ID

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17242	S	Black	17245	XL	Black
17243	M	Black	17246	2XL	Black
17244	L	Black			

// PATENT PENDING





HEAVY-DUTY LEATHER-REINFORCED FRAMING



- Framing finger config for grasping fasteners
- · Padded palm with durable leather reinforcement
- Technical hex-stretch poly-knit construction
- Neoprene knuckle pad
- · Low-profile molded hook and loop closure with ID

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLO
17152	S	Black	17155	XL	Black
17153	M	Black	17156	2XL	Black
17154	L	Black			

// PATENT PENDING





720

EN (GL)

860



HEAVY-DUTY FRAMING



- Framing finger config for grasping fasteners
- Padded palm with Tena-Grip[™] reinforcement
- Technical hex-stretch poly-knit construction
- Neoprene knuckle pad

// PATENT PENDING

· Low-profile molded hook and loop closure with ID

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17112	S	Black	17115	XL	Black
17113	M	Black	17116	2XL	Black
17114	L	Black			



- Half-finger design for maximum dexterity
- Padded leather palm with reinforced thumb saddle
- Breathable stretch spandex construction
- Neoprene knuckle pad and thumb brow wipe
- Molded hook and loop closure with ID space

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17282	S	Black	17285	XL	Black
17283	M	Black	17286	2XL	Black
17284	L	Black			

All ProFlex® Trades Gloves are designed to perform and built to last. But sometimes, the job requires that little extra somethin' to help handle your specific hazard. Technical adds like + Touch Screen and + Cut Resistance are found across the line with a color-coded system to show you the way.

ProFlex® Trades Gloves are tested to the world's most exacting glove standards. All models are CE marked and tested to EN 388 for mechanical risks. Gloves featuring + Cut Resistance are also tested and classified according to ANSI/ISEA 105.









STANDARD TRADES

The tried-and-true originals. Choose a Standard Utility or Heavy-Duty option full-finger or framing config. Look for orange accents and know you've got the

710 //720 //760 // 810 // 812 // 815 // 820 // 821 // 860 //



+HI-DEX

It's all about control and feel with this glove. A super-thin (50% thinner than Standard) yet durable, abrasion resistant palm provides maximum dexterity.



SCREEN

In today's workplace, the touch screen device has become another tool of the trade. Touch screen-capable palms and fingertips allow you swipe, tap, and type while staying protected. Look for green accents and you're money ... Silicon Valley money.

710TX // 812TX //



+CUT RESISTANCE

When sharp edges and cut hazards crank up the intensity level, turn to ProFlex $^{
m e}$ Trades Gloves. Armortex®-backed palms with or without reinforcements provide protection in the toughest applications. Look for red accents for no red accidents.

710CR // 812CR //



Want a softer, natural feel without sacrificing protection? ProFlex® Trades Gloves with genuine leather deliver all the features of their standard counterparts but with supple genuine leather reinforcements. Look for tan accents for an old-school look that still packs a punch.

710LTR // 720LTR //

ADES SERIES

DIFFERENTIATED BY DESIGN

MAXIMUM DEXTERITY



Low-profile molded closure keeps gloves secure; QuickCuff™ option provides easy on/off.



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE **FULL LINE OF ERGODYNE GLOVES AT: WWW.ERGODYNE.COM**



2XL

Black



• Durable synthetic leather palm

17164

Black

// PATENT PENDING

- · Reinforced thumb saddle wear area
- · Breathable poly mesh construction
- Low-profile molded hook and loop closure with ID
- · Pull-on tab for easy on/off

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17172	S	Black	17175	XL	Black
17173	M	Black	17176	2XL	Black
17174	L	Black			

// PATENT PENDING





• Pull-on tab for easy on/off

// PATENT PENDING

COLOR

HV Lime

HV Lime

HV I ime

ITEM #

17265

SIZE

XL

COLOR

HV Lime

HV Lime

SIZE

ITEM #

17262

17264 L

17263



· Pull-on tab for easy on/off

// PATENT PENDING

COLOR

Black

Black

Black

17185

17186

XL

2XL

SIZE

17182

17183

17184



17195 XL

2XL

17196

Black

Black

// PATENT PENDING

Black

Black







17192

17193

17194

COLOR

Black

UCING SERIES

DIFFERENTIATED BY DESIGN

MAXIMUM IMPACT **PROTECTION**

All new, patent-pending protection scheme combines full-coverage thermoplastic rubber (TPR) armor with segmented foam padding for complete protection.

DURABLE GRIPPING **PALMS**

Choose abrasion-resistant AX Suede™ dot gripping material with Armortex® reinforcement, rugged Tena-Grip™ or a specialized dual-layer, flexible winter gripping palm configuration.

CUT PROTECTION

Choose a fully Armortex®-backed dot gripping palm (EN Blade Cut 5; ANSI/ASTM A3) or cut-resistant knit option for enhanced protection in the toughest applications.



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE **FULL LINE OF ERGODYNE GLOVES AT: WWW.ERGODYNE.COM**

925F(x)

SUPERIOR DEXTERITY

also provide the dexterity and hand function needed to remain worn during

Strategically located flex grooves within armor and foam ensure protective gloves detail work.

HAND VISIBILITY

Hi-vis palms, breathable mesh body materials and reflective accents keep hands visible,

allow for signaling and promote hand safety awareness.





PERFORMANCE DIR + CUT RESISTANCE



- Armortex®-backed palm for ehanced cut protection
- Full TPR armor + technical foam for max protection
- Hi-Vis AX Suede™ + non-slip dot gripping palm
- · Armortex®-reinforced thumb saddle and index finger
- Padded neoprene cuff with reflective binding

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR	
18002	S	HV Lime	17805	XL	HV Lime	
18003	M	HV Lime	17806	2XL	HV Lime	
18004	L	HV Lime				

// PATENT PENDING





18106

2XL HV Lime

18103 M

18104

HV Lime

HV I ime

// PATENT PENDING



// PATENT PENDING



I have a good grip even when the gloves

are definitely a good product."

ONE WORD REVIEW: GRIP

are wet from grease and oil. These gloves







THERMAL SERIES

DIFFERENTIATED BY DESIGN



Stay visible in the dark winter months with reflective back-of-hand accents.

CAPABLE

All Thermal Series Gloves feature touchscreen-capable

TOUCHSCREEN-

feature touchscreen-capable thumb and index finger reinforcements.

THUMB WIPE

Super-soft thumb zone comfortably wipes sweaty brows and runny noses.

O

DUAL-ZONE 3M™ THINSULATE™ INSULATION

Nearly 15% warmer than previous versions, most ProFlex®
Thermal Series Gloves utilize
70g lofted 3M™ Thinsulate™
Insulation on the back of the
hand for extra warmth and
40g on the palm to maintain
dexterity.

WATERPROOF
TECHNOLOGY

Many Thermal
Series Gloves feature a
breathable waterproof,
windproof insert or
choose revolutionary
OutDry® bonded membrane technology.

819WP



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE GLOVES AT: WWW.ERGODYNE.COM





ITEM #

SIZE

COLOR

ITEM #

SIZE

COLOR





- Dual-zone 3M[™] Thinsulate[™] Insulation
- Waterproof/windproof breathable membrane insert
- Weather-resistant ripstop outer shell + DWR finish
- Gaunitet cuff with internal elastic cinch cord
- Rugged AX Suede[™] palm + touch screen capabilities

ITEM #	SIZE	COLOR	_	ITEM #	SIZE	COLOR
17402	S	Black		17405	XL	Black
17403	M	Black		17406	2XL	Black
17404	L	Black				

// PATENT PENDING





• Extended neoprene cuff with hook & loop closure

17385

17386

XL

2XI

Black

COLOR

Black

Black

ITEM #

17382

17383 M

17384

S

// PATENT PENDING



- · Waterproof/windproof breathable membrane insert
- Weather-resistant ripstop outer shell + DWR finish
- Rugged AX Suede[™] palm + touch screen capabilities
- Extended neoprene cuff with hook & loop closure

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17372	S	Black	17375	XL	Black
17373	M	Black	17376	2XL	Black
17374	L	Black			

// PATENT PENDING







- Dual-zone 3M[™] Thinsulate[™] Insulation
- Waterproof/windproof breathable membrane insert
- Weather-resistant hi-vis ripstop shell + DWR finish
- Hi-vis Tena-Grip[™] palm + touch screen capabilities
- Extended neoprene cuff with hook & loop closure

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17392	S	HV Orange	17395	XL	HV Orange
17393	M	HV Orange	17396	2XL	HV Orange
17204		111/1 0			

// PATENT PENDING



- Dual-zone 3M[™] Thinsulate[™] Insulation
- Weather-resistant ripstop outer shell + DWR finish
- Rugged AX Suede[™] palm and fingertip reinforcements
- · Touch screen capable thumb and index finger
- Extended neoprene cuff with hook & loop closure

ITEM #	SIZE	COLOR	ITE	M #	SIZE	COLOR
17352	S	Black	17	355	XL	Black
17353	M	Black	17	356	2XL	Black
17354	L	Black				

// PATENT PENDING



COLOR

Black

Black

SIZE

2XL

17335 XL

17336

// PATENT PENDING

COLOR

Black

Black

Black

ITEM #

17332 S

17333

17334 L

VIBRATION-REDUCING SERIES

DIFFERENTIATED BY DESIGN









- Gel polymer palm pads dampen shock and impact
- Abrasion-resisant pigskin leather palm
- Half-finger design for optimal dexterity
- Neoprene knuckle pad

// PATENTED

Low-profile hook and loop closure with pull-on tab

TEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17022	S	Black	17025	XL	Black
17023	M	Black	17026	2XL	Black
17024	L	Black			
1,02.	_	Diagn			



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE GLOVES AT: WWW.ERGODYNE.COM

9012











// PATENTED





IRE & RESCUE

DIFFERENTIATED BY DESIGN

ARMORTEX® REINFORCEMENTS

Rugged Armortex® zones on palm, thumb saddle, and fingers protect against cuts, scrapes, and abrasion.

DOUBLE-NEEDLE **KEVLAR® STITCHING**

Double-needle Kevlar® stitching found throughout the glove for extended life and maximum durability.

REFLECTIVE KNUCKLE PAD

EVA foam knuckle pad with reflective pattern provides both protection and visibility.

ELASTIC GAITOR CUFF

Elastic cuff with gaitor inside keeps out glass and debris.



The 7300D features an OutDry® bonded waterproof membrane that also provides ASTMcertified bloodborne pathogen resistance.

7300D







PROFLEX





FIRE & RESCUE ROPE



- Double-layer synthetic leather palm and fingers
- Reinforced EVA-padded rope channel
- Double-needle Kevlar® stitching
- Stretch spandex shell for comfort and fit
- · Adjustable wrist cinch anchor for extra security

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17802	S	Black	17805	XL	Black
17803	M	Black	17806	2XL	Black
17804	L	Black			

PERFORMANCE FIRE & RESCUE



- Rugged Armortex®-reinforced palm & thumb saddle
- · Reinforced fingertip gripping zones; EVA palm pad
- Double-needle Kevlar® stitching
- · Stretch spandex shell for comfort and fit
- EVA knuckle pad with reflective pattern

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
16362	S	HV Lime	16382	S	Black
16363	M	HV Lime	16383	M	Black
16364	L	HV Lime	16384	L	Black
16365	XL	HV Lime	16385	XL	Black
16366	2XL	HV Lime	16386	2XL	Black

PERFORMANCE FIRE & RESCUE OUTDRY®



- Waterproof OutDry® membrane passes ASTM F1670, 71
- Compliant protection to OSHA 29CFR 1910.1030
- Rugged Armortex®-reinforced palm & thumb saddle
- Reinforced fingertip gripping zones; EVA palm pad
- · Stretch spandex shell for comfort and fit

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
17102	S	HV Lime	17105	XL	HV Lime
17103	M	HV Lime	17106	2XL	HV Lime
17104	L	HV Lime			





137,440

CASES INVOLVING INJURY TO THE HAND

ARE RELATED TO BEING STRUCK BY AN OBJECT 104,220 RELATED TO CONTACT WITH OBJECT OR EQUIPMENT

MOSTLY CUTS // LACERATIONS // PUNCTURES

ON AVERAGE, 7 DAYS AWAY FROM WORK 25% OF INJURIES HAPPEN ON


WEDNESDY

25,960 INJURIES
RELATED TO HAND TOOLS
25,780 INJURIES
RELATED TO MACHINERY



AVERAGE EMERGENCY ROOM COSTS: STITCHES UP TO \$2,000 LACERATIONS UP TO \$10,000 SEVERED TENDONS UP TO \$70,000 HAND // WRIST INJURIES COST \$740 MIL ANNUALLY

ACCORDING TO NSC INJURY FACTS 2015: HANDS #2 MOST INJURED BODY PART REQUIRING DAYS AWAY FROM WORK MAKING UP...



OSHA® ANALYSIS:


FOR EVERY DOLLAR INVESTED IN EFFECTIVE SAFETY AND HEALTH PROGRAMS, AN EMPLOYER CAN EXPECT A RETURN OF \$4 TO \$6





[SOURCE: BLS STATS 2014]







PROFLEX® KNEE PADS

Just like the future CEO toiling away in the mailroom, our ProFlex® Knee and Kneeling Pads start at the bottom. They provide a cushy and supportive base for you to rest your aching bones. Turn any task that should be gnarly on your knees into a patella pleasure cruise. With our ProFlex® Knee and Kneeling Pads, you'll be able to endure even the most grueling task without sacrificing your ability to stand up straight the next day. We're giving you a cushy gig even the boss's son would envy.





342 Extra Long Cap Injected Gel



344 Short Cap Injected Gel



345 Long Cap Injected Gel



355 Short Cap Injected Gel

KNEE PADS
// STANDARD SERIES



300 Rounded Hard Cap



315 Long Textured Hard Cap



325 Non-Marring Rubber Cap



335 Slip-Resistant Rubber Cap

KNEE PADS
// KNEELING PAD SERIES



375 Compact



380 Standard



385 Large



390 Extra Large













357 Short Cap Lightweight Gel



367 Round Cap Lightweight Gel



350 Gel Foam



340 Slip-Resistant w/ Shin Pad



200 Copolymer Foam



230 Poly Cap



260 Slip-On Cloth

PROFLEX® KNEE PADS:

GEL SERIES

DIFFERENTIATED BY DESIGN












PROFLEX® KNEE PAD GEL TECHNOLOGY

Padded straps on thigh and calf will not bind up

• Plastic clips cinch tight and keep straps secure

COLOR

// PATENT PENDING



INJECTED GEL PROVIDES:

Increased Wearer Comfort Improved Worker Productivity (Work longer in greater comfort)

Enhanced Knee Pad Durability (Gel does not slide and wear)



LIGHTWEIGHT GEL TECHNOLOGY (347, 357, 367)

// PATENT PENDING

LIGHTWEIGHT GEL PROVIDES:

Reduced Wearer Fatigue Lightweight Comfort Gel Performance at an Exceptional Value



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE KNEE PROTECTION AT: WWW.ERGODYNE.COM





LONG CAP LIGHTWEIGHT GEL



- · Long cap design provides protection and stability
- Non-slip rubber cap grips kneeling surface
- Lightweight gel + EVA foam for mobile comfort
- Bottom webbing and top elastic straps
- Plastic clips cinch tight and keep straps secure

COLOR 18447 Black

// PATENT PENDING

SHORT CAP INJECTED GEL



- Short cap design for mobility when kneeling
- Non-slip rubber cap grips kneeling surface
- Injected gel + PU foam for all-day comfort
- Bottom webbing and top elastic straps
- Plastic clips cinch tight and keep straps secure

COLOR 18455 Black

// PATENT PENDING

SHORT CAP LIGHTWEIGHT GEL



- Short cap design for mobility when kneeling
- Non-slip rubber cap grips kneeling surface
- Lightweight gel + EVA foam for mobile comfort
- · Bottom webbing and top elastic straps
- Plastic clips cinch tight and keep straps secure

COLOR 18457 Black

// PATENT PENDING



** 0 * * \

OFFICIAL PRODUCT REVIEW



unscripted • unbiased • unabashed

TESTER: JASON HESS

PRODUCT: 347

"Can they take a beating? They're built to last! From the stitching to the buckles they are quality, and it shows. The material that makes up the contact face of the knee pad is perfect, not near perfect, not close to, but PERFECT! I have used them on wood decking, concrete floors, steel beams, dirt, stone, just to name a few and it has held up beautifully. A couple scuffs here and there to let the Mrs. know you've been working but other than that they look brand new."

ONE WORD REVIEW: PERFECT

ROUND CAP LIGHTWEIGHT GEL



- · Round cap for highest degree of kneeling mobility
- Non-slip rubber cap grips kneeling surface
- Lightweight gel + EVA foam for mobile comfort
- Breathable perforated neoprene bottom strap
- Top webbing strap cinches tight with plastic clip

ITFM # SIZE COLOR



- 12mm NBR gel padding & 20mm EVA padding
- 1680D ballistic nylon outer shell
- Slip-resistant durable 420D nylon-rubber surface
- Adjustable, breathable neoprene stretch strap
- Hook and loop closure

ITFM # SIZE COLOR





THE AVERAGE COST FOR EFFECTIVE, HIGH QUALITY KNEE PROTECTION IS \$30 PER EMPLOYEE. YOU'LL SPEND BETWEEN \$1,000-\$3,000 ON A KNEE INJURY MRI IN THE U.S. *QUORA



RESULT OF SLIPS, TRIPS. AND FALLS

31,150 OF THOSE WERE ON THE SAME LEVEL

OVEREXERTION
IS ACCOUNTABLE FOR 35.520




ON AVERAGE, 17 DAYS AWAY FROM WORI



SHEDDING JUST 15LBS. CAN CUT PAIN IN HALF!



KNEE REPLACEMENT SURGERIES PER YEAR \$49,500: AVERAGE COST FOR A KNEE REPLACEMENT AVERAGE RECOVERY TIME: 12 WEEKS



27,000,000+ PEOPLE IN THE U.S. HAVE OSTEOARTHRITIS OF THE KNEE

YOUR RISK FOR OSTEOARTHRITIS
RISES AFTER THE AGE OF 45

OSHA® ANALYSIS:

FOR EVERY DOLLAR INVESTED IN EFFECTIVE SAFETY AND HEALTH PROGRAMS, AN EMPLOYER CAN EXPECT A RETURN OF \$4 TO \$6



[SOURCE: BLS STATS 2014]

PROFLEX® KNEE PADS:

STANDARD SERIES

DIFFERENTIATED BY DESIGN

CLOSURE OPTIONS

Select non-marring hook and loop closures or infinitely variable buckles that will not snag on carpet or pick up grime. Both closures adjust quickly for a comfortable fit.



MULTIPLE CAP STYLES

Choose the right cap for the application. Whether you want to rock, lean, slide, or stay stable, there are many cap sizes and shapes to choose from.

NBR FOAM PADDING

Inside the 840D nylon fabric cover is 12mm NBR foam padding cut to hug the knee for superior cushioning and kneeling comfort.



- Abrasion-resistant rounded short hard cap
- 840D nylon fabric cover
- 12mm NBR foam padding cut to hug the knee
- Nickel-plated grommets
- Buckle or hook and loop closure

300: BU	CKLE		300HL: HOOK AND LOOP			
ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR	
18300	_	White Cap	18301	_	White Cap	



315

LONG TEXTURED HARD CAP



- Abrasion-resistant long hard cap
- 840D nylon fabric cover
- 12mm NBR foam padding cut to hug the knee
- Nickel-plated grommets
- Buckle or hook and loop closure

315: BU	CKLE		315HL: HOOK AND LOOP				
ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR		
18315	_	White Cap	18316	_	White Cap		















PROFLEX® KNEELING PADS:

KNEELING PAD

DIFFERENTIATED BY DESIGN

NBR FOAM

Made from high density NBR foam that won't bottom out for long-lasting support and comfort.

BEVELED EDGE AND SAFETY ORANGE STRIPING


Beveled edge and safety orange striping on certain models for visibility of the worker and kneeling pad.

PETROLEUM RESISTANT AND SILICONE-FREE

High-quality foam will not break down in the harshest of applications; silicone-free allows for safe, non-corrosive usage.

CONVENIENT HANDLE

Handle cut-out for easy carrying and convenient for hanging storage.







• 8" x 18" x 1" (20cm x 46cm x 2.5cm)

COLOR

Orange

18376 —

• Fits in the Arsenal® 5845 Trades Tool Organizer
















PROFLEX® SUPPORTS


You load 16 tons and what do you get? A slipped disc and three weeks of bed rest. No dice. That's unacceptable from where we stand. Slip into ProFlex® comfort and security next time you're tasked with carrying the weight of the world. We've led the way in support technologies and innovation for 30 years. So allow us to ease your burden and get one over on the company store.

















1600 Standard Elastic



1650 Economy Elastic



1500 Weight Lifters



1505 Low-Profile Weight Lifters



675 Double Strap Ambi



615 Open Knee Sleeve



620 Knee Sleeve w/ Stays



650 Elbow Sleeve



655 Elbow Sleeve w/ Strap

PROFLEX® SUPPORTS:

BACK SUPPORT SERIES

DIFFERENTIATED BY DESIGN

V-SHAPED DESIGN

V-shaped design helps support the natural shape of the human body for better fit and ultimately better effectiveness.

POWER PANEL POSITIONERS™

Innovative positioners keep the power panels in place so they are ready to be activated when needed and do not cause a hazard hanging behind you.

STICKY FINGERS® STAYS

Patented Sticky Fingers® Stays help keep the back support in position.





- 8" premium durable 280D spandex body material
- Patented non-conductive Sticky Fingers[®] stays
- Innovative Power Panel Positioners[™]
- Stretchable bias binding with zig-zag stitching
- · Adjustable, detachable suspenders

ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR			
11601	XS	Black		11605	XL	Black			
11602	S	Black		11606	2XL	Black			
11603	M	Black		11607	3XL	Black			
11604	L	Black		11608	4XL	Black			
// DA	// DATENTED								







100_{HV}





2000_{SF}

ORDER MULTIPLE

ECONOMY SPANDEX BACK SUPPORT



- 8" economical spandex body
- Non-conductive polypropylene stays
- 280D spandex body material
- Adjustable, detachable suspenders
- Rubber track webbing

ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR
11381	XS	Black	_	11385	XL	Black
11382	S	Black		11386	2XL	Black
11383	M	Black		11387	3XL	Black
11384	L	Black		11388	4XL	Black

ECONOMY HI-VIS SPANDEX BACK SUPPORT



- 8" economical hi-vis spandex body
- Non-conductive polypropylene stays
- Adjustable, detachable suspenders
- Rubber track webbing
- Stretchable bias binding with zig-zag stitching

01.0	conas	no biao biiiaii	۰, ۵		-45 0		
ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR	
11881	XS	HV Orange	_	11885	XL	HV Orange	
11882	S	HV Orange		11886	2XL	HV Orange	
11883	M	HV Orange		11887	3XL	HV Orange	
11884	L	HV Orange		11888	4XL	HV Orange	

HIGH PERFORMANCE SPANDEX BACK SUPPORT



- 8.5" 840D spandex body material
- Patented non-conductive Sticky Fingers® stays
- Innovative Power Panel Positioners[™]
- Unique V-shaped design
- · Adjustable, detachable suspenders

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
11281	XS	Black	 11285	XL	Black
11282	S	Black	11286	2XL	Black
11283	M	Black	11287	3XL	Black
11284	L	Black	11288	4XL	Black

// PATENTED





1400_{UN}

UNIVERSAL SIZE BACK SUPPORT



- 8.75" durable 280D spandex body material
- Universal size: fits most waists
- Non-conductive polypropylene stays
- Adjustable, detachable suspenders
- Rubber track webbing



1600

STANDARD ELASTIC BACK SUPPORT



- 9" premium all-elastic body for extra firm support
- Contoured high-cut front panel
- Non-conductive polypropylene stays
- Adjustable, detachable suspenders
- Rubber track webbing

ITEM #	SIZE	COLOR	_	ITEM #	SIZE	COLOR
11101	XS	Black	_	11105	XL	Black
11102	S	Black		11106	2XL	Black
11103	M	Black		11107	3XL	Black
11104	L	Black		11108	4XL	Black



1650

ECONOMY ELASTIC BACK SUPPORT



- 7.5" economical all-elastic body
- 5" (12.7cm) single strap closure
- Non-conductive polypropylene stays
- Adjustable, detachable suspenders
- Rubber track webbing

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
11091	XS	Black	11095	XL	Black
11092	S	Black	11096	2XL	Black
11093	M	Black	11097	3XL	Black
11094	L	Black	11098	4XL	Black







LOW-PROFILE WEIGHT LIFTERS STYLE BACK SUPPORT



- 6.25" low-profile tapered design
- Flexible soft foam core composition
- Nylon jersey body fabric
- Easy cam buckle closure system
- Rubber track webbing

	ITEM #	SIZE	COLOR
	11491	S	Black
ı	11492	M	Black
ı	11493	L	Black

II E IVI #	SIZE	COLOR
11494	XL	Black
11495	2XL	Black

MESH BACK SUPPORT WITH LUMBAR PAD



- 10" breathable mesh outer shell
- Innovative Power Panel Positioners[™]
- Contoured ventilated lumbar pad
- Two-stage closure

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
20183	S	Black	20186	XL	Black
20184	M	Black	20187	2XL	Black
20185	L	Black			



STANDARD WEIGHT LIFTERS STYLE BACK SUPPORT



- 7.75" rigid foam body
- Durable 900D foam laminated nylon body fabric
- Foam lumbar pad

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
11471	S	Black	11474	XL	Black
11472	M	Black	11475	2XL	Black
11473	L	Black			

PROFLEX' SUPPORTS:



ANTI-ODOR TREATMENT

Body-side surfaces are treated to eliminate odor-causing bacterial growth.

OPEN-CENTER STAYTM

Patented design includes open center to reduce pressure on median nerve while the contoured design follows the wrist's natural shape.

ELASTIC OR NEOPRENE CONSTRUCTION

Depending on how much support is needed, choose between neoprene or woven elastic wrist supports with straps that limit flexion or extension movements.



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE WRAPS & SUPPORTS AT: WWW.ERGODYNE.COM

0



PROFLEX#





SINGLE STRAP WRIST SUPPORT



- Limits downward wrist movements
- Patented Open-Center Stay[™]
- Single strap; elastic
- Three-stage hook and loop closure
- Anti-odor treatment

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
70002	S-Right	Black	70102	S-Right	Tan
70004	M-Right	Black	70104	M-Right	Tan
70006	L-Right	Black	70106	L-Right	Tan
70008	XL-Right	Black	70108	XL-Right	Tan
70012	S-Left	Black	70112	S-Left	Tan
70014	M-Left	Black	70114	M-Left	Tan
70016	L-Left	Black	70116	L-Left	Tan
70018	XL-Left	Black	70118	XL-Left	Tan

// PATENTED





DOUBLE STRAP WRIST SUPPORT



- Limits downward and upward wrist movements
- Patented Open-Center Stay[™]
- Double strap; elastic
- Three-stage hook and loop closure
- Anti-odor treatment

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
70022	S-Right	Black	70122	S-Right	Tan
70024	M-Right	Black	70124	M-Right	Tan
70026	L-Right	Black	70126	L-Right	Tan
70028	XL-Right	Black	70128	XL-Right	Tan
70032	S-Left	Black	70132	S-Left	Tan
70034	M-Left	Black	70134	M-Left	Tan
70036	L-Left	Black	70136	L-Left	Tan
70038	XL-Left	Black	70138	XL-Left	Tan

// PATENTED



LIGHTWEIGHT WRIST SUPPORT



- Lightweight, vented, compact design
- Patented Open-Center Stay[™]
- Neoprene
- Hook and loop closure

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
70202	XS/S-Right	Black	70282	XS/S-Left	Gray
70204	M-Right	Black	70284	M-Left	Gray
70206	L/XL-Right	Black	70286	L/XL-Left	Gray
70208	2XL-Right	Black	70288	2XL-Left	Gray
70242	XS/S-Left	Black	70292	XS/S-Right	Gray
70244	M-Left	Black	70294	M-Right	Gray
70246	L/XL-Left	Black	70296	L/XL-Right	Gray
70248	2XL-Left	Black	70298	2XL-Right	Gray

// PATENTED





⊝I



DOUBLE STRAP AMBI WRIST SUPPORT



- Neoprene
- Ambidextrous
- Two reversible hook and loop straps

TEM #	SIZE	COLOR	
16622	S	Black	
16623	M	Black	
16624	L	Black	
16625	XL	Black	



PATENTED OPEN-CENTER STAY™

Unlike traditional stay configurations positioned directly over the carpal tunnel, our stay is uniquely designed with an open center to reduce pressure on the median nerve. With a contoured design that follows the wrist's natural shape, the patented, molded stay offers greater worker comfort and compliance.











Ambidextrous

· Reversible hook and loop strap

TEM #	SIZE	COLOR
16612	S	Black
16613	M	Black
16614	L	Black
16615	XL	Black





PROFLEX® SUPPORTS:

WRAPS & SLEEVES SERIES

DIFFERENTIATED BY DESIGN























GLOWEAR® HI-VIS APPAREL

Working third shift on I-90. Crawling below the Earth's crust on the hunt for the next mother lode. Dangling from a high-tension wire amid a citywide blackout. It's at these moments that you need to be visible. Highly visible. To avoid drama on the job, outfit yourself in our ANSI-compliant GloWear® Line and become a beacon unto others.



















HI-VIS APPAREL // CLASS E SERIES









8910 Standard Mesh



8911 Two-Tone Mesh

8008 Leg Gaiters

HI-VIS APPAREL // SHIRT SERIES







8392 Full-Zip Hoodie

8289BK T-Shirt

8291BK Long Sleeve T-Shirt

8295 Polo Shirt









8377 Quilted Bomber Jacket

8380 Bomber Jacket

8915BK Rain Pants

8925 Class E Thermal Pants





8003 Hi-Gloss Arm Band



8004 Hi-Vis Seat Belt Cover



8001 Arm Band





8205_{HL/7}

ORDER MULTIPLE 1 8210_{HL/Z}

ANSI 💉 🕞

8215_{BA}

ORDER MULTIPLE

TYPE R CLASS 2 SUPER ECONO MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective

8205HL: HOOK AND LOOP

0ZUJN	L: HUUK	AND LUUP
ITEM #	SIZE	COLOR
20961	XS	HV Orange
20963	S/M	HV Orange
20965	L/XL	HV Orange
20967	2XL/3XL	HV Orange
20969	4XL/5XL	HV Orange
20971	XS	HV Lime
20973	S/M	HV Lime
20975	L/XL	HV Lime
20977	2XI /3XI	HV I ime

20979 4XI/5XI HV Lime

82057: ZIPPER

<u> </u>		
TEM #	SIZE	COLOR
20983	S/M	HV Orange
20985	L/XL	HV Orange
20987	2XL/3XL	HV Orange
20989	4XL/5XL	HV Orange
20993	S/M	HV Lime
20995	L/XL	HV Lime
20997	2XL/3XL	HV Lime
20999	4XL/5XL	HV Lime



TYPE R CLASS 2 ECONO MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective

8210HL: HOOK AND LOOP

ITEM #	SIZE	COLOR
21013	S/M	HV Orange
21015	L/XL	HV Orange
21017	2XL/3XL	HV Orange
21019	4XL/5XL	HV Orange
21023	S/M	HV Lime
21025	L/XL	HV Lime
21027	2XL/3XL	HV Lime
21029	4XL/5XL	HV Lime

8210Z: ZIPPER

ITEM #	SIZE	COLOR
21043	S/M	HV Orange
21045	L/XL	HV Orange
21047	2XL/3XL	HV Orange
21049	4XL/5XL	HV Orange
21053	S/M	HV Lime
21055	L/XL	HV Lime
21057	2XL/3XL	HV Lime
21059	4XL/5XL	HV Lime

TYPE R CLASS 2 ECONO BREAKAWAY MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- · Hook and loop front closure
- · Five-point hook and loop breakaway
- 2" ANSI-compliant reflective
- One pocket; single mic tab

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
21061	XS	HV Orange	21071	XS	HV Lime
21063	S/M	HV Orange	21073	S/M	HV Lime
21065	L/XL	HV Orange	21075	L/XL	HV Lime
21067	2XL/3XL	HV Orange	21077	2XL/3XL	HV Lime
21069	4XL/5XL	HV Orange	21079	4XL/5XL	HV Lime





8216_{BA}

TYPE R CLASS 2 BREAKAWAY W/ID MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- Hook and loop closure
- Breakaway design on shoulders and sides
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- One inside pocket; one outer clear ID pocket

ITEM #	SIZE	COLOR
21083	S/M	HV Orange
21085	L/XL	HV Orange
21087	2XL/3XL	HV Orange
21089	4XI /5XI	HV Orange

ITEM #	SIZE	COLOR
21093	S/M	HV Lime
21095	L/XL	HV Lime
21097	2XL/3XL	HV Lime
21099	4XL/5XL	HV Lime



8220_{HL/Z}

TYPE R CLASS 2 STANDARD MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective

8220HL: HOOK AND LOOP

ITEM #	SIZE	COLOR
21133	S/M	HV Orange
21135	L/XL	HV Orange
21137	2XL/3XL	HV Orange
21139	4XL/5XL	HV Orange
21143	S/M	HV Lime
21145	L/XL	HV Lime
21147	2XL/3XL	HV Lime
21149	4XL/5XL	HV Lime

8220Z: ZIPPER

II EIVI #	SIZE	CULUK
21113	S/M	HV Orange
21115	L/XL	HV Orange
21117	2XL/3XL	HV Orange
21119	4XL/5XL	HV Orange
21123	S/M	HV Lime
21125	L/XL	HV Lime
21127	2XL/3XL	HV Lime
21129	4XL/5XL	HV Lime



8225_{HL/Z}



TYPE R CLASS 2 STANDARD SOLID VEST



- ANSI-compliant polyester solid (3.6oz)
- 2" ANSI-compliant reflective

8225HL: HOOK AND LOOP

ITEM #	SIZE	COLOR
21173	S/M	HV Orange
21175	L/XL	HV Orange
21177	2XL/3XL	HV Orange
21179	4XL/5XL	HV Orange
21183	S/M	HV Lime
21185	L/XL	HV Lime
21187	2XL/3XL	HV Lime
21100	4VI /EVI	∐\/ Limo

8225Z: ZIPPER

ITEM #	SIZE	COLOR
21153	S/M	HV Orange
21155	L/XL	HV Orange
21157	2XL/3XL	HV Orange
21159	4XL/5XL	HV Orange
21163	S/M	HV Lime
21165	L/XL	HV Lime
21167	2XL/3XL	HV Lime
21169	4XL/5XL	HV Lime



TYPE R CLASS 2 ECONOMY TWO-TONE MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective
- Reflective set on 3.5" contrasting background
- Zipper closure
- One pocket; single mic tab

ITEM#	SIZE	COLOR
21301	XS	HV Orange
21303	S/M	HV Orange
21305	L/XL	HV Orange
21307	2XL/3XL	HV Orange
21309	4XL/5XL	HV Orange

ITEM #	SIZE	COLOR
21291	XS	HV Lime
21293	S/M	HV Lime
21295	L/XL	HV Lime
21297	2XL/3XL	HV Lime
21299	4XL/5XL	HV Lime

ANSI 3M 🕞

COLOR



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Reflective set on 3.5" contrasting background
- Zipper closure
- One pocket; single mic tab

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
21313	S/M	HV Orange	21323	S/M	HV Lime
21315	L/XL	HV Orange	21325	L/XL	HV Lime
21317	2XL/3XL	HV Orange	21327	2XL/3XL	HV Lime
21319	4XL/5XL	HV Orange	21329	4XL/5XL	HV Lime





TYPE R CLASS 2 TWO-TONE X-BACK VEST



- ANSI-compliant polyester solid (3.6oz)
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Reflective set on 3.5" contrasting background
- Zipper closure
- Five pockets; D-ring access slot

ITEM #	SIZE	COLOR
26183	S/M	HV Orange
26185	L/XL	HV Orange
26187	2XL/3XL	HV Orange
26189	4XL/5XL	HV Orange



8246₁

TYPE R CLASS 2 TWO-TONE ALL MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- Zipper closure
- 2" ANSI-compliant reflective
- Reflective set on 3.5" contrasting mesh background
- Six pockets; one clear ID pocket; dual mic tabs

ITEM #	SIZE	COLOR	ITEM :
24133	S/M	HV Orange	24143
24135	L/XL	HV Orange	24145
24137	2XL/3XL	HV Orange	24147
24139	4XL/5XL	HV Orange	24149

24143	S/M	HV Lime
24145	L/XL	HV Lime
24147	2XL/3XL	HV Lime
24149	4XL/5XL	HV Lime



8248₁

TYPE R CLASS 2 TWO-TONE SURVEYORS VEST



- · ANSI-compliant polyester solid front / mesh back
- 2" ANSI-compliant reflective
- Reflective set on 3.5" contrasting background
- Zipper closure
- Six pockets; dual mic tabs

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
24063	S/M	HV Orange	24073	S/M	HV Lime
24065	L/XL	HV Orange	24075	L/XL	HV Lime
24067	2XL/3XL	HV Orange	24077	2XL/3XL	HV Lime
24069	4XL/5XL	HV Orange	24079	4XL/5XL	HV Lime

⊝ I

8249₁



TYPE R CLASS 2 ECONOMY SURVEYORS VEST



- ANSI-compliant polyester solid front / mesh back
- 2" ANSI-compliant reflective
- Zipper closure
- Four pockets; single mic tab

ITEM #	SIZE	COLOR
24011	XS	HV Orange
24013	S/M	HV Orange
24015	L/XL	HV Orange
24017	2XL/3XL	HV Orange
24019	4XL/5XL	HV Orange

ITEM # SIZE 24021 XS HV Lime 24023 S/M 24025 L/XL HV Lime 24027 2XL/3XL HV Lime 24029 4XL/5XL HV Lime









TYPE R CLASS 2 SURVEYORS VEST



- ANSI-compliant polyester solid front / mesh back
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Zipper closure
- Six pockets; dual mic tabs
- One large zippered rear document / tablet pocket

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
21413	S/M	HV Orange	21423	S/M	HV Lime
21415	L/XL	HV Orange	21425	L/XL	HV Lime
21417	2XL/3XL	HV Orange	21427	2XL/3XL	HV Lime
21419	4XL/5XL	HV Orange	21429	4XL/5XL	HV Lime

TYPE R CLASS 2 HI-GLOSS SURVEYORS VEST



- ANSI-compliant polyester solid front / mesh back
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Zipper closure
- Six pockets; dual mic tabs
- One large zippered rear document / tablet pocket

ITEM #	SIZE	COLOR
21433	S/M	HV Orange
21435	L/XL	HV Orange
21437	2XL/3XL	HV Orange
21439	4XL/5XL	HV Orange

TYPE R CLASS 2 HEAVY-DUTY SURVEYORS MESH VEST



- ANSI-compliant polyester mesh (3.6oz)
- Zipper closure
- 2" ANSI-compliant reflective
- · Lanyard grommet holes; structured webbing; mic tab
- Seven pockets; dual mic tabs

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
23313	S/M	HV Orange	23323	S/M	HV Lime
23315	L/XL	HV Orange	23325	L/XL	HV Lime
23317	2XL/3XL	HV Orange	23327	2XL/3XL	HV Lime
23319	4XL/5XL	HV Orange	23329	4XL/5XL	HV Lime





8254_{HDZ}

ANSI 3M 😔

8255

ANSI R SM

8260_{FRHL}

TYPE R CLASS 2 HEAVY-DUTY SURVEYORS VEST



- ANSI-compliant polyester solid front / mesh back
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Reflective set on 3.5" contrasting background
- Heavy-duty #10 zipper closure
- Seven pockets; dual mic tabs

ITEM #	SIZE	COLOR
21453	S/M	HV Orange
21455	L/XL	HV Orange
21457	2XL/3XL	HV Orange
21459	4XL/5XL	HV Orange

TYPE R CLASS 2 TREATED POLYESTER VEST



- ANSI-compliant treated polyester solid
- After-flame treatment good for up to 25 washings
- 2" ANSI-compliant 3M™ Scotchlite™ FR Reflective
- Hook and loop closure
- One pocket

ITEM #	SIZE	COLOR
21473	S/M	HV Lime
21475	L/XL	HV Lime
21477	2XL/3XL	HV Lime
21479	4XI /5XI	HV I ime

TYPE R CLASS 2 FR MODACRYLIC VEST



- ANSI-compliant modacrylic mesh (5.6oz)
- ASTM F1506; ATPV of 4.6 cal/cm²
- 2" ANSI-compliant 3M™ Scotchlite™ FR Reflective
- FR hook and loop closure
- Two pockets; D-ring access slot; single mic tab

ГЕМ #	SIZE	COLOR	ITEM #	SIZE	COLOR	
1493	S/M	HV Lime	21497	2XL/3XL	HV Lime	
1495	L/XL	HV Lime	21499	4XL/5XL	HV Lime	

ANSI SM 😔













TYPE R CLASS 2 TWO-TONE EXPANDABLE VEST



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Reflective set on 4.5" contrasting background
- Hook and loop closure
- One pocket: dual mic tabs

One	pooner, c	addi iiilo tabo			
ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
21380	M/L	White	21390	M/L	Navy
21382	XL/2XL	White	21392	XL/2XL	Navy
21384	M/L	HV Orange	21394	M/L	HV Lime
21386	XL/2XL	HV Orange	21396	XL/2XL	HV Lime

TYPE P CLASS 2 EXPANDABLE PUBLIC SAFETY VEST



- ANSI-compliant polyester mesh (3.3oz)
- ANSI-compliant 3M™ Scotchlite™ Reflective
- Adjustable sides
- Hook and loop breakaway on shoulders and sides
- Two pockets; dual mic tabs

		,				
ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR
21360	M/L	HV Orange	-	21364	M/L	HV Lime
21362	XL/2XL	HV Orange		21366	XL/2XL	HV Lime
21363	3XL+	HV Orange		21367	3XL+	HV Lime

TYPE P CLASS 2 PUBLIC SAFETY VEST



- ANSI-compliant poly solid front (3.6oz) / mesh back (3.3oz)
- Hook and loop breakaway on shoulders and sides
- ANSI-compliant 3M[™] Scotchlite[™] Reflective
- Reflective set on 4.5" contrasting background
- One multi-division nocket inside dual mic tabs

• One muni-u	ivision poci	tet iliside	; uuai iiii	c tabs
ITEM # SIZE	COLOR	ITEM #	SIZE	COLOR
23383 S/M	HV Orange	23393	S/M	HV Lime
23385 L/XL	HV Orange	23395	L/XL	HV Lime
23387 2XL/3XL	HV Orange	23397	2XL/3XL	HV Lime
23389 4XL/5XL	HV Orange	23399	4XL/5XL	HV Lime
23390 6XL/7XL	HV Orange	24000	6XL/7XL	HV Lime

GLOWEAR® HI-VIS APPAREL:

LASS 3 SERIES

DIFFERENTIATED BY DESIGN

ANSI-COMPLIANT MATERIALS

GloWear® Hi-Vis Apparel is made of ANSI-compliant reflective and background materials to ensure the highest performance.


GARMENT DESIGN OPTIONS

Choose between zipper and hook and loop closures, mesh and solid fabrics, two-tone or not ... you've got options!



Glass bead reflective tape meets the ANSI 107 standard and improves visibility of the worker.

REFLECTIVE MATERIAL















TYPE R CLASS 3 STANDARD MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective
- Zipper closure
- Three pockets; single mic tab

22113 5	C / N A				
	S/ IVI	HV Orange	22123	S/M	HV Lime
22115 L	L/XL	HV Orange	22125	L/XL	HV Lime
22117 2	2XL/3XL	HV Orange	22127	2XL/3XL	HV Lime
22119 4	4XL/5XL	HV Orange	22129	4XL/5XL	HV Lime

TYPE R CLASS 3 TWO-TONE MESH VEST



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective
- Reflective set on 3.5" contrasting background
- Zipper closure
- One pocket; single mic tab

ITEM # SIZE	COLOR	ITEM #	SIZE	COLOR
22173 S/M	HV Orange	22183	S/M	HV Lime
22175 L/XL	HV Orange	22185	L/XL	HV Lime
22177 2XL/3XL	HV Orange	22187	2XL/3XL	HV Lime
22179 4XL/5XL	HV Orange	22189	4XL/5XL	HV Lime



NFPA 70E CAT 1



- ANSI-compliant modacrylic mesh (5.6oz)
- ASTM F1506; ATPV of 4.6 cal/cm²
- 2" ANSI-compliant 3M[™] Scotchlite[™] FR Reflective
- FR hook and loop closure
- Two pockets; D-ring access slot; single mic tab

ITEM # SIZE	COLOR	ITEM # SIZE COLOR
22213 S/M	HV Lime	22217 2XL/3XL HV Lime
22215 L/XL	HV Lime	22219 4XL/5XL HV Lime



ANSI'S GENERAL THEORY OF CONSPICUITY

MUCH KNOWLEDGE IS **CONTAINED IN A SIMPLE** EQUATION: 2 + E = 3!

You can obtain Class 3 compliance in one of two ways. The most obvious is to buy an ANSI 107 Class 3 compliant garment. The less obvious-but more popular route – is to wear a Class 2 garment (usually a vest) and pair it with Class E compliant bottoms. Either way, you are clearly high class.









8910

SUPPLEMENTAL CLASS E MESH PANTS



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective
- Drawstring waist; right leg cargo pocket
- Wide leg openings with hook and loop closures

ITEM #	SIZE	COLOR
22853	S/M	HV Orange
22855	L/XL	HV Orange
22857	2XL/3XL	HV Orange
22859	4XL/5XL	HV Orange

ITEM #	SIZE	COLOR
22953	S/M	HV Lime
22955	L/XL	HV Lime
22957	2XL/3XL	HV Lime
22959	4XL/5XL	HV Lime



8910_{BK}

SUPPLEMENTAL CLASS E BLACK BOTTOM MESH PANTS



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective
- Drawstring waist; right leg cargo pocket
- Wide leg openings with hook and loop closures
- Black accents on bottom of leg high wear areas

ITEM #	SIZE	COLOR
23953	S/M	HV Lime
23955	L/XL	HV Lime
23957	2XL/3XL	HV Lime
23959	4XL/5XL	HV Lime



ORDER

SUPPLEMENTAL CLASS E TWO-TONE MESH PANTS



- ANSI-compliant polyester mesh (3.3oz)
- 2" ANSI-compliant reflective
- Reflective set on 4.5" contrasting background
- Drawstring waist; right leg cargo pocket
- Wide leg openings with hook and loop closures

ITEM #	SIZE	COLOR	- 1
22863	S/M	HV Orange	2
22865	L/XL	HV Orange	2
22867	2XL/3XL	HV Orange	2
22869	4XL/5XL	HV Orange	2

ITEM #	SIZE	COLOR
22963	S/M	HV Lime
22965	L/XL	HV Lime
22967	2XL/3XL	HV Lime
22969	4XL/5XL	HV Lime





SUPPLEMENTAL CLASS E LEG GAITERS



- · Weatherproof polyester shell with PU coating
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Drawstring closures on top and bottom

ITEM # SIZE COLOR 29081 — HV Orange 29083 — HV Lime

GLOWEAR® HI-VIS APPAREL:

SHIRT SERIES

DIFFERENTIATED BY DESIGN







21507 3XL HV Lime

21509 5XL HV Lime

21508 4XL HV Lime

8289BK

21517 3XL HV Orange

21519 5XL HV Orange

21518

4XL HV Orange

ORDER MULTIPLE

TYPE R CLASS 2 BLACK FRONT T-SHIRT



- ANSI-compliant polyester breathable knit (4.1oz)
- 2" ANSI-compliant heat transfer reflective
- Moisture wicking treatment

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
22502	S	HV Lime	22512	S	HV Orange
22503	M	HV Lime	22513	M	HV Orange
22504	L	HV Lime	22514	L	HV Orange
22505	XL	HV Lime	22515	XL	HV Orange
22506	2XL	HV Lime	22516	2XL	HV Orange
22507	3XL	HV Lime	22517	3XL	HV Orange
22508	4XL	HV Lime	22518	4XL	HV Orange
22509	5XL	HV Lime	22519	5XL	HV Orange



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE of Ergodyne HI-VIS apparel at: www.ergodyne.com





8280_{BK}

TYPE R CLASS 2 BLACK FRONT PERFORMANCE SHORT SLEEVE T-SHIRT



- ANSI-compliant polyester breathable knit (4.1oz)
- Moisture wicking treatment
- 2" ANSI-compliant 3M[™] Scotchlite[™] Comfort Trim

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
22532	S	HV Lime	22582	S	HV Orange
22533	M	HV Lime	22583	M	HV Orange
22534	L	HV Lime	22584	L	HV Orange
22535	XL	HV Lime	22585	XL	HV Orange
22536	2XL	HV Lime	22586	2XL	HV Orange
22537	3XL	HV Lime	22587	3XL	HV Orange
22538	4XL	HV Lime	22588	4XL	HV Orange
22539	5XL	HV Lime	22589	5XL	HV Orange

NON-CERTIFIED LONG SLEEVE T-SHIRT

Polyester breathable knit (4.1oz)

HV Lime

Moisture wicking treatment





TYPE R CLASS 2 POLO SHIRT



- ANSI-compliant polyester breathable knit (4.1oz)
- 2" ANSI-compliant heat transfer reflective
- Moisture wicking treatment
- Split tail hem
- One outside chest pocket

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
21642	S	HV Lime	21646	2XL	HV Lime
21643	M	HV Lime	21647	3XL	HV Lime
21644	L	HV Lime	21648	4XL	HV Lime
21645	XL	HV Lime	21649	5XL	HV Lime



8089



NON-CERTIFIED T-SHIRT



- Polyester breathable knit (4.1oz)
- Moisture wicking treatment

SIZE	COLOR
S	HV Lime
M	HV Lime
L	HV Lime
XL	HV Lime
2XL	HV Lime
3XL	HV Lime
4XL	HV Lime
5XL	HV Lime
	S M L XL 2XL 3XL 4XL

ANSI)į́(am 🕞

ITEM #	SIZE	COLOR
21562	S	HV Orange
21563	M	HV Orange
21564	L	HV Orange
21565	XL	HV Orange
21566	2XL	HV Orange
21567	3XL	HV Orange
21568	4XL	HV Orange
21569	5XL	HV Orange

ORDER





ORDER MULTIPLE

TYPE R CLASS 2 BLACK FRONT LONG SLEEVE T-SHIRT



- ANSI-compliant polyester breathable knit (4.1oz)
- 2" ANSI-compliant heat transfer reflective
- Moisture wicking treatment


		_			
ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
22702	S	HV Lime	22712	S	HV Orange
22703	M	HV Lime	22713	М	HV Orange
22704	L	HV Lime	22714	L	HV Orange
22705	XL	HV Lime	22715	XL	HV Orange
22706	2XL	HV Lime	22716	2XL	HV Orange
22707	3XL	HV Lime	22717	3XL	HV Orange
22708	4XL	HV Lime	22718	4XL	HV Orange
22709	5XL	HV Lime	22719	5XL	HV Orange





- ANSI-compliant polyester breathable knit (4.1oz)
- Moisture wicking treatment
- 2" ANSI-compliant 3M™ Scotchlite™ Comfort Trim

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
22632	S	HV Lime	22682	S	HV Orange
22633	M	HV Lime	22683	M	HV Orange
22634	L	HV Lime	22684	L	HV Orange
22635	XL	HV Lime	22685	XL	HV Orange
22636	2XL	HV Lime	22686	2XL	HV Orange
22637	3XL	HV Lime	22687	3XL	HV Orange
22638	4XL	HV Lime	22688	4XL	HV Orange
22639	5XL	HV Lime	22689	5XL	HV Orange



21582 S

ITEM # SIZE COLOR





ANSI 🕞

OFFICIAL PRODUCT REVIEW



unscripted • unbiased • unabashed

TESTER: ANTHONY GERMANA

PRODUCT: 8393

"Great sweatshirt. Holds up under harsh material like rebar, large electrical conduit, etc. I had a lot of mobility also the temperature fluctuated each day and I was comfortable. All the other trades asked me about the clothes and where to get them. I would recommend this sweatshirt to any and all trades."

ONE WORD REVIEW: COMFORTABLE

TYPE R CLASS 3 LONG SLEEVE T-SHIRT



- ANSI-compliant polyester breathable knit (4.1oz)
- 2" ANSI-compliant heat transfer reflective
- Moisture wicking treatment

ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR
21702	S	HV Lime	_	21712	S	HV Orange
21703	M	HV Lime		21713	M	HV Orange
21704	L	HV Lime		21714	L	HV Orange
21705	XL	HV Lime		21715	XL	HV Orange
21706	2XL	HV Lime		21716	2XL	HV Orange
21707	3XL	HV Lime		21717	3X	HV Orange
21708	4XL	HV Lime		21718	4XL	HV Orange
21709	5XL	HV Lime		21719	5X	HV Orange





- ANSI-compliant polyester polar fleece (8oz)
- 2" ANSI-compliant heat transfer reflective
- Crew neck design

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
21672	S	HV Lime	21676	2XL	HV Lime
21673	M	HV Lime	21677	3XL	HV Lime
21674	L	HV Lime	21678	4XL	HV Lime
21675	XL	HV Lime	21679	5XL	HV Lime







TYPE R CLASS 3 FULL-ZIP HOODED SWEATSHIRT





- ANSI-compliant polyester polar fleece (8oz)
- 2" ANSI-compliant heat transfer reflective

ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR
21742	S	HV Lime	•	21752	S	HV Orange
21743	M	HV Lime		21753	M	HV Orange
21744	L	HV Lime		21754	L	HV Orange
21745	XL	HV Lime		21755	XL	HV Orange
21746	2XL	HV Lime		21756	2XL	HV Orange
21747	3XL	HV Lime		21757	3XL	HV Orange
21748	4XL	HV Lime		21758	4XL	HV Orange
21749	5XL	HV Lime		21759	5XL	HV Orange





- ANSI-compliant polyester polar fleece (8oz)
- 2" ANSI-compliant heat transfer reflective
- Black accents on front and sleeve: high-wear areas
- Drawstring hood
- Front pouch-style pocket

ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR
21682	S	HV Lime	_	21686	2XL	HV Lime
21683	M	HV Lime		21687	3XL	HV Lime
21684	L	HV Lime		21688	4XL	HV Lime
21685	XL	HV Lime		21689	5XL	HV Lime



TYPE R CLASS 3 HOODED SWEATSHIRT



- ANSI-compliant polyester polar fleece (8oz)
- 2" ANSI-compliant heat transfer reflective

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
21762	S	HV Lime	21772	S	HV Orange
21763	M	HV Lime	21773	M	HV Orange
21764	L	HV Lime	21774	L	HV Orange
21765	XL	HV Lime	21775	XL	HV Orange
21766	2XL	HV Lime	21776	2XL	HV Orange
21767	3XL	HV Lime	21777	3XL	HV Orange
21768	4XL	HV Lime	21778	4XL	HV Orange
21769	5XL	HV Lime	21779	5XL	HV Orange












ITEM #

26030 —

SIZE COLOR

26040 — HV Lime

HV Orange



27017 M/L

27019 3XL+

27018 XL/2XL HV Orange

HV Orange

HV Orange

27014 M/L

27016 3XL+

HV Lime

HV Lime

27015 XL/2XL HV Lime

MAKE IT CUSTOM!

HERE'S THE DRILL: CUSTOM LOGO PROGRAM

Because we have so many options and styles of products available to custom logo, we can do almost anything.

YOU GIVE US:

- Suitable digital art files or cameraready artwork. (EPS-format files work best but large, hi-res TIF or JPG files [300+ dpi] work too.)
- All necessary PMS/Pantone colors.
- Approval of a digital mock-up.

WE GIVE YOU: A product with a look all your own.

Minimums vary based on the type of product. Don't worry, it's low.

Call Ergodyne Customer Support today to answer all of your custom logo questions ... We'll make it easy for you to look good!

GLOWEAR® HI-VIS APPAREL:

FOUL WEATHER SERIES

DIFFERENTIATED BY DESIGN

COMPLIANT MATERIALS

GloWear® Hi-Vis Apparel is made of ANSI-compliant reflective and background materials to ensure the highest performance.

$3M^{\text{\tiny TM}}$ SCOTCHLITE REFLECTIVE

3M™ Scotchlite™ glass bead reflective tape meets the ANSI 107 standard and improves visibility of the worker.

BREATHABLE PU COATING

Breathable PU poly shell keeps water out while letting perspiration escape for warm, dry comfort.



8385 4-IN-1 JACKET

VERSATILITY

GloWear® Hi-Vis Apparel is made with flexibility and versatility in mind. 4-in-1 jackets allow you to dress for the weather.







CLASS 3 WEATHERPROOF THERMAL JACKET

CLASS 3 WEATHERPROOF

CLASS 2 THERMAL JACKET

CLASS 2 THERMAL VEST



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE HI-VIS APPAREL AT: WWW.ERGODYNE.COM



TYPE R CLASS 3 QUILTED BOMBER JACKET







- Weatherproof 300D oxford outer shell
- Breathable PU coating
- Fully lined with 160g thermal quilted insulation
- 2" ANSI-compliant reflective material
- · Black accents on front and high wear sleeve areas
- Inset hood with drawstring and stoppers
- Dual slot pen pocket on arm

ITEM #	SIZE	COLOR
25622	S	HV Lime
25623	M	HV Lime
25624	L	HV Lime
25625	XL	HV Lime
25626	2XL	HV Lime
25627	3XL	HV Lime
25628	4XL	HV Lime
25629	5XL	HV Lime

TYPE R CLASS 3 FLEECE LINED BOMBER JACKET





- Weatherproof 100% polyester outer shell
- Breathable PU coating
- Zip-out 220g microfleece liner
- 2" ANSI-compliant reflective material
- Black accents on high wear areas
- Detachable inset hood with drawstring and stoppers
- Dual slot pen pocket on arm



ITEM #	SIZE	COLOR
24472	S	HV Lime
24473	M	HV Lime
24474	L	HV Lime
24475	XL	HV Lime
24476	2XL	HV Lime
24477	3XL	HV Lime
24478	4XL	HV Lime
24479	5XL	HV Lime

ITEM #	SIZE	COLOR
24462	S	HV Orange
24463	M	HV Orange
24464	L	HV Orange
24465	XL	HV Orange
24466	2XL	HV Orange
24467	3XL	HV Orange
24468	4XL	HV Orange
2//69	5YI	HV Orange

TYPE R CLASS 3 BOMBER JACKET











- Weatherproof 300D oxford outer shell
- Breathable PU coating
- Inner jacket with 300g fleece lining
- 2" ANSI-compliant 3M™ Scotchlite[™] Reflective
- Inset hood with drawstring and stoppers

ITEM #	SIZE	COLOR
24492	S	HV Lime
24493	M	HV Lime
24494	L	HV Lime
24495	XL	HV Lime
24496	2XL	HV Lime
24497	3XL	HV Lime
24498	4XL	HV Lime
2//00	5YI	HV Limo

ITEM #	SIZE	COLOR
24482	S	HV Orange
24483	M	HV Orange
24484	L	HV Orange
24485	XL	HV Orange
24486	2XL	HV Orange
24487	3XL	HV Orange
24488	4XL	HV Orange
24489	5XL	HV Orange



8365



TYPE R CLASS 3 RAIN JACKET



- Weatherproof 300D oxford outer shell
- Breathable PU coating, polyester mesh lining
- 2" ANSI-compliant 3M[™] Scotchlite[™] Reflective
- Dual mic tabs

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
24322	S	HV Lime	24312	S	HV Orange
24323	M	HV Lime	24313	M	HV Orange
24324	L	HV Lime	24314	L	HV Orange
24325	XL	HV Lime	24315	XL	HV Orange
24326	2XL	HV Lime	24316	2XL	HV Orange
24327	3XL	HV Lime	24317	3XL	HV Orange
24328	4XL	HV Lime	24318	4XL	HV Orange
24329	5XL	HV Lime	24319	5XL	HV Orange

ANSI 3M

8365_{BK}

TYPE R CLASS 3 BLACK FRONT RAIN JACKET



- Weatherproof 300D oxford outer shell
- Breathable PU coating, polyester mesh lining
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Black accents on front and sleeve: high-wear areas
- Dual mic tabs

ITEM #	SIZE	COLOR
25322	S	HV Lime
25323	M	HV Lime
25324	L	HV Lime
25325	XL	HV Lime

ITEM #	SIZE	COLOR
25326	2XL	HV Lime
25327	3XL	HV Lime
25328	4XL	HV Lime
25329	5XL	HV Lime







- Weatherproof 300D oxford outer shell
- Breathable PU coating
- Inner jacket with 100g 3M[™] Thinsulate[™] lining
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
24382	S	HV Lime	24372	S	HV Orange
24383	M	HV Lime	24373	M	HV Orange
24384	L	HV Lime	24374	L	HV Orange
24385	XL	HV Lime	24375	XL	HV Orange
24386	2XL	HV Lime	24376	2XL	HV Orange
24387	3XL	HV Lime	24377	3XL	HV Orange
24388	4XL	HV Lime	24378	4XL	HV Orange
24389	5XL	HV Lime	24379	5XL	HV Orange







TYPE R CLASS 3 OUTER SHELL JACKET



- Weatherproof 300D oxford outer shell
- Breathable PU coating, polyester mesh lining
- 2" ANSI-compliant 3M[™] Scotchlite[™] Reflective

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
25372	S	HV Lime	25462	S	HV Orange
25373	M	HV Lime	25463	M	HV Orange
25374	L	HV Lime	25464	L	HV Orange
25375	XL	HV Lime	25465	XL	HV Orange
25376	2XL	HV Lime	25466	2XL	HV Orange
25377	3XL	HV Lime	25467	3XL	HV Orange
25378	4XL	HV Lime	25468	4XL	HV Orange
25379	5XL	HV Lime	25469	5XL	HV Orange

TYPE R CLASS 2 CONVERTIBLE THERMAL JACKET



- Weatherproof 300D oxford outer shell
- 3M™ Thinsulate™ Insulation thermal lining
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
25492	S	HV Lime	25512	S	HV Orange
25493	M	HV Lime	25513	M	HV Orange
25494	L	HV Lime	25514	L	HV Orange
25495	XL	HV Lime	25515	XL	HV Orange
25496	2XL	HV Lime	25516	2XL	HV Orange
25497	3XL	HV Lime	25517	3XL	HV Orange
25498	4XL	HV Lime	25518	4XL	HV Orange
25499	5XL	HV Lime	25519	5XL	HV Orange

TYPE R CLASS 3/2 THERMAL JACKET KIT



- Combines 8386 Outer Shell and 8287 Thermal jacket
- Weatherproof 300D oxford outer shell
- 3M[™] Thinsulate[™] Insulation thermal lining

ITEM #	SIZE	COLOR	_	ITEM #	SIZE	COLOR
25532	S	HV Lime		25552	S	HV Orange
25533	M	HV Lime		25553	M	HV Orange
25534	L	HV Lime		25554	L	HV Orange
25535	XL	HV Lime		25555	XL	HV Orange
25536	2XL	HV Lime		25556	2XL	HV Orange
25537	3XL	HV Lime		25557	3XL	HV Orange
25538	4XL	HV Lime		25558	4XL	HV Orange
25539	5XL	HV Lime		25559	5XL	HV Orange





TESTER: TYLER BORTZ

PRODUCT: 8365BK

"This rain jacket is one of the best jackets I have every used. I have used this jacket in light mist situations to heavy down pours and it keeps me dry. This jacket even works well if the weather is just a bit cool and you need something to keep the chill out. Overall this jacket is very nice and is a great addition to keep in the truck in case the weather takes a turn for the worst. Good work Ergodyne!"

ONE WORD REVIEW: DRY





SUPPLEMENTAL CLASS E RAIN PANTS

Weatherproof 300D oxford outer shell

2" ANSI-compliant 3M[™] Scotchlite[™] Reflective

ITEM # SIZE

24412

24413 M

24414 L

24415 XL

24416 2XL

24417 3XI

24418 4XL

24419 5XL

COLOR

HV Orange

· Elastic waistband; right leg cargo pocket

Zippered leg openings for easy on/off

HV Lime

HV Lime

HV Lime

HV Lime

HV Lime

HV Lime

HV I ime

HV Lime

Breathable PU coating

ITEM # SIZE COLOR

24422

24423 M

24424 L

24425 XL

24426 2XL

24427 3XI

24428 4XL

24429 5XL

8915

ANSI 3M 30%

SUPPLEMENTAL CLASS E BLACK BOTTOM RAIN PANTS



- Weatherproof 300D oxford outer shell
- Breathable PU coating
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- Elastic waistband; right leg cargo pocket
- Black accents on leg; high-wear areas

ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR
25422	S	HV Lime	_	25426	2XL	HV Lime
25423	M	HV Lime		25427	3XL	HV Lime
25424	L	HV Lime		25428	4XL	HV Lime
25425	XL	HV Lime		25429	5XL	HV Lime

MAKE IT CUSTOM!

HERE'S THE DRILL: **CUSTOM LOGO PROGRAM**

Because we have so many options and styles of products available to custom logo, we can do almost anything.

YOU GIVE US:

- Suitable digital art files or cameraready artwork. (EPS-format files work best but large, hi-res TIF or JPG files [300+ dpi] work too.)
- All necessary PMS/Pantone colors.
- Approval of a digital mock-up.

WE GIVE YOU: A product with a look all your own.

Minimums vary based on the type of product. Don't worry, it's low.

Call Ergodyne Customer Support today to answer all of your custom logo questions ... We'll make it easy for you to look good!



SUPPLEMENTAL CLASS E BLACK BOTTOM RAIN BIBS









- · Weatherproof 300D oxford outer shell
- Breathable PU coating
- 2" ANSI-compliant 3M[™] Scotchlite[™] Reflective
- · Adjustable elastic suspenders; right cargo pocket
- · Black accents on leg; high-wear areas

ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR	
25012	S	HV Lime	_	25016	2XL	HV Lime	
25013	M	HV Lime		25017	3XL	HV Lime	
25014	L	HV Lime		25018	4XL	HV Lime	
25015	XL	HV Lime		25019	5XL	HV Lime	





SUPPLEMENTAL CLASS E THERMAL PANTS



- Weatherproof 100% polyester outer shell
- Breathable PU coating
- 80g 3M[™] Thinsulate[™] lining
- 2" ANSI-compliant 3M™ Scotchlite™ Reflective
- · Elastic waistband; right leg cargo pocket

ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR
24452	S	HV Lime	•	24442	S	HV Orange
24453	M	HV Lime		24443	M	HV Orange
24454	L	HV Lime		24444	L	HV Orange
24455	XL	HV Lime		24445	XL	HV Orange
24456	2XL	HV Lime		24446	2XL	HV Orange
24457	3XL	HV Lime		24447	3XL	HV Orange
24458	4XL	HV Lime		24448	4XL	HV Orange
24459	5XL	HV Lime		24449	5XL	HV Orange

GLOWEAR® HI-VIS APPAREL:

HEADWEAR & ACCESSORIES SERIES

DIFFERENTIATED BY DESIGN



8935

HI-VIS RANGER HAT
























SKULLERZ° EYE PROTECTION


Triple threat? Happens every day, usually before lunch. Triple compliance? Certainly not your ordinary eye protection. Norse God-named, full- or half-framed, our sweet Skullerz® Safety Glasses have your back from workplace to weekend and everywhere in-between — with ANSI compliance across the board, MIL-PRF ballistic impact protection that comes standard, and CSA compliance on a full five models. Each one boasts UV protection, scratch resistance, lightweight frames, and a host of condition-specific lenses. With options for inherent, permanent Fog-Off™ anti-fog technology or polarized premium lenses to reduce glare, you now have eye protection that works as hard as you do. Your move, James Brown.





EYE PROTECTION
// ACCESSORY SERIES

3222 Zipper Case w/ Clip



3225 Ballistic Zipper Case







IMPACT: HOW FAST IS FAST?

Another day at battle is always unpredictable and might be full of the slings and arrows of outrageous fortune. Whatever the job throws, shoots, or flings, it's essential to be ready for action. Luckily, you chose Skullerz® Eye Protection. From dangerous tools to everyday dust and debris, you can count on Skullerz® Safety Glasses for tested, proven protection. We'd still watch out for that rogue barbarian though.

Pneumatic Nail Gun 490 ft. // 149

Nolan Ryan Fastball 148 ft. // 45m se

Catapult 843 ft. // 257m sec

SKULLERZ EYE PROTECTION:

E DEFENSE.

DIFFERENTIATED BY DESIGN

When you're on the job, there's no time to wonder if your specs meet the specs. All Skullerz[®] Safety Glasses are third-party tested to meet ANSI Z87.1, the U.S. eye protection standard, and marked with a "+" to denote High Velocity Impact Protection. Select Skullerz® also meet the requirements of CSA Z94.3, Canada's national standard for eye protection. CSA compliance requires spectacles to have slightly more coverage than those meeting only ANSI Z87.1+.

Because sometimes the workzone can feel more like a warzone, all Skullerz® Safety Glasses also meet U.S. MIL-PRF 32432 Ballistic Impact Protection requirements. This test requires protection from a high velocity impact of more than 4X what ANSI or CSA mandates. Stand and deliver.

TESTED TO THE FOLLOWING STANDARDS:



// ANSI Z87.1+



CSA Z94.3




MIL-PRF 32432 BALLISTIC IMPACT

TESTED ON DUMMIES BECAUSE YOU AREN'T ONE.

All Skullerz® models are independently third-party tested at COLTS Laboratories.



COLTS | Laboratories



High Velocity Impact Test Simulates Flying Debris


ANSI Z87.1+: 150 ft./sec

CSA Z94.3:

MIL-PRF 32432: 660 ft./sec

// 201m/sec

46.5 m/sec



High Mass Impact Test


Simulates Blunt Force

18 oz. steel missile ANSI Z87.1+:

dropped from 50 in.

CSA Z94.3:

MIL-PRF 32432: Follows ANSI Z87.1+



Penetration Resistance Test

Simulates a Poke in the Eye

Weighted needle ANSI Z87.1+:

dropped from 50 in.

CSA Z94.3:

MIL-PRF 32432: Follows ANSI Z87.1+

IN ALL TEST SCENARIOS FOR ALL STANDARDS, LENSES AND FRAMES MUST STAY INTACT AND NOT BREAK OR SHATTER.



FRAME OPTIONS

Ergodyne Skullerz® Safety Glasses are available in a variety of frame color options to perfectly suit your jobsite style. See the specific model for frame availability. Choose from:




FRAME: WHITE AVAILABLE ON: ODIN, ERDA



FRAME: BLACK AVAILABLE ON: ODIN, THOR, DAGR, KVASIR, VALKYRIE, NJORD, LOKI, BALDR, ERDA



FRAME: KRYPTEK* YETI™ CAMO AVAILABLE ON: DAGR, ERDA




FRAME: MATTE BLACK AVAILABLE ON ODIN, TYR



FRAME: KRYPTEK* HIGHLANDER™ CAMO AVAILABLE ON ODIN, DAGR, BALDR



AVAILABLE ON:
ODIN, THOR, DAGR, KVASIR, VALKYRIE, NJORD, LOKI, BALDR



FRAME: KRYPTEK* TYPHON™ CAMO AVAILABLE ON: ODIN, THOR, DAGR, BALDR, ERDA

SKULLERZ® LENS OPTIONS

Ergodyne Skullerz® Safety Glasses are available in a variety of lens options ideally suited for a variety of tasks and light environments. See the specific model for lens availability. Choose from:



LENS: CLEAR // CLEAR FOG-OFF™ VLT: 95%

INTENDED USES: INDOOR; LOW LIGHT; HAZY // CLOUDY





YELLOW VLT: 91%

INTENDED USES: HAZY // CLOUDY





LENS: INDOOR/OUTDOOR // I/O FOG-OFF VLT: 50%

INTENDED USES: INDOOR; NIGHTTIME; HAZY // CLOUDY







SMOKE FOG-OFF™

LENS: SMOKE //





COPPER





SILVER MIRROR VI T: 10%

INTENDED USES: OUTDOOR; BRIGHT LIGHT; GLARE





INTENDED USES: OUTDOOR; BRIGHT LIGHT; GLARE; HIGH CONTRAST





BLUE MIRROR

INTENDED USES: OUTDOOR; BRIGHT LIGHT; GLARE





INTENDED USES: OUTDOOR; BRIGHT LIGHT; GLARE; WATER





INTENDED USES: OUTDOOR; BRIGHT LIGHT; GLARE; HIGH CONTRAST: WATER





INTENDED USES: OUTDOOR; BRIGHT LIGHT; GLARE; HIGH CONTRAST: WATER









DARE THE GLARE Polarized lenses utilize a special filter coating to block out reflected light from below and glare from above, allowing only direct light to enter the field of vision, making them a great choice for applications around water, shiny equipment, or anywhere glare and reflection elimination are key to safety and comfort. Choose from polarized smoke, polarized copper, or polarized G15 (a unique and soothing green tinted lens first developed for the US Air Force). You can see clearly now the glare is gone.

TYPICAL LENS



GO ON, FOG-OFF[™] For those applications with extreme temperatures (and drastic changes in temperature), maintain a clear field of vision by choosing clear or smoke lenses with Fog-Off™ anti-fog technology that will not wash or wear off. Meets ATSM 659 Resistance to Fogging test



SKULLERZ® LENS // FRAME AVAILABILITY

			SKULI	LERZ® LEN	IS // FR <i>A</i>	ME AVAII	LABILITY				-
	Clear Clear Fog-Off™	Yellow	Indoor/Outdoor I/O Fog-Off™	Smoke Smoke Fog-Off™	Copper	Silver Mirror	Blue Mirror	HCP Red Mirror	Polarized Smoke	Polarized Copper	Polarized G15
ldin - Black	50000 50003 Fog-Off	50050	50080 50083 Fog-Off	50030 50033 Fog-Off	50020	50042	50092	50012	50031	50021	50071
din - Matte Black	50400	_	_	50430		50442	_	_	<u> </u>	<u> </u>	_
din - Matte Gray	50100 50103 Fog-Off	50150	50180	50130 50133 Fog-Off	<u> </u>	<u> </u>	_	<u> </u>	50131	50121	_
din - White	-		<u>—</u>	50230		50242		-	50231	<u> </u>	
din - ryptek® Typhon™ Camo	50500 50503 Fog-Off	50550	_	50530 50533 Fog-Off	50520	<u> </u>	_	_	50531	50521	_
din - ryptek® Highlander™ Camo	50300 50303 Fog-Off	50350	<u> </u>	50330 50333 Fog-Off	50320		-	-	50331	50321	-
hor - Black	51000 51003 Fog-Off	51050	51080 51083 Fog-Off	51030 51033 Fog-Off	51020	51042	51092	51012	51031	51021	51071
hor - Matte Gray	51100 51103 Fog-Off	51150	51180	51130 51133 Fog-Off	<u> </u>	<u> </u>	_	<u> </u>	51131	51121	_
nor - ryptek® Typhon™ Camo	51300 51303 Fog-Off	51350	<u> </u>	51330 51333 Fog-Off	51320	_	-	-	51331	51321	-
agr - Black	52000 52003 Fog-Off	52050	52080 52083 Fog-Off	52030 52033 Fog-Off	52020	52042	52092	52012	52031	52021	52071
agr - Matte Gray	52100 52103 Fog-Off	52150	52180	52130 52133 Fog-Off	<u> </u>	<u> </u>	<u> </u>	<u> </u>	52131	52121	<u> </u>
agr - ryptek® Typhon™ Camo	52500 52503 Fog-Off	52550	_	52530 52533 Fog-Off	52520	_	_	_	52531	52521	_
agr - ryptek® Yeti™ Camo	52600 52603 Fog-Off	52650	<u> </u>	52630 52633 Fog-Off	52620	<u>—</u>	_		52631	52621	<u> </u>
agr - ryptek® Highlander™ Camo	52300 52303 Fog-Off	52350	<u> </u>	52330 52333 Fog-Off	52320	<u>—</u>	<u> </u>	<u> </u>	52331	52321	_
vasir - Black	53000	53050	53080	53030	_	53042	_	_	_	_	_
vasir - Matte Gray	53100	53150	53180	53130	_	<u>—</u>	_	<u> </u>	_	_	_
alkyrie - Black	54000 54003 Fog-Off	54050	54080 54083 Fog-Off	54030 54033 Fog-Off	54020	54042	54092	54012	54031	54021	54071
alkyrie - Matte Gray	54100 54103 Fog-Off	54150	54180	54130 54133 Fog-Off	_	_	_	_	54131	54121	_
jord - Black	55000	55050	55080	55030	_	55042	_	_	_	_	_
jord - Matte Gray	55100	55150	55180	55130	_	-	_	_	_	_	_
oki - Black	56000 56003 Fog-Off	56050	56080 56083 Fog-Off	56030 56033 Fog-Off	56020	56042	56092	56012	56031	56021	_
oki - Matte Gray	56100 56103 Fog-Off	56150	56180	56130 56133 Fog-Off	_	_	_	_	56131	56121	_
aldr - Black	57000 57003 Fog-Off	57050	57080 57083 Fog-Off	57030 57033 Fog-Off	57020	57042	_	_	57031	57021	_
aldr - Matte Gray	57100 57103 Fog-Off	57150	57180	57130 57133 Fog-Off	57120	_	_	_	57131	57121	_
aldr - ryptek® Highlander™ Camo	57300 57303 Fog-Off	57350	_	57330 57333 Fog-Off	57320	_	_	_	57331	57321	_
aldr - ryptek® Typhon™ Camo	57500 57503 Fog-Off	57550	_	57530 57533 Fog-Off	_	_	_	_	57531	57521	_
rda - Black	58000 58003 Fog-Off	58050	58080 58083 Fog-Off	58030 58033 Fog-Off	58020	58042	_	_	58031	58021	_
da - White	58200 58203 Fog-Off	58250	_	58230 58233 Fog-Off	_	_	_	_	58231	58221	_
rda - ryptek® Typhon™ Camo	58500 58503 Fog-Off	58550	_	58530 58533 Fog-Off	58520	_	_	_	58531	58521	_
rda - ryptek® Yeti™ Camo	58600 58603 Fog-Off	58650	_	58630 58633 Fog-Off	58620	_	_	_	58631	58621	_

LLERZ EYE PROTECTION:

E PROTECTION SERIES

DIFFERENTIATED BY DESIGN

ANSI // CSA // MIL-PRF BALLISTIC IMPACT PROTECTION

All Skullerz® models in all lenses meet both ANSI Z87.1+ High Velocity and MIL-PRF 32342 Ballistic Impact protection requirements. Select models also meet CSA 94.3.

KRYPTEK® CAMO

Stand out by blending in with Kryptek® - the baddest camo patterns out there.

ODIN

99.9% UV PROTECTION

All Skullerz® lenses, even clear. provide protection from 99.9% of harmful UVA // UVB // UVC rays.

DAGR

LENS OPTIONS

Choose from up to 14 different lens options including glare-busting polarized and inherent Fog-Off™ anti-fog technology that won't wash or wear off.

PATENTED BLADE STYLE DESIGN

Sleek blade style frame ensures excellent air flow and is designed to move easily from workplace to weekend.

FULL FRAME SAFETY GLASSES













- Meets ANSI Z87.1+, CSA Z94.3 and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Full-frame design with coinjection rubber temples
- Non-slip rubber nose piece
- Available Fog-Off[™] technology won't wash, wear off
- Premium polarized lenses available
- Optional foam gasket insert to reduce debris entry

FRAME COLORS













// PATENTED



LARGE FRAME SAFETY GLASSES













- Meets ANSI Z87.1+, CSA Z94.3 and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Full-frame design with coinjection rubber temples
- Available Fog-Off[™] technology won't wash, wear off
- Premium polarized lenses available

FRAME COLORS











// PATENTED

HALF FRAME SAFETY GLASSES











- Meets ANSI Z87.1+, CSA Z94.3 and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Sleek blade frame with coinjection rubber temples
- Non-slip rubber nose piece
- Available Fog-Off[™] technology won't wash, wear off
- Premium polarized lenses available













// PATENTED

LARGE FRAME SAFETY GLASSES













- Meets ANSI Z87.1+, CSA Z94.3 and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Large frame design for maximum coverage in style
- Coinjection rubber temples
- Available Fog-Off[™] technology won't wash, wear off
- Premium polarized lenses available
- Optional foam gasket insert to reduce debris entry

FRAME COLORS













// PATENT PENDING

MEDIUM FRAME SAFETY GLASSES









- Meets ANSI Z87.1+ and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Versatile medium frame design with rubber temples
- Temple accessory slot also improves air flow
- Optional foam gasket insert to reduce debris entry



FRAME COLORS









MEDIUM FRAME SAFETY GLASSES









- Meets ANSI Z87.1+ and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Smooth medium frame design with rubber temples
- Available Fog-Off[™] technology won't wash, wear off
- Premium polarized lenses available
- · Optional foam gasket insert to reduce debris entry

FRAME COLORS















// PATENTED

LARGE FRAME SAFETY GLASSES













- Meets ANSI Z87.1+, CSA Z94.3 and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Designed specifically for female workers and wearers
- Sleek temples; no rubber to snag in longer hair
- Available Fog-Off[™] technology won't wash, wear off
- Premium polarized lenses available
- Optional foam gasket insert to reduce debris entry

FRAME COLORS















MEDIUM FRAME SAFETY GLASSES











- Meets ANSI Z87.1+ and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Stylish medium frame design
- Great glasses at a super price point

FRAME COLORS









// PATENTED

FULL FRAME SAFETY GLASSES / GOGGLES











- Meets ANSI Z87.1+ and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lenses block 99.9% of harmful UV rays
- Removable rubber temples converts Loki to goggle
- Available Fog-Off[™] technology won't wash, wear off
- Premium polarized lenses available
- Removable foam gasket insert and strap included

FRAME COLORS















// PATENTED

SINGLE LENS SAFETY GLASSES















- Meets ANSI Z87.1+, CSA Z94.3 and MIL-PRF 32432 Impact Requirements
- Scratch-resistant lens blocks 99.9% of harmful UV rays
- Single lens, blade frame design provides wide field of vision and coverage
- Rubber temple tips and nose piece
- Available Fog-Off[™] technology won't wash, wear off

FRAME COLORS









// PATENT PENDING



SKULLERZ' EYE PROTECTION:

ACCESSORY SERIES

DIFFERENTIATED BY DESIGN

BALLISTIC NYLON

A rugged ballistic nylon outer shell provides protection and a tough, durable lair for your pair.

ZIPPER CLOSURE

Zipper closure for easy open and close.

MICROFIBER CLEANING CLOTH All Skullerz® Cases include a 3216 microfiber cleaning cloth for scratch-free lens cleaning.

3225 **BALLISTIC ZIPPER CASE** • Ballistic nylon shell with soft brushed inside • Fits and stores all Skullerz® models Zipper closure Includes 3216 microfiber cleaning cloth

3222

MICROFIBER CLEANING CLOTH



• Nylon shell with soft brushed inside

receive

ZIPPER CASE WITH CLIP

- Fits and stores all Skullerz® models
- Convenient clip attaches to other gear
- Zipper closure
- Includes 3216 microfiber cleaning cloth

ITEM # SIZE COLOR 19222 Black

- Safely cleans lenses without scratching
- Soft microfiber material
- Embossed Ergodyne logo pattern

COLOR 19216 Black

MICROFIBER CLEANING BAG

SIZE

ITEM #

COLOR




- Safely cleans lenses without scratching
- Soft microfiber material
- Embossed Ergodyne logo pattern

COLOR 19218 Black



















SKULLERZ° HEAD PROTECTION

Larry, Curly, and Moe made their living getting beaned in the noggin'. You don't have that luxury. That's where Skullerz® Head Protection steps in to take the hit. You may get fewer laughs but trust us, it'll be worth it. All models feature thermo-formed foam padding inside a removable, patented shell, and a smooth lid with mesh venting for that comfy covert fit. Available in micro brim, short brim, and baseball brim-styling, there's even a built-in LED option. Put it on, you lunkhead.









SKULLERZ[®]:

BUMP CAP SERIES

DIFFERENTIATED BY DESIGN



PATENTED SHELL



Elastic hook and loop closure stretches and is angled to provide a snug, secure fit.



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE EYE & HEAD PROTECTION AT: WWW.ERGODYNE.COM



BUMP CAP / XL BUMP CAP









- · Removable impact-resistant shell with foam lining
- · Patented flanged design for comfort and air flow
- Nylon or hi-vis polyester with reflective accents
- Micro (30mm), short (50mm) or long (80mm) brim
- EN

• EN 812-compliant patented design											
8950: E	BLACK			8950: N	IAVY			8950: LIME			
ITEM #	SIZE	COLOR		ITEM #	SIZE	COLOR		ITEM #	SIZE		COLOR
23342	Micro	Black		23341	Micro	Navy		23331	Micro		Lime
23340	Short	Black		23343	Short	Navy		23333	Short		Lime
23346	Short (XL)	Black		23347	Short (XL)	Navy		23335	Long		Lime
23344	Long	Black		23345	Long	Navy					

23349 Long (XL) Navy



// PATENTED

23348 Long (XL) Black

BUMP CAP + LED LIGHTING TECHNOLOGY







- Patented LED lighting technology built in under brim
- Removable impact-resistant shell with foam lining
- Pate
- Nyl

ITEM #

23373

23375

SIZE

Short

Long

COLOR

Black

Black

8960: BLACK	8960: NAVY	8960: LIME
· ·	esign for comfort and air flow ester with reflective accents atented design	1

COLOR

Navy

Navy





ITEM # SIZE

23370 Short

23374 Long

RANGER BUMP CAP







- Removable impact-resistant shell with foam lining
- · Patented flanged design for comfort and air flow
- Nylon or hi-vis polyester with reflective accents
- Wide brim for shade; breathable vented side panels
- EN 812-compliant patented design

		: 1			

ITEM # COLOR 22356 HV Lime

ITEM # SIZE COLOR 22357 Khaki



// PATENTED







squids

- >> LANYARDS
 >> ORGANIZERS

ARSENAL

- >> GEAR STORAGE
- >> TOOL STORAGE







FOUR SIMPLE STEPS TO SAFER WORK. OBJECTS AT HEIGHTS

PLAN YOUR WORK.

TRAPPING

Trapping refers to retrofitting a connection point onto a tool for a safer attachment point. Most tools do not come with a secure attachment point built into the tool. In these situations, a secure attachment point must be created.

TETHERING

Once all tools have a connection point the appropriate tethering solution can be selected. Consider the following factors to select the appropriate solution: weight of tool, type of connector(s) on lanyard, clearance, reach, and snag hazard.

ONE STEP TOOL TRAPS





TWO STEP











WRIST LANYARDS

RETRACTABLE LANYARDS





COILED LANYARDS



SHOCK ABSORBING ELASTIC LANYARDS



SPECIALTY LANYARDS

WORK YOUR PLAN.

TOPPING

There are different ways of transporting equipment to heights and a variety of containers used to store the equipment while in transit. Regardless of what container is used, there are three critical best practices: hands-free climbing, closed container, and weight rating.

TRAINING

Check out our comprehensive Objects at Heights (O@H) training programs and collateral covering everything from basic training to certified Drop Cop®.

Visit www.ergodyne.com for more or email orders@ergodyne.com to get your schooling started.

CARRYING AT HEIGHTS TOOL RIG: · 5517 · 5527 HOISTING **BUCKET:** · 5960T **BAG:** · 5843

LEARN HOW TO BECOME A DROP COPS® PRO...





LEARN TO TRAP, TETHER, AND TOP IN OUR 52-PAGE BIBLE OF OBJECTS AT HEIGHTS SAFETY SOLUTIONS KNOWN AS THE DROP COPS® GUIDE.



BECOME COMPETENT WITH O@H Training available through Ergodyne.










SQUIDS LANYARDS & ORGANIZERS

An apple dropping from a tree during a mathematician's summer idyll in the English countryside is one thing. Sledgehammers plummeting 40 stories onto a busy worksite is a recipe for an ambulance. Spare yourself that sinking feeling with our smorgasbord of lanyards and organizers. Squids® Lanyard and Organizers trap, retract, extend, and secure your gear, so it's always in the last place you left it.







3410 Grabber Anchor-Suction

3415 Grabber Anchor-Magnet







WORKSITE ORGANIZERS
// ACCESSORY SERIES

3800 Squids® Carabiners

3540 Large Locking Hook

SQUIDS:



TETHERING SOLUTIONS: PUTTING THE KIT TOGETHER

If more than three decades in the industry has taught us anything, it's that convenience is king when it comes to safety measures. With that in mind, we've put together six popular "ready-to-go" tethering kits for common job site tools. They're designed to be easy to choose and easy to use, so you have no excuse to be too legit to kit. You don't have to be Pythagoras to do the math either: Tool + Tail/Trap + Tether = a tailor-made solution to help you slow gravity's roll.







2LB (0.9KG) TOOL TETHERING KIT



- Tether up to six 2lb (0.9kg) tools
- Kit includes 3700, 3755, and 3130S
- 3700: 4.5" (11.5cm) Web Tool Tails (6 Pack)
- 3755: Self-Adhering Tape Trap requires no heat
- 3130S: Coiled lanyard design prevents snagging

COLOR 19650



- Tether up to four 5lb (2.3kg) tools
- Kit includes 3103, 3755, and 3102
- 3103: Accessory Kit Detachable Loops (3 Pack)
- 3755: Self-Adhering Tape Trap requires no heat
- 3102: Detachable Single Carabiner

COLOR 19651 Kit



• 3713: Elastic Loop Tool Tails™ Swivel

• 3100F(x): Tool Lanyard Single Carabiner

COLOR

Kit

19652

• 3755: Self-Adhering Tape Trap requires no heat







SQUIDS LANYARDS:

ATTACHMENT SERIES

DIFFERENTIATED BY DESIGN

SECURE HARDWARE

Fully enclosed plated hardware has no weak point. Made of durable metals that last, they are not bent or welded giving you confidence in the security of your retrofit connection.

THIRD-PARTY CERTIFIED WEIGHT RATINGS

Third-party certified with a safety factor of 2:1 to ensure the utmost in security. Connector systems applied with more than one component are tested and certified together as a system. We don't have to but we do!

DURABLE SYNTHETIC MATERIALS

Squids® Tool Tails" and Tool Traps" are made with high tensile strength webbing and abrasion resistant fabric to hold up in the toughest applications and prolong the life of the connector.

RETROFIT CONNECTOR VARIETY

We study and teach tool anatomy to give you options for retrofit connection points on tools that need 'em. One-step Tool Traps™ with built in connection points attach directly to the tool. Two step systems use a Tool Trap™ to capture a Tool Tail™ connection to the tool.

FUNCTIONAL MATERIALS AND DESIGNS

Squids® Tool Connectors are designed to NOT sacrifice your tool's primary use. Tool Traps™ and Tool Tails™ can be placed on the tool leaving mission critical parts of the tool ready to use. Specialty materials enhance grip and do not leave messy adhesives or residue on your tools.



3700



WEB TOOL TAILS™



- Ultra strength nylon webbing
- Fully enclosed plated D-ring for secure attachment
- · High tensile strength nylon thread
- Web catch with double stitch for more durable stop
- Used w/ Tape Traps; creates retrofit tether point

6 PACK ITEM #	60 PACK ITEM #	SIZE	COLOR
19703	19703-Bulk	3.5" (9.0cm)	Black
19704	19704-Bulk	4.5" (11.5cm)	Orange
19705	19705-Bulk	5.5" (14.0cm)	Black
19706	_	6.5" (16.5cm)	Orange
19708	_	8.5" (21.5cm)	Black
19701	_	Variety (5 sizes)	Black/Orange

3103/3703/3713



- Stretch cord surrounded by tubular-nylon webbing
- Fully enclosed plated 0-ring for secure attachment
- Adjustable barrel lock for tool attachment
- Use as an anchor for belt, harness, or structure
- Used w/ Tool Trap[™]; creates retrofit tether point

3703: D-RING 15LB (6.8KG)

3723

3703

3 PACK ITEM #	60 PACK ITEM #	SIZE	COLOR
19767	19767-Bulk	11"(28cm)	HV Lime
19769	_	18"(46cm)	HV Lime
3713: W/SW	IVEL 10LB (4.5KG)		
3 PACK ITEM #	60 PACK ITEM #	SIZE	COLOR
19765	19765-Bulk	11"(28cm)	HV Lime
3103: BUCKL	E 5LB (2KG)		
3 PACK ITEM #	60 PACK ITEM #	SIZE	COLOR
19068	_	12.5"(32cm)) Black
19069	_	12.5"(32cm)) HV Lime

// PATENT PENDING





Gray

19755 1" x 12' (2.5cm x 3.7m)

// PATENT PENDING











SQUIDS LANYARDS:



A variety of carabiner options give you what you need for your environment - lightweight aluminum, stainless steel, non-locking, and self-locking are some of the options available to give you jobsite flexibility.





3100_{F(x)}

TOOL LANYARD SINGLE CARABINER



- Durable 1680D shock absorbing poly webbing
- Aluminum alloy carabiner with captive eye
- Treaded loop end that grips the tool when attached
- · Low-profile lightweight design reduces snag hazards

ITEM #	SIZE	COLOR
19802	Std. 38" - 70" (96cm - 178cm)	Gray

// PATENT PENDING



3110_{F(x)}

TOOL LANYARD DUAL CARABINER



- Durable 1680D shock absorbing poly webbing
- Aluminum alloy carabiners with captive eye
- Carabiners designed for gloved hands
- · Low-profile lightweight design reduces snag hazards

ITEM #	SIZE	COLOR
19822	Std. 38" - 70" (96cm - 178cm)	Gray

// PATENT PENDING

A O L



TOOL LANYARD SINGLE LOCKING CARABINER



- Durable 1680D shock absorbing poly webbing
- Double-action aluminum carabiner with captive eye
- Treaded loop end that grips the tool when attached
- · Low-profile lightweight design reduces snag hazards

ITEM #	SIZE	COLOR	
19808	Std. 38" - 70" (96cm - 178cm)	Orange	

// PATENT PENDING



TOOL LANYARD DUAL LOCKING CARABINER



- Durable 1680D shock absorbing poly webbing
- Double-action aluminum carabiners with captive eye
- · Carabiners designed for gloved hands
- · Low-profile lightweight design reduces snag hazards

l	ITEM #	SIZE	COLOR
l	19828	Std. 38" - 70" (96cm - 178cm)	Orange

// PATENT PENDING

MAY THE FORCE

Ergodyne Squids® Tool Lanyards are scientifically engineered to reduce drop forces and prevent workers from being pulled down when they drop an object. When you choose an Ergodyne lanyard, you're choosing superior materials and performance developed and tested (hundreds of times) to be the best - hands down. As you can see below, the results speak for themselves. Don't believe us? Visit www.ergodyne.com and click the WATCH tab to see this drop test with your own eyes. No smoke and mirrors here.





- Double-action composite carabiner with captive eye
- Treaded loop end that grips the tool when attached
- Low-profile lightweight design reduces snag hazards
- Composite carabiners resistant to -140 F (-60 C)

Std. 38" - 70" (96cm - 178cm)

// PATENT PENDING



• Composite carabiners resistant to -140°F (-60°C)

Std. 38" - 70" (96cm - 178cm)

// PATENT PENDING

ITEM #

19827

19829






- Durable 1680D shock absorbing poly webbing
- Double-action aluminum carabiner with captive eye
- Treaded loop end that grips the tool when attached
- Low-profile lightweight design reduces snag hazards
- Swiveling carabiners eliminate binding and snags

ITEM #	SIZE	COLOR
19809	Std. 38" - 70" (96cm - 178cm)	Orange

// PATENT PENDING









SINGLE & DUAL CARABINER TOOL LANYARDS



- Energy-absorbing cord with tubular-nylon webbing
- Single-action aluminum carabiner
- Reflective accent for higher visibility
- · Lock stitching at both ends for extra security

3100 ITEM #	3110 ITEM #	SIZE	COLOR
19002	19022	Std. 35" - 42" (89 - 110cm)	Black
19012	19032	Ext. 42" - 54" (110 - 140cm)	Black
19003	19023	Std. 35" - 42" (89 - 110cm)	HV Lime
19013	19033	Ext. 42" - 54" (110 - 140cm)	HV Lime

DETACHABLE SINGLE CARABINER TOOL LANYARD

3101/3111

SS SCREWGATE CARABINER LANYARDS



- Energy-absorbing cord with tubular-nylon webbing
- Manual locking stainless steel (SS) carabiners (#304)
- Reflective accent for higher visibility

· Lock stitching at both ends for extra security

3101 ITEM #	3111 ITEM #	SIZE	COLOR
19007	19027	Std. 35" - 42" (89 - 110cm)	HV Lime
19017	19037	Ext. 42" - 54" (110 - 140cm)	HV Lime

3109/3119

HEAVY-DUTY TRIPLE LOCKING CARABINERS



- Energy-absorbing cord with tubular-nylon webbing
- Triple-locking (8KN) carabiner with swivel
- Reflective accent for higher visibility
- Lock stitching at both ends for extra security

3109 ITEM #	3119 ITEM #	SIZE	COLOR
19009	19029	Std. 35" - 42" (89 - 110cm)	HV Lime
19019	19039	Ext. 42" - 54" (110 - 140cm)	HV Lime

EXTRA TAILS (3103) 3-PACK ITEM # COLOR 19068 Black 19069 HV Lime

SS SCREWGATE TRIPLE CARABINER -TWIN LEG



- Energy-absorbing cord with tubular-nylon webbing
- Single-action aluminum carabiner
- · Adjustable barrel lock for tool attachment
- Modular connecting buckle for exchanging tools
- Lock stitching at both ends for extra security
- COLOR 19064 Std. 35" - 42" (89cm - 110cm) Black Ext. 42" - 54" (110cm - 140cm) 19074 Black 19065 Std. 35" - 42" (89cm - 110cm) HV Lime 19075 Ext. 42" - 54" (110cm - 140cm) HV Lime
- · Energy-absorbing cord with tubular-nylon webbing
- Manual locking stainless steel (SS) carabiners (#304)
- Twin leg for two tools or 100% tie-off of one tool
- Reflective accent for higher visibility
- Lock stitching at both ends for extra security

ITEM #	SIZE	COLOR	
19083	Std. 3	35" - 42" (89cm - 110cm)	HV Lime

HEAVY-DUTY SELF LOCKING CARABINER LANYARD



- Energy-absorbing cord with tubular-nylon webbing
- Heavy-duty (500kgf) self-locking carabiner
- Adjustable barrel lock for tool attachment
- Reflective accent for higher visibility
- Lock stitching at both ends for extra security

ITEM #	SIZE	COLOR
19008	Short 28" - 35" (71cm - 89cm)	HV Lime









HV Lime

• Extended length 51" (129cm)

Coil

S

M Coil

// PATENT PENDING

19130

19131





"First off, I believe this is one of the gutsiest pieces of PPE out there (for now)! The bright yellow, makes it easy to find among all your other gear. This lanyard has some very practical applications too, one of which I saw just last week; a laborer bumped his head on some rebar, and his hard hat fell splat - into wet concrete."

ONE WORD REVIEW: PRACTICAL

PRODUCT: 3150





ELASTIC HARD HAT LANYARD-BUCKLE



- Comfortable high-stretch elastic material
- Easily attaches to hard hats and other headwear
- Double lock plastic buckle attaches to harness

19150 21.5"



3155

ELASTIC HARD HAT LANYARD-CLAMP



- Comfortable high-stretch elastic material
- Easily attaches to hard hats and other headwear
- Quick connect clamp attaches securely to fabric

19155 HV Lime



3386



ID & BADGE HOLDER



- Durable vinyl construction
- Protects ID badge
- Fits 4.75" x 3" (12.1cm x 7.6cm) ID









COIL HARD HAT LANYARD-BUCKLE



- Low-profile durable plastic coil
- Easily attaches to hard hats and other headwear
- Coil design prevents snag and tangle hazards
- Double lock plastic buckle attaches to harness

TEM #	SIZE	COLOR
19156	18"	Black
19157	18"	HV Lime



COIL HARD HAT LANYARD-CLAMP





- Low-profile durable plastic coil
- Easily attaches to hard hats and other headwear
- Coil design prevents snag and tangle hazards
- Quick connect clamp attaches securely to fabric

ITEM #	SIZE	COLOR
19158	13"	Black
19159	13"	HV Lime

HI-VIS ID & BADGE HOLDER



- · Durable vinyl construction
- Hi-Visibility elastic armband with hook and loop
- Protects ID badge
- Fits 4.75" x 3" (12.1cm x 7.6cm) ID

ITEM #	SIZE	COLOR
19951	12" - 18"	HV Orange


SQUIDS LANYARDS:

RETRACTOR SERIES

DIFFERENTIATED BY DESIGN



















RE CAUS



REPRESENTS 48% OF ALL STRUCK-BY FATALITIES



INJURIES IN THE U.S. PRIVATE SE







REPRESENTS 4.6% INJURIES



AVERAGE COST FOR A

AVERAGE COST FOR A

243 FATALITIES [IN 2014] X \$1.45M =

[SOURCE: BLS STATS 2014]

SOUIDS® LANYARD LINEUP



WRIST LANYARDS



RETRACTABLE LANYARDS



COILED LANYARDS



SHOCK ABSORBING ELASTIC LANYARDS



SPECIALTY LANYARDS

SOUIDS® CONNECTOR CLASS



CONNECTOR STYLE: Triple Action with Swivel



CONNECTOR STYLE: Self-Locking



CONNECTOR STYLE: Self-Locking Composite



CONNECTOR STYLE: Manual Lock Stainless Steel Single-action



CONNECTOR STYLE:



CONNECTOR STYLE: Choked Loop

SQUIDS ORGANIZERS:

& ACC. SERIES

DIFFERENTIATED BY DESIGN

MODULAR ANCHORING OPTIONS

Offering a variety of mounts to anchor the grabber to your body or to a static anchor point keeping your gear where you need it, when you need it.

BREAKAWAY DESIGN

All Squids® Grabbers have a breakaway design that disconnects immediately if caught on or in something dangerous - all without damaging the grabber.

INDEPENDENT OPERATION

No matter what mount you choose, the grabber itself can be removed and used independently, attaching to D-rings, keychains, and a variety of your own inherent anchor points.

PATENTED GRABBER DESIGN

Grabber clip holds onto PPE, tools, accessories, and other items preventing dropped, lost, and foreign object concerns.

GRABBER® COLORS:

















GRABBER - SUCTION CUP ANCHOR MOUNT





- · Suction cup mounts to clean flat surfaces
- · Pull tab allows easy removal from surface
- Anchor to carts, machinery, desks, and equipment
- · Dielectric / non-conductive material
- Grabber disconnects allowing independent use

19321

// PATENTED





GRABBER - MAGNET ANCHOR MOUNT





- Magnetic anchor mounts to ferromagnetic surfaces
- Soft overmold grabs surface preventing slippage
- Anchor to carts, machinery, desks, and equipment
- Encapsulated magnet protects against corrosion

• Grabber disconnects allowing independent use

ITEM # SIZE COLOR 19322

// PATENTED






- Clips to clothing, belts, tool belts, and D-rings
- · Holds PPE, tools, accessories, and other items
- Prevents dropped objects and foreign material
- Durable, ultra-resilient acetal copolymer
- Dielectric / non-conductive material

ITEM #	100 PACK ITEM #	COLOR
19112	19112-Bulk	Black
19117	19117-Bulk	Blue
19118	19118-Bulk	HV Orange
19119	19119-Bulk	HV Lime
19113	_	Red
19114	_	Pink

METAL DETECTABLE GRABBER - DUAL CLIP MOUNT



- Clips to belts, tool belts, webbing, and pants
- · Holds PPE, tools, accessories, and other items
- · Prevents dropped objects and foreign material
- Durable, ultra-resilient acetal copolymer
- Dielectric / non-conductive material

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
19122	_	Black	19129	_	HV Lime
19127	_	Blue	19123	_	Red
19128	_	HV Orange	19124	_	Pink







// PATENTED



METAL DETECTABLE GRABBER - BELT CLIP MOUNT



a s

- Clips to clothing, belts, tool belts, and D-rings
- · Holds PPE, tools, accessories, and other items
- · Metal detectable material alerts quality control
- Entire piece impregnated with metallic powder
- Deep blue color signals metal detectability

Deep Blue


// PATENTED


- · Clips to belts, tool belts, webbing, and pants
- · Holds PPE, tools, accessories, and other items
- Metal detectable material alerts quality control
- Entire piece impregnated with metallic powder
- Deep blue color signals metal detectability

SIZE COLOR Deep Blue

// PATENTED







ALL YOUR BAGS ARE PACKED, YOU'RE READY TO GO...



ARSENAL® GEAR STORAGE

If you're a graduate of the School of Hard Knocks, then you know your gear won't make it very far in just any old bag. So say goodbye to your run-of-the-mill duffels and say, "whoa" to Arsenal® Gear Storage. These packs, duffels, and buckets are designed, equipped, and tested to handle the toughest curriculum out there: life. Whether you're hoisting, holding, or rolling, ask yourself, "What's in my Arsenal®?"



















5143 General Duty Backpack

5144 Mobile Office Backpack

5030 Water-Resistant Duffel

5020P Polyester Duffel

5020 Nylon Duffel











5181 Full-Mask Respirator Bag

5182 Half-Mask Respirator Bag 5183 Full-Mask Respirator Bag 5184 Mouthbit Respirator Bag

5092 Quick Adjust Suspenders







5060 Step-In Combo Gear Bag



5244 Responder Backpack



5243 Responder Trauma Backpack



5220 Responder Trauma Bag



5938 Bucket Safety Top



5743 Large Plastic Bottom Bucket



5763 Plastic Bottom Bucket



5734 Small Plastic Bottom Bucket



5738 Bucket Safety Top

ARSENAL GEAR STORAGE:

PACKS & DUFFEL SERIES

DIFFERENTIATED BY DESIGN

HEAVY-DUTY ZIPPERS

Heavy-duty zippers deliver superb performance and quality.

HEAVY-GAUGE STITCHING

Heavy-gauge stitching provides extra reinforcement and strength around all zippers, pockets, and openings on the bag.

OPEN DESIGN

Open design for maximum storage capacity.

REINFORCED BASE

Lays down a firm foundation and delivers excellent wear and moisture protection for your gear.







5115/5116

MATERIAL BACKING

Material backing provides water

protection to keep your gear dry, comfortable, and ready to use.





- 600D polyester main material
- Padded and adjustable shoulder strap
- Molded wheels for safe and easy transport
- Molded retractable pull handle
- 32.5"L x 14"W x 12.5"H (83cm x 35cm x 32cm)

13120 5688ci (93 l) Black





CARRY-ON LUGGAGE



- 1680D ballistic polyester
- Molded retractable pull handle
- Rugged construction with extra bartacks and nylon
- Molded wheels for safe and easy transport
- 14"L x 9"W x 22.5"H (36cm x 23cm x 57cm)

ITEM # SIZE COLOR 13125 2835ci (46 I) Black





- 600D polyester main material
- Heavy-duty PP webbing for structure and durability
- · Water repellent backing on main material
- Padded and adjustable shoulder strap
- 5116: 23.5"L x 9.5"W x 12"H (60cm x 24cm x 30cm)
- 5115: 17.5"L x 8.5"W x 10"H (45cm x 22cm x 25cm)

ITEM # SIZE ITEM # SIZE COLOR COLOR 13016 2679ci (44 I) Black 13015 1488ci (24 I) Black







GENERAL DUTY BACKPACK

- 600D polyester main material
- Rucksack design for maximum storage
- Top cover flap for protection from the elements
- Padded computer sleeve in main pouch
- 15"L x 8"W x 19"H (38cm x 20cm x 48cm)

ITEM # SIZE COLOR

13043 2280ci (37 l) Black



5030

WATER RESISTANT DUFFEL BAG



- Water-resistant tarpaulin w/ 1000D poly mesh
- · Shoulder straps carry as duffel or backpack
- Four compression straps and two haul handles
- Open design for maximum storage capacity
- S: 23.5"L x 12"W x 11"H (60cm x 30cm x 28cm)
- M: 27"L x 13.5"W x 12"H (69cm x 34cm x 30cm)
- L: 30.5"L x 15"W x 15"H (77cm x 38cm x 38cm)

ITEM #	SIZE	COLOR
13030	3102ci (51 I)	Black
13032	4374ci (72 I)	Black

ITEM # SIZE 13034 6263ci (112 l) Black



5020_p





- 600D Polvester
- · Heavy-duty ribbed straps on top and side
- Heavy-duty #8 zippers
- Removable shoulder strap and strap grabber
- S: 23"L x 12"W x 12"H (58cm x 30cm x 30cm)
- M: 28.5"L x 13"W x 13"H (73cm x 33cm x 33cm)
- L: 35"L x 14"W x 14"H (89cm x 36cm x 36cm)

ITEM # SIZE 13320 2600 ci (44 l) Black 13321 3800 ci (63 l) Black

ITEM # SIZE

13322 6300 ci (104 l) Black









- 600D nylon body material
- · Heavy-duty ribbed straps on top and side
- Heavy-duty #8 zippers
- · Removable shoulder strap and strap grabber
- S: 23"L x 12"W x 12"H (58cm x 30cm x 30cm)
- M: 28.5"L x 13"W x 13"H (73cm x 33cm x 33cm)
- L: 35"L x 14"W x 14"H (89cm x 36cm x 36cm)

13020 2600ci (44 I) Red 13021 3800ci (63 I) Red ITEM # SIZE 13022 6300ci (104 I) Red





- Heavy-duty padded and adjustable shoulder strap
- Reinforced stitching
- Compatible with most over the shoulder bags

ITEM # SIZE 13820 54" (137cm) Black



- 1200D polyester material
- Four main compartments, two vertical side pockets
- · Personal items pocket with headphones port
- Cushioned back padding with airflow design

COLOR

• 14"L x 8"W x 20"H (36cm x 20cm x 51cm)

13044 2240ci (37 I) Black

ITEM # SIZE

ARSENAL GEAR STORAGE:





OPEN DESIGN

half and full masks.

Open design easily fits most standard



- 1000D nylon main material
- Drawstring/Loop access with one-handed operation
- Reflective strip for better visibility
- Steel clasp to attach to bag, belt, or other gear
- ID window for user identification
- 5080L: Features brushed polyester fleece lining
- 8.5"L x 8.5"W x 11.5"H (21cm x 21cm x 29cm)

5080:

5080L:

13080 650ci (11 I) Red

13081 650ci (11 I) Red





- 1000D nylon main material
- Bottom access drops mask into user's hand
- Reflective strip for better visibility
- Steel clasp to attach to bag, belt, or other gear
- ID window for user identification
- 8.5"L x 8.5"W x 14.5"H (21cm x 21cm x 36cm)

13082 650ci (11 I) Red

5092/5093

5082

PADDED OUICK ADJUST SUSPENDERS



- 600D nylon body material
- Heavy-duty polyester webbing
- "H" back design
- Foam padded shoulder straps
- 5093: Features reflective stripes

5092:

5093: REFLECTIVE

| TEM # SIZE COLOR | 13339 30" (76cm) Red | 13340 36" (91cm) Red | 13341 42" (106cm) Red | 13342 48" (121cm) Red |

13349 30" (76cm) Red 13350 36" (91cm) Red 13351 42" (106cm) Red

5092

13352 48^a (121cm) Red





5180

HALF-MASK RESPIRATOR WAIST PACK



- 420D nylon
- Plastic buckle closure on waist strap
- Cover flap with hook and loop closure
- 7.5"L x 3.5"W x 6"H (19cm x 8cm x 15cm)

ITEM # SIZE COLOR 13180 135ci (2.2 I) Black



FULL-FACE RESPIRATOR BAG

5181

HALF-MASK RESPIRATOR BAG



- 420D nylon
- · Hook and loop allows for easy attachment
- Cover flap with hook and loop closure
- 8.5"L x 3"W x 7"H (22cm x 8cm x 18cm)

ITEM # SIZE COLOR 13182 145ci (2.4 l) Black



- 420D nylon
- Hook and loop allows for easy attachment
- Cover flap with hook and loop closure
- 10"L x 3.5"W x 6"H (25cm x 9cm x 15cm)

ITEM # SIZE COLOR 13181 190ci (3 I) Black

ORDER MULTIPLE

FULL-MASK RESPIRATOR BAG



- 420D nylon
- · Hook and loop allows for easy attachment
- Cover flap with hook and loop closure
- 9.5"L x 4"W x 12"H (24cm x 10cm x 30cm)

ITEM # SIZE COLOR 13183 300ci (5 I) Black



MOUTHBIT RESPIRATOR WAIST PACK



- 420D nylon
- Plastic buckle closure on waist strap
- Cover flap with hook and loop closure
- 5"L x 4"W x 6.5"H (13cm x 10cm x 17cm)

ITEM # SIZE COLOR 13184 100ci (1.6 l) Black





- 600D polyester
- Drawstring opening and barrel lock closure
- Webbing carry strap handle, grommeted drain hole
- Flap to protect from dust-filled environments
- 10"L x 10"W x 15"H (26cm x 26cm x 38cm)

ITEM # SIZE COLOR 13130 1,100ci (18 I) Black

ARSENAL GEAR STORAGE:

FIRE & EMS SERIES

DIFFERENTIATED BY DESIGN



Arsenal® Fire and Equipment Bags offer the size you need for all your turnout gear, tower gear, or whatever else you need to haul.



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE GEAR STORAGE AT: WWW.ERGODYNE.COM





5005

5005w



FIRE & SAFETY GEAR BAG



- 1000D polyester main material
- Tarpaulin reinforced bottom with molded feet
- 360° grab handles for hauling from any angle
- Massive side pocket and two accessory pockets
- 31"L x 16"W x 15.5"H (79cm x 41cm x 39cm)

COLOR ITEM # SIZE 13009 7688ci (126 l) Black 13008 7688ci (126 I) Red

LARGE F&R GEAR BAG



- 1000D nylon
- Heavy-duty #10 zippers
- 2" webbing handle and shoulder straps
- Grab-and-go pull strap and removable shoulder strap
- 30"L x 15"W x 15"H (76cm x 38cm x 38cm)

ITEM # SIZE COLOR 13005 6750ci (111 I) Red





- 1000D nylon
- Heavy-duty #10 zippers
- 2" webbing handle and shoulder straps
- Grab-and-go pull strap and removable shoulder strap
- 31"L x 14"W x 14"H (79cm x 36cm x 36cm)

ITEM # SIZE COLOR 13205 6076ci (100 I) Red



5005₀





LARGE F&R GEAR BAG



- 1000D polyester
- Heavy-duty #10 zippers
- 2" webbing handle and shoulder straps
- Grab-and-go pull strap and removable shoulder strap
- 30"L x 15"W x 15"H (76cm x 38cm x 38cm)

ITEM # SIZE 13305 6750ci (100 I)Red



THREE-COMPARTMENT STEP-IN GEAR BAG



- 1000D nylon
- Removable shoulder strap and strap grabber
- · Heavy-duty #10 zippers
- Maltese cross
- 29"L x 15"W x 15"H (74cm x 38cm x 38cm)

ITEM # SIZE COLOR 13060 6525ci (107 I) Red

CENTER OPENING STEP-IN GEAR BAG





- 1000D nylon
- 2" webbing handle and shoulder straps
- Heavy-duty #10 zippers
- Maltese cross
- 20"L x 18"W x 15"H (51cm x 46cm x 38cm)

COLOR ITFM # SIZE 13063 5400ci (88 I) Red

ARSENAL GEAR STORAGE:

FIRE & EMS SERIES





FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE GEAR STORAGE AT: WWW.ERGODYNE.COM





RESPONDER GEAR BAG



- 600D polyester main material
- Tarpaulin reinforced bottom with molded feet
- · Large clamshell side pockets drop down
- Top grab handles for rapid response clutch and go
- 25.5"L x 14.5"W x 10.5"H (65cm x 37cm x 27cm)

ITEM # SIZE COLOR 13447 3882ci (64 I) Blue



5215

5210

LARGE RESPONDER TRAUMA BAG



- 600D polyester w/ reinforced backing
- Adjustable internal dividers
- Reflective stripe
- Blue or Orange
- 19"L x 12"W x 8.5"H (48cm x 30cm x 22cm)

ITEM # SIZE 13437 1938ci (32 l) Blue 13438 1938ci (32 I) Orange





- 600D polyester w/ reinforced backing
- ID card window
- Reflective stripe
- Blue or Orange
- 16.5"L 10"W x 7"H (42cm x 25cm x 18cm)

ITEM # SIZE 13417 1155ci (19 I) Blue 13418 1155ci (19 I) Orange



5244



5243

5220



RESPONDER BACKPACK



- 600D polyester main material
- Tarpaulin reinforced bottom with molded feet
- Cushioned mesh padding for comfort
- Front compression straps to hold blanket, etc.
- 14.5"L x 5"W x 20"H (37cm x 13cm x 51cm)

ITEM # SIZE 13497 1450ci (24 I) Blue



RESPONDER TRAUMA BACKPACK



- 600D polyester w/ reinforced backing
- 3" padded shoulder straps w/ reflective striping
- Phone holder
- Heavy-duty carry handle
- 12"L x 7"W x 17.5"H (31cm x 18cm x 44cm)

ITEM # SIZE 13487 1470ci (24 I) Blue 13488 1470ci (24 I) Orange

RESPONDER TRAUMA BAG



- 600D polyester w/ reinforced backing
- Six division, multi-tiered mesh interior pocket
- ID card window
- Blue or Orange
- 16.5"L x 7.5"W x 10"H (42cm x 19cm x 25cm)

ITEM # SIZE COLOR 13457 1238ci (20 I) Blue 13458 1238ci (20 I) Orange

ARSENAL° GEAR STORAGE:

DIST BUCKET







wear and moisture protection for your tools.

* Note: lanyards and tools not included... Duh!























14750 Std. Black

14650 Std. Black

// PATENTED
















// PATENTED











ARSENAL® TOOL STORAGE

Forget your troubles, c'mon get organized. It's easy with Arsenal® Tool Storage. And if you notice any marsupials weeping softly to themselves, well, that's just because they know our pouch game is so, so right. Safely send and store all the knick-knacks and paddy whacks with our wide array of storage options.





5517 Premium Topped Tool Pouch



5527 Premium Topped Parts Pouch



5538 Topped Parts Pouch



5528 Topped Parts Pouch

TOOL STORAGE // BELT & ACCESSORY **SERIES**



5561 Small Tool Holster



5562 Hammer Holster



5563 Power Tool Holster



5564 Water Bottle Holster

TOOL STORAGE // BELT & ACCESSORY **SERIES**



5548 Electrician's Tool Pouch



5522 16-Pocket Tool Pouch



5532 11-Pocket Fastener Pouch



5567 Utility Knife Holder

TOOL STORAGE // BAG & ORGANIZER **SERIES**



5815 Large Open Face Tool Bag



5817 Medium Open Face Tool Bag



5808 Long Widemouth Tool Bag



5802 Medium Widemouth Tool Bag

TOOL STORAGE // BAG & ORGANIZER **SERIES**



5888 Cable Organizer



5870 Tool Roll-Up



5782 Wrench Roll-Up













5728 Topped Bolt Bag



5518 Topped Tool Pouch



5516 Topped Tool Pouch



5550 3-inch Padded Work Belt



5555 5-inch Padded Work Belt



5560 Tool Belt Suspenders



5700 16-Pocket Apron



5706 13-Pocket Waist Apron



5500 28-Pocket Synthetic Rig



5506S Installer Rig



5804 Small Widemouth Tool Bag



5843 Tool Backpack



5840 Electrician Tool Bag



5810 Open Top Tool Bag

















• 7.5"L x 7.5"W x 12"H (19cm x 19cm x 30cm)

COLOR

Orange

SIZE

13638 —











5563



- 1680D ballistic polyester
- Holds channel locks, pliers, and wrenches
- Two D-rings for tool lanyard attachment
- Straps designed for quick attachment and removal
- 4.5"L x 2.5"W x 8.5"H (11cm x 6cm x 22cm)



HAMMER HOLSTER



- 1680D ballistic polyester
- Holds standard hammers and sledges
- Two D-rings for tool lanyard attachment
- Straps designed for quick attachment and removal
- 6"L x 3"W x 8"H (15cm x 8cm x 20cm)

13564	_	Grav	
ITEM #	SIZE	COLOR	

POWER TOOL HOLSTER



- 1680D ballistic polyester
- Holds cordless power drills and impact drivers
- Two D-rings for tool lanyard attachment
- Straps designed for quick attachment and removal
- 8"L x 2.5"W x 12"H (20cm x 6cm x 30cm)

ITEM # SIZE COLOR 13563









5564



TOPPED TOOL POUCH - STRAP DESIGN



- 16 pockets for tools and fasteners
- Top cover flap with buckle closure
- Three nickel-plated D-rings
- Strap designed for quick attachment and removal
- 11"L x 4.5"W x 11"H (28cm x 11cm x 28cm)

ITEM # SIZE COLOR 13640 — Gray



TOPPED TOOL POUCH - LOOP DESIGN



- 19 pockets for tools and fasteners
- Top cover flap with hook and loop closure
- Three nickel-plated D-rings
- Belt loop on back attaches to tool belts
- 11"L x 4.5"W x 11"H (28cm x 11cm x 28cm)

ITEM # SIZE COLOR 13642 —

WATER BOTTLE HOLSTER



- 1680D ballistic polyester
- Fits Chill-Its® 5151 Wide Mouth Water Bottle
- Two D-rings for tool lanyard attachment
- Straps designed for quick attachment and removal
- 4"L x 3"W x 9"H (10cm x 8cm x 23cm)

ITEM # SIZE COLOR





3" TOOL BELT



- Thick, vented foam padding for comfort
- Nickel-plated 2" double tongue metal roller buckle
- Nickel-plated grommets set firmly for durability
- Nickel-plated suspender anchors

ITEM #	SIZE	COLOR
13653	L	Black
13654	XL	Black
13655	2XL	Black



5555 ORDER MULTIPLE

5" TOOL BELT



- Thick, vented foam padding for comfort
- Nickel-plated 2" double tongue metal roller buckle
- Nickel-plated grommets set firmly for durability
- Nickel-plated suspender anchors

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
13656	М	Black	13658	XL	Black
13657	L	Black	13659	2XL	Black



5560





- Thick, vented foam padding for comfort
- Gel at key ride points for optimal comfort
- Quick adjust suspender style
- Nickel-plated, spring-loaded, pivoting clips
- · Cell phone holder

ITEM #	SIZE	COLOR
13665	_	Gray







5522

5532

ORDER MULTIPLE

ELECTRICIANS' TOOL POUCH



- Two large main pockets
- Five smaller pockets
- Six large screwdriver slots
- Electrical tape chain and tool spring clip
- 9.5"L x 3.5"W x 12.5"H (33cm x 6cm x 32cm)

ITEM # SIZE COLOR

13648 — Gray

FRAMER/BUILDER TOOL POUCH



- Four main pockets for fasteners and tools
- 12 smaller pockets and tool holders
- Nickel-plated hardware and angled hammer loop
- Detachable tape measure pocket
- 11"L x 5.5"W x 14"H (28cm x 14cm x 36cm)

13622	_	Grav	
ITEM #	SIZE	COLOR	

FRAMER/BUILDER FASTENER POUCH



- Four main pockets for fasteners and tools
- Seven smaller pockets and tool holders
- Nickel-plated hardware and tape measure clip
- Abrasion-resistant bases with Storm Drains[™]
- 10"L x 4"W x 14"H (25cm x 10cm x 35cm)

ITEM # SIZE COLOR



5567

5700

DER LTIPLE



5706



UTILITY KNIFE HOLDER



- Fits most utility knife designs
- PE-reinforced opening
- Stainless steel belt clip
- Two exterior pen/marker slots
- 2"L x 1"W x 9"H (5cm x 3cm x 23cm)

ITEM # SIZE COLOR

13667 — Gray

16-POCKET APRON



- 14oz 100% cotton duck with reflective trim
- 16-pocket apron features 3-compartment pocket
- Five pockets for larger tools & cell phone
- Eight pockets for pens, pencils, and small tools
- Dual hammer loops

13690		Grav	
ITEM #	SIZE	COLOR	

13-POCKET APRON



- 14oz 100% cotton duck with reflective trim
- 13-pocket waist apron
- Five pockets for larger tools & cell phone
- Eight pockets for pens, pencils, and small tools
- Dual hammer loops

13695		Grav	
ITEM #	SIZE	COLOR	



FRAMER/BUILDER TOOL BELT









- 5" padded base layer tool belt (5555)
- 16-pocket tool pouch (5522)
- Padded suspenders sold separately (5560)
- 11 pocket fastener pouch (5532)
- Nickel-plated hammer holder

ITEM #	SIZE	COLOR
13601	L	Gray
13602	XL	Gray

FRAMER/BUILDER TOOL BELT

* Note: tools and supplies not included... Duh!









- 5" padded base layer tool belt (5555)
- Abrasion-resistant reinforced pouch bases
- Padded suspenders sold separately (5560)
- Tape holder large (5571)
- Nickel-plated hammer holder

ITEM #	SIZE	COLOR
13615	L	Gray
13616	XL	Gray


INSTALLER/DRILL HOLDER TOOL RIG WITH SUSPENDERS





5506s





- Aerial tool pouch with safety top (5518)
- Reinforced bindings, semi-rigid
- Ambidextrous drill holder pouch
- · Padded, quick-adjust suspenders included

ITEM #	SIZE	COLOR	
13612	L	Gray	
13613	XL	Gray	





FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE TOOL STORAGE AT: WWW.ERGODYNE.COM

ARSENAL TOOL STORAGE:

BAG & ORGANIZER SERIES

DIFFERENTIATED BY DESIGN

VARIETY OF POCKETS

A large variety of pockets and slots accommodate a wide variety of tools for all kinds of workers.

HEAVY-DUTY ZIPPERS

Heavy-duty zippers deliver superb performance and quality.

D-RINGS FOR ATTACHMENT OF TOOL LANYARD

D-rings on the interior and exterior for easy tool lanyard attachment for all at heights and FME/FOD applications.



DURABLE FABRICS



5843



5815

5817



5810

ORDER MULTIPLE

OPEN FACE TOOL ORGANIZER - LARGE



- 61 pockets: ultimate in tool organization
- Molded-rubber base
- Detachable phone holder and parts organizer
- Nickel-plated hardware
- 18"L x 11"W x 15"H (46cm x 28cm x 38cm)

ITEM #	SIZE	COLOR
13715	L	Gray

OPEN FACE TOOL ORGANIZER - MEDIUM



- 44 pockets: ultimate in tool organization
- Molded-rubber base
- Detachable phone holder and parts organizer
- Nickel-plated hardware
- 15"L x 8.5"W x 13.5"H (38cm x 22cm x 34cm)

ITEM #	SIZE	COLOR
13717	М	Gray

OPEN TOP TOOL ORGANIZER



- 30 pockets: 21 exterior, 9 interior
- Molded-rubber base
- Outside tape loop
- Nickel-plated hardware
- 13"L x 7"W x 9.5"H (33cm x 18cm x 24cm)

13710	_	Grav	
TEM #	SIZE	COLOR	





WIDEMOUTH TOOL ORGANIZER - LONG

5808



- 28 pockets: 12 exterior, 16 interior
- Molded-rubber base
- Detachable phone holder and parts organizer
- Nickel-plated hardware
- 24"L x 10"W x 13"H (61cm x 25cm x 33cm)

13708	1	Grav	
ITEM #	SIZE	COLOR	



5802

5804

WIDEMOUTH TOOL ORGANIZER - MEDIUM



- 28 pockets: 14 exterior, 14 interior
- Molded-rubber base
- Detachable phone holder and parts organizer
- Nickel-plated hardware
- 14.5"L x 8.5"W x 11"H (37cm x 22cm x 28cm)

ITEM #	SIZE	COLOR
13702	M	Gray

WIDEMOUTH TOOL ORGANIZER - SMALL



- 27 pockets: 10 exterior, 17 interior
- Molded-rubber base
- Detachable phone holder and parts organizer
- Nickel-plated hardware
- 13.5"L X 7.5"W X 11"H (34cm x 19cm x 28cm)

ITEM #	SIZE	COLOR	



TOOL BACKPACK



- 26 interior pockets and 7 exterior pockets
- Tall tool holster on side panel
- Padded shoulder straps for increased comfort
- Reinforced comfort padding on the back
- 13.5"L x 8.5"W x 18"H (34cm x 22cm x 61cm)

SIZE COLOR 13743 Black

ELECTRICIANS' TOOL ORGANIZER



- 48 pockets and holders
- Four molded ABS plastic bases
- Bio-curved padded shoulder strap and carry handle
- Nickel-plated hardware
- 11"L x 9"W x 9"W (28cm x 23cm x 23cm)

ITEM #	SIZE	COLOR
13740	_	Gray

REPLACEMENT GEAR/TOOL BAG SHOULDER STRAP



- Heavy-duty padded and adjustable shoulder strap
- Reinforced stitching
- Compatible with most over the shoulder bags

ITEM #	SIZE	COLOR
13820	54" (137cm)	Black





5872

5888

TOOL ROLL-UP



- 25 pockets for various tools
- Socket pockets holds 3/8" or 1/4" sockets
- · Carry handle for easy transport
- Buckle closure
- 27"L x 14.5"H (69cm x 37cm)



WRENCH ROLL-UP



- 14 graduated tool slots fit most wrench sets
- Fold, roll, and tie for easy transport
- Fits 3/8"-1 1/4" or 6mm-32mm wrenches
- Nickel-plated grommets for hanging
- 26"L x 22"H (67cm x 56cm)

13772	_	Grav	Ī
ITEM #	SIZE	COLOR	

CABLE ORGANIZER



- 1680D ballistic polyester
- · Keeps jumper cables or cords stowed
- Exterior pocket for maps, gauges, etc.
- Rugged dual webbing handles
- 13.5"L x 3.5"H (34cm x 9cm)

12700		Gray	ī
ITEM #	SIZE	COLOR	







unscripted • unbiased • unabashed

TESTER: BRETT CANTRELL

PRODUCT: 5870

"This is one tenacious tool roll! Found the inside to be water repellent. The dividers for the tool roll are all reinforced at the entry points to add to the longevity of the roll. Love that the interior is a light grey to help in tool identification, as some of the tools I use are mostly black."

ONE WORD REVIEW: LONGEVITY

CANVAS TOOL ROLL-UP



- 16oz canvas
- 16 interior pockets
- Carry handle for easy transport
- Socket pockets holds 3/8" or 1/4" sockets
- 22"L x 14.5"H (56cm x 37cm)

COLOR ITEM # SIZE 14480 — White



CANVAS WRENCH ROLL-UP



- 16oz canvas
- 14 graduated tool slots fit most wrench sets
- Nickel-plated grommets for hanging
- Heavy-gauge nylon stitching
- 26.5"L x 16.5"W (67.5cm x 42cm)

ITEM # SIZE COLOR 14482 — White





BUDDIES ORGANIZER - SMALL



- Clamshell two-pocket open design
- Screened mesh material for visibility
- ID pocket for business cards or labels
- Color coded for easily distinguishing contents
- 7.5"L x 4.5"W x 3"H (19cm x 12cm x 8cm)

ITEM #	SIZE	COLOR
13220	S	Black
13222	S	Blue
13223	S	Red
13226	S	Orange

ITEM #	SIZE	COLOR
13224	S	Green
13225	S	Yellow
13876	S	4-Piece Kit
(Red, Yel	low, Gr	een, Blue)



5875 RDE MULTIP



- Clamshell two-pocket open design
- Screened mesh material for visibility
- ID pocket for business cards or labels
- Color coded for easily distinguishing contents
- 10"L x 4.5"W x 3.5"H (25cm x 12cm x 9cm)

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
13210	L	Black	13214	L	Green
13212	L	Blue	13215	L	Yellow
13213	L	Red	13875	L	4-Piece k
13216	L	Orange	(Red, Ye	llow, Gr	een, Blue)

THE TENACIOUS NATION NEEDS YOU. ENLIST NOW.

Four out of five denizens of the Danger Zoneapproved. Here, testing the performance of our products is mission critical. So we're enlisting the services of pros like you to give our stuff a run for its money. Once beaten and mashed, we want the straight dope, so we can improve and continue to deliver the best work gear there is. Give us the truth —we can handle it.

Wanna join the corps? We call 'em Tenacious Testers[™]. Our exclusive field-testing program specifically designed for those who are grinding it out in the trenches each day (desk jockeys and merchandise slingers need not apply). If accepted into our elite and limited tenacious ranks, you'll receive product to test - but this ain't no free lunch. When you've completed your mission to test and torment our gear without mercy, we expect - nay, demand - a full debriefing of product reviews, photos and video that you'll share on our website. The better you are, the higher you'll fly in the ranks for the initiated. No glass ceilings here. Just a very special opportunity for you to reach the elite ranks and get your opinions, videos, photos, and personage posted, toasted, and respected online and out on the battlefield you call the workzone. Make us proud. Enlist now at www.ergodyne.com.

















Chill-Its

- >> COOLING PRODUCTS
- >> HYDRATION

TREX

>> ICE TRACTION DEVICES

- >> POP-UP TENTS
- >> UMBRELLAS
- >> ACCESSORIES

N-FERNO°

- >> WARMING PRODUCTS
- >> ACCESSORIES





CHILL-ITS COOLING PRODUCTS

Our Chill-Its® Cooling Products are cold as ice and you better believe they're willing to sacrifice for your comfort. These babies aren't just a speed bump on the Highway to Hell, either. They're designed to give heat-related illness the cold shoulder and keep your mercury levels just the way you want them. Vests, bandanas, hydration vests, and more. If it cools you down, we're ready to order it up.





















6705CT H&L Bandana w/Towel

6710CT Triangle Hat w/ Towel

6715CT Hard Hat Pad w/ Towel









6700CT Tie Bandana w/ Towel

6700 Tie Bandana w/ Polymers

6705 H&L Bandana w/ Polymers

6710 Triangle Hat w/ Polymers

6715/6716 Hard Hat w/ Polymers









6717FR HH Neck Shade w/ Polymers 6685 Dry Evaporative Vest

6665 Wet Evaporative Vest

6686 Dry Evaporative Cap











6660 Hard Hat Brim w/ Shade

6500/6550 Terry Elastic Band

6609 Hard Hat Terry Sweatband

6485 Multi-band

6486 Flame Resistant Multi-band

COOLING PRODUCTS
// HYDRATION SERIES









5155HV Hi-Vis Low-Profile Hydration 5158 Hydration Pack Pressure Pump

THE ANATOMY OF CHILL FACTOR X.

COOLING TECHNOLOGY

Using absorbent acrylic polymers, hyper-evaporative PVA, or microfiber material — these products activate easily and quickly to provide a cooling sensation.

SUN PROTECTION

Several Chill-Its® products provide a barrier between you and harmful UV rays.

CONSTRUCTION

Absorbent materials provide super-evaporative cooling for hours by wicking moisture away from the body.



FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE COOLING PRODUCTS AT: WWW.ERGODYNE.COM

THREE DIFFERENT TECHNOLOGIES. ONE PURPOSE: KOOLIN' THE GANG.

Heat and humidity sap worker productivity. Which is why the Evaporative Series works harder than a sled dog to provide up to 4 hours of consistent cooling relief. The secret? Three different hi-tech cooling technologies: a hyper-evaporative Microfiber fabric, space age polymer cooling crystals, and an advanced PVA material that holds water without feeling heavy. Let's face it, if there was a globally recognized Bandana Towel Technology University, Chill-Its® would have graduated Magna Cool Laude with honors.



SWEET COOLING RELIEF FOR YOUR INNER GREENIE.



MICROFIBER COOLING TOWEL (MF):

Our new chemical-free, non-toxic, cooling powerhouse. Microfiber technology activates instantly when wet, whether that be water or perspiration, and wicks moisture away from the body. Soft and absorbent when dry, and when wet provides sustained cooling for hours on end.



CALL IT COOL. JUST DON'T CALL IT A CHAMOIS.



PVA COOLING TOWEL (CT):

A hyper-evaporative material that's the latest in cooling innovation, this Poly Vinyl Acetal (PVA) material retains water while remaining dry to the touch to provide sweet cooling relief on those sweltering days. Flat Earth-Society approved.



THEY PLUMP WHEN YOU CHILL 'EM!



ACRYLIC POLYMER CRYSTALS:

When soaked in cold water, these non-toxic, superabsorbent acrylic polymers expand and absorb just enough water to create a love potion #9 sensation for up to four hours. If sweet cooling sensation lasts more than four hours, please consult a physician. ©



COOLING TOWEL COLORS: *Note: all colors not necessarily available in all styles. See specific product for listing.







※ ▲)(**⊝**(



TIE BANDANA W/ MICROFIBER



- Microfiber material is soft and absorbent
- Super-evaporative, feels cooler than ambient air
- Re-usable, just rewet to reactivate
- UPF 50+ for protection against harmful UV rays
- Tie closure
- · 2-sided color

12347	_	Blue	
ITEM #	SIZE	COLOR	

HOOK & LOOP BANDANA W/ MICROFIBER



- Microfiber material is soft and absorbent
- Super-evaporative, feels cooler than ambient air
- Re-usable, just rewet to reactivate
- UPF 50+ for protection against harmful UV rays
- · Breakaway hook and loop closure
- · 2-sided color

12357	_	Blue
ITEM #	SIZE	COLOR

TRIANGLE HAT W/ MICROFIBER



- Microfiber material is soft and absorbent
- Super-evaporative, feels cooler than ambient air
- Re-usable, just rewet to reactivate
- UPF 50+ for protection against harmful UV rays
- Tie closure
- 2-sided color

12367 Rlue





- Microfiber material is soft and absorbent
- · Super-evaporative, feels cooler than ambient air
- Size: 9.8" x 40.9" (25cm x 104cm)
- UPF 50+ for protection against harmful UV rays
- 2-sided color, gray on reverse for all colors

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR	
12660	_	Blue	12661		Orange	
12662	_	Pink	12668	_	Gray	
12669	_	HV Lime				





- · Microfiber material lines the inside hat rim
- · Super-evaporative, feels cooler than ambient air
- Easily activated by running microfiber under water
- 150D oxford polyester
- ANSI-compliant tape with contrasting color

ITEM #	SIZE	COLOR
12593	S/M	HV Lime
12595	L/XL	HV Lime



unscripted • unbiased • unabashed

TESTER: JOSH NELSON

PRODUCT: 6602MF

"As someone who works outdoors (and sweats a lot!), this microfiber cooling towel is a must-have on the job. It cools me off, but isn't too heavy and is easy to clean."

ONE WORD REVIEW: MUST-HAVE

PORATIVE

DIFFERENTIATED BY DESIGN

COOLING TECHNOLOGY

Using absorbent acrylic polymers, hyper-evaporative PVA, or microfiber material - these products activate easily and quickly to provide a cooling sensation.







HOOK & LOOP COOLING BANDANA WITH TOWEL



- Advanced PVA material activates easily and quickly
- Re-usable, just rewet to reactivate
- Super-evaporative cooling process keeps you cool
- Breakaway hook and loop closure
- · Rinse before use

ITEM # SIZE	COLOR	- 1	TEM #	SIZE	COLOR
12571 —	Stars & Stripes	-	12577	_	Solid Blue
12573 —	Red Western		12572	_	Camo
12574 —	Navy Western	:	12578	_	Flames
12576 —	HV Lime		12579	_	Skulls



COOLING TRIANGLE HAT WITH TOWEL



- Advanced PVA material activates easily and quickly
- Re-usable, just rewet to reactivate
- Super-evaporative cooling process keeps you cool
- Tie closure
- Rinse before use

ITEM # SIZ	ZE COLOR	ITEM # SIZE COLOR
12581 -	 Stars & Stripes 	12587 — Solid Blue
12583 -	 Red Western 	12582 — Camo
12584 -	 Navy Western 	12588 — Flames
12586 -	 HV Lime 	12589 — Skulls

// PATENTED

COOLING TOWEL HARD HAT PAD



- Advanced PVA material activates easily and quickly
- Hook and loop closures
- Conveniently attaches to hard hat suspension
- Re-usable, just rewet to reactivate
- Rinse before use

ITEM #	SIZE	COLOR	

















6705

HOOK & LOOP COOLING BANDANA

6710

COOLING TRIANGLE HAT



- Triangle hat tie closure
- Soak in cold water 2-5 minutes to activate
- Remains cool for up to 4 hours
- · Re-usable, just rewet to reactivate

ITEM # SIZE COLOR

12323 — Stars & Stripes

12327 — Solid B

12327 — Solid Blue

12323 — Stars & Stripes 12324 — Camouflage 12325 — Red Western

12326 — Navy Western

12331 — HV Lime 12328 — Flames 12359 — Skulls

•••••

COOLING BANDANA



- Bandana/headband tie closure
- Soak in cold water 2-5 minutes to activate
- Remains cool for up to 4 hours
- Re-usable, just rewet to reactivate

ITEM #	SIZE	COLOR
12303	_	Stars & Stripes
12304	_	Camouflage
12305	_	Red Western

12301 — HV Lime

ITEM # SIZE COLOR

12306 — Navy Western 12307 — Solid Blue

12341 — Flames 12329 — Skulls ITEM # SIZE COLOR

12313 — Stars & Stripes 12314 — Camouflage 12315 — Red Western

12316 — Navy Western

Hook and loop closure

• Remains cool for up to 4 hours

· Re-usable, just rewet to reactivate

• Soak in cold water 2-5 minutes to activate

12321 — HV Lime 12311 — Flames 12349 — Skulls

ITEM # SIZE COLOR

12317 — Solid Blue



6715



6716



COOLING HARD HAT LINER



- Lightweight, cooling acrylic polymers
- Hook and loop closures
- Conveniently attaches to hard hat suspension
- Soak in cold water 2-5 minutes to activate
- Remains cool for up to 4 hours

ITEM # SIZE COLOR

12338 — Blue





- Lightweight, cooling acrylic polymers
- Hook and loop closures
- Conveniently attaches to hard hat suspension
- Soak in cold water 2-5 minutes to activate
- Remains cool for up to 4 hours

EM# SIZE COLOR

12337 — Blue



0/1/



COOL HARD HAT PAD WITH NECK SHADE



- · Lightweight, cooling acrylic polymers
- Hook and loop closures
- Protects neck from harmful UV rays
- Conveniently attaches to hard hat suspension
- Soak in cold water 2-5 minutes to activate

ITEM # SIZE COLOR 12336 — Blue



CHILL-ITS® COLORS & PATTERNS:

*Note: all colors not necessarily available in all styles. See specific product for listing.



Red Western











Hi-Vis Lime



NFPA 70E CAT 1

· Modacrylic cotton blend FR fabric


- Fabric meets ASTM F1506 performance requirements
- Soak in cold water 2-5 minutes to activate
- Bandana/headband tie closure

ITEM #	SIZE	COLOR
12601	_	Hi-Vis Lime
12607	_	Solid Blue

FR COOLING BANDANA



6700_{FR}



#	SIZE	COLOR
01	_	Hi-Vis Lime
07	_	Solid Blue





*Note: all colors not necessarily available in all styles. See specific product for listing.



Stars & Stripes





Red Western







NFPA 70E CAT 1 ATPV 7.1cal/ch

FR COOLING TRIANGLE HAT



Be Tenacious




Skulls



Navy

- · Modacrylic cotton blend FR fabric
- Fabric meets ASTM F1506 performance requirements
- Soak in cold water 2-5 minutes to activate
- Triangle Hat

ITEM #	SIZE	COLOR
12621	_	Hi-Vis Lime
12627	_	Solid Blue



COLOR

Blue

SIZE

12657

PORATIVE

DIFFERENTIATED BY DESIGN

CONSTRUCTION

Lightweight, durable material ensures a comfortable fit all day.

DESIGN

Vest features hi-visibility fabric, YKK zippers, and mesh panels for additional comfort and stretch.

COOLING TECHNOLOGY

Patented dry evaporative cooling technology activates easily with water - no refrigeration, gels, or chemicals required. Capacity to cool up to 15° below ambient air temperatures.





6686



6665

DRY EVAPORATIVE COOLING VEST



- Provides immediate and long lasting cooling
- Up to 3 days of cooling ability
- Activate with 13-20oz (400-600ml) water
- Lightweight, durable, and machine washable
- Easy to use, watertight filling cap

,	,		0 1		
ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
12673	M	HV Lime	12676	2XL	HV Lime
12674	L	HV Lime	12677	3XL	HV Lime
12675	XL	HV Lime	12678	4XL	HV Lime

DRY EVAPORATIVE COOLING CAP

- Provides immediate and long lasting cooling
- Up to 3 days of dry cooling
- Activate using 3oz of water
- Lightweight, durable, and machine washable
- Easy to use, watertight filling cap

12680		HV Lime
ITEM #	SIZE	COLOR

EVAPORATIVE COOLING VEST




- Activated, super-absorbent material inside
- Water-repellent liner
- · Lightweight, durable, and washable
- Soak in cold water 2-5 minutes to activate
- · Remains cool for up to 4 hours

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR	
12533	М	HV Lime	12543	М	Gray	
12534	L	HV Lime	12544	L	Gray	
12535	XL	HV Lime	12545	XL	Gray	
12536	2XL	HV Lime	12546	2XL	Gray	
12537	3XL	HV Lime	12547	3XL	Gray	

// PATENTED



BEHIND THE TECHNOLOGY



DRY EVAPORATIVE TECHNOLOGY EXPLAINED...

HOW DOES THE 6685 DRY EVAPORATIVE TECHNOLOGY WORK? To activate the vest, open the back cap and fill with 160z - 20oz (400ML - 600ML) of fresh water. Distribute the water evenly from the back to the front of the vest. The vest's technology gradually releases water through evaporation to keep you cool, dry, and comfortable.

HOW COOL WILL THE VEST GET? Depending on outside temperature and humidity, the vest will cool up to 15 degrees below the ambient temperature. High humidity of 60% - 80% may reduce the cooling ability.

WHAT CAN I EXPECT FROM THE 6685 DRY EVAPORATIVE COOLING VEST? The cooling effect is based on the principles of evaporation. A lower humidity and a high airflow mean a better cooling performance. Please familiarize yourself with the local humidity and environment to better predict performance.

After wearing the vest for a period of time, the body will adapt to the cooler temperature. The vest may no longer feel as cool, however the vest is still cooling. You can compare this with the sensation of swimming in a pool. In the beginning, the water feels cool, after awhile the body will adjust to the temperature — but cooling is still taking place.

HOW MUCH WATER IS NEEDED? Enough water to saturate the membrane on the inside of the vest. Excess water can be drained through the cap, if desired. Depending on size, 16oz - 20oz (400ML - 600ML) of fresh water is needed to activate the vest.

HOW LONG DOES THE COOLING EFFECT LAST? Cooling effect can last up to 3 days.

HOW TIGHT SHOULD THE GARMENT FIT? A close fit will help you feel the cooling effect. We recommend a lightweight T-shirt underneath.

CAN THE GARMENT BE WORN UNDERNEATH OTHER GARMENTS? Yes it can, but the vest needs enough airflow to be able to evaporate the water. For example, a mesh vest will provide enough airflow for the vest to function properly, while a heavy coverall would not.

DO I NEED TO CLEAN THE INSIDE OF THE VEST? No, the membrane on the inside of the vest is treated with an antimicrobial treatment that will prevent bacteria, fungi, and other contaminations. We recommend keeping the cap closed at all times.

CAN I WASH THE PRODUCT? Yes, with the cap closed. See washing instructions on the inside of the vest.



SORPTIVE

DIFFERENTIATED BY DESIGN



Elastic band components keep absorbent materials next to skin for an effective, secure fit.

HIGH-PERFORMANCE DEW RAG

Keeps perspiration out of eyes and away from hands for clearer vision and safer grips.









HIGH-PERFORMANCE SKULL CAP



- Hi Cool® moisture management performance fabric
- Comfortable to wear under hats, helmets, or alone
- · Absorbent terry headband
- Elastic band for a great fit
- Machine washable

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
12476	_	HV Lime	12480	_	Navy Western
12477	_	Stars & Stripes	12481	_	Solid Blue
12478	_	Camouflage	12485	_	Flames
12479	_	Red Western	12519	_	Skulls

- Hi Cool® moisture management performance fabric • Comfortable to wear under hats, helmets, or alone
- · Wide, absorbent terrycloth band
- One size fits most
- Machine washable

maomino	TT GOTT GOTT			
ITEM # SIZE	COLOR	ITEM #	SIZE	COLOR
12505 —	HV Lime	12509	_	Navy Western
12506 —	Stars & Stripes	12510	_	Solid Blue
12507 —	Camouflage	12514	_	Flames
12508 —	Red Western	12529	_	Skulls





HIGH-PERFORMANCE HEADBAND



- Hi Cool® moisture management performance fabric
- · Absorbent terry headband
- · Elasticized back for a great fit
- One size fits most
- Machine washable

maommo i	radiiabid		
ITEM # SIZE	COLOR	ITEM # SIZI	COLOR
12421 —	Stars & Stripes	12425 -	 Solid Blue
12422 —	Camouflage	12429 -	- Flames
12423 —	Red Western	12431 -	- HV Lime
12424 —	Navy Western	12489 -	- Skulls









MAKE IT CUSTOM!



CUSTOM MULTI-BANDS

// PATENTED

Whether you are selling Multi-Bands or just handing them out like candy at a parade, adding a custom company logo or special pattern can increase brand awareness and convey whatever message your company, event, or promotion wants to deliver.

It's as easy as picking a particular print from our library or providing one of your own.* Quantities start at just six pieces and the process takes just one to three weeks to complete.

Questions about our customer logoing program? Call Ergodyne Customer Support today to get answers and make your mark.

* Additional charges may apply for custom artwork.





FR MULTI-BAND



NFPA 70E CAT 1



- Inherently FR Nomex® knit fabric
- Meets requirements of ASTM F1506
- Classified CAT 1 according to NFPA 70E
- Anti-stink treatment helps workers remain unscented
- Multi-climate usage
- Stretchable, comfortable, and seam-free

ITEM # SIZE COLOR 42201





MULTI-BAND



- Multiple style and usage configurations
- Moisture management performance fabric dries fast
- · Anti-stink treatment helps workers remain unscented
- Stretchable, comfortable, and seam-free
- · Blocks wind, sun, and dust

ITEM #	SIZE	COLOR	ITE
42103	_	Stars & Stripes	42
42105	_	Red Western	42
42106	_	Navy Western	42
42108	_	HV Lime	

ITEM #	SIZE	COLOR
42111	_	Flames
42112	_	Skulls
42119	_	Be Tenacious



ASE CHANGE

DIFFERENTIATED BY DESIGN

FLAME RESISTANT

Optional models with inherent modacrylic fabric meets ASTM F1506 performance requirements; classified CAT 1 per NFPA 70E.

PHASE CHANGE MATERIAL

Non-toxic, non-carcinogenic dielectric substance maintains a constant 64° F // 18° C temperature.

ADJUSTABLE FIT

Elastic straps and hook and loop closures let workers adjust the fit for optimal comfort.



HI-VISIBILITY

AND cool comfort.

Optional models with ANSI-certified fabric and retro reflective tape offer conspicuity

6215HV



PREMIUM PHASE CHANGE VEST



NFPA 70E CAT 1



- Maintains constant 64°F / 18°C
- Cooling lifecycle lasts up to four hours
- Modacrylic cotton blend FR fabric
- Extended vest surface area enhances cooling power
- Fabric meets ASTM F1506 per NFPA 70E (CAT 1)

VEST+PACKS VEST ONLY ITEM # SIZE COLOR ITEM # SIZE COLOR 12200 S/M Khaki 12203 S/M Khaki 12210 L/XL 12204 L/XL Khaki Khaki







- Maintains constant 64°F / 18°C
- Cooling lifecycle lasts up to four hours
- Modacrylic cotton blend FR fabric
- Extended vest surface area enhances cooling power
- Fabric meets ASTM F1506 per NFPA 70E (CAT 1)

VEST+PACKS VEST ONLY

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
12220	S/M	HV Orange	12205	S/M	HV Orange
12221	L/XL	HV Orange	12206	L/XL	HV Orange



STANDARD PHASE CHANGE VEST



- Maintains constant 64°F / 18°C
- Cooling lifecycle lasts up to four hours
- Comfortable cotton construction
- Extended vest surface area enhances cooling power
- Non-toxic, non carcinogenic, dielectric substance

VEST+PACKS

ITEM # SIZE COLOR 12000 S/M Khaki 12010 L/XL Khaki **VEST ONLY** ITEM # SIZE COLOR 12003 S/M Khaki

Khaki

12004 L/XL



PHASE CHANGE TECHNOLOGY



ACTIVATED CHARGE PACK

WHAT IS THIS THING, ANYWAY?

UP CLOSE & PERSONAL WITH THE PHASE CHANGE VEST:

- KEEPS WORKERS COOL + PRODUCTIVE.
- 64°F // 18°C ONLY. NO MORE. NO LESS. LASTS FOR UP TO 4 HOURS REGARDLESS OF OUTSIDE TEMP.
- FR PROTECTION ON PREMIUM MODELS.
- UNLIKE EVAPORATIVE PRODUCTS, THERE IS NO AIRFLOW REQUIRED FOR COOLING!
- IDEAL FOR EXTREME HEAT APPLICATIONS: FOUNDRIES. GLASS MANUFACTURING. PAPER AND PULP.











6220

ORDER MULTIPLE

REPLACEMENT CHARGE PACKS



- Maintains constant 64°F / 18°C
- Cooling lifecycle lasts up to four hours
- Honeycomb design for increased flexibility

ITEM #	SIZE	COLOR
12201	S/M	Clear
12202	L/XL	Clear

// PATENTED

HYDRATION SERIES

DIFFERENTIATED BY DESIGN



Dual cap bladder for easy refilling and ice cube loading. Zip-up cover keeps out debris and contaminants. Get hydrated faster! Shower yourself with cooling goodness.





PREMIUM CARGO HYDRATION PACK



- Durable 600D water-resistant rip stop polyester
- Vented straps and back for maximum breathability
- 8mm EVA foam padding on shoulder straps
- 5 zippered compartments, D-rings, and webbing
- 100% anti-microbial bite valve with cover to protect

ITEM #	SIZE	COLOR
13163	3L	Black
13164	3L	HV Lime
13059	3L	Bladder





5156

PREMIUM LOW PROFILE HYDRATION PACK



- Durable 600D water-resistant rip stop polyester
- · Vented straps and back for maximum breathability
- 8mm EVA foam padding on shoulder straps
- Zippered compartment, D-rings, and webbing
- . Insulated pack and tube keeps water cool

ITEM #	SIZE	COLOR
13161	3L	Black
13162	3L	HV Lime
13059	3L	Bladder









LOW PROFILE HYDRATION PACK



- Durable 600D water-resistant rip stop polyester
- Insulated pack and tube keeps water cool
- 100% anti-microbial bite valve with cover
- Breakaway shoulder straps for additional safety
- Hi-vis options for added visibility

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
13155	2L	Black	13156	2L	HV Lime
13057	2L	Bladder	13157	2L	HV Orange

HYDRATION PACK PRESSURE PUMP



- FDA approved food grade silicone body
- Elastic strap for secure fit
- · Valve cover keeps debris off bulb tip
- Fits with all Chill-Its® Hydration Packs

13158 Blue

HYDRATION PACK BLADDER CLEANING KIT



- Compatable with any Chill-Its® bladder
- Drying rack to air dry bladder
- Bladder cleaning brush
- Delivery system cleaning brush

COLOR 13159 N/A



PLASTIC WIDE MOUTH WATER BOTTLE



- Impact-resistant tritan copolyester plastic
- Odor resistant, durability to high heat and humidity
- Wide mouth to easily fit ice cubes
- BPA free, Dishwasher safe
- Compatible with Arsenal® 5564

ITEM #	SIZE	COLOR
13151	1L	Orange
13152	1L	Gray
13153	1L	Lime







SHAX° WORK SHELTERS

Every now and then the elements range from inclement to apocalyptic. So if you find yourself caught short out in the wild, we give you SHAX® Work Shelters. These beauties provide a safe haven when the sun bakes, skies pour, and the wind howls. UV-blocking, PU-coated, and equipped with a roller bag, these mobile and easy to set up shelters are your go-to for relief from the wrath of the Great Outdoors.





SHAX° WORK SHELTERS:

DIFFERENTIATED BY DESIGN

CANOPY

UV coating to block sun's rays and a PU coating to protect from the harshest elements. Double vented canopy for ventilation and easy airflow.

REFLECTIVE AND REINFORCED

Reflective accents make for great visibility during low light hours and reinforced corners provide additional durability at pressure points.

10x10 FOOTPRINT

10x10 footprint, versatile, and durable shelter that provides long lasting relief from sun, wind, and rain.

ADJUSTABLE MECHANICS

Easy adjustable features for quick, convenient height adjustment.

What is CPAI-84??

CPAI-84 is a flammability specification, written by Industrial Fabrics Association International (say that ten times fast!) as a voluntary industry specification. CPAI-84 (Canvas Products Association International) standard is widely used in the industry and has been adopted by states like California and New Jersey. It provides test methods for evaluating flame resistance of fabric and other pliable materials in camping tentage. It also provides performance criteria and certification guidelines for suppliers (that's us!) and labeling requirements that identify a tent as being constructed of flame resistant material and caution against action detrimental to the flame-retardant finishes.







HEAVY-DUTY COMMERCIAL TENT



- 10'x10' area, ABS sliders for peak height of 14'
- Poly canopy w/ PU & UV treatments and vented top
- Powder-coated steel frame
- Heavy-duty ground stakes and ropes included
- Wheeled bag for storage/transport, 45lbs (20.4kg)

ITEM #	SIZE	COLOR	DESCRIPTION
12900	10′ x 10′	HV Lime	Heavy-Duty Tent
12998	_	HV Lime	Optional Side Panel
12901	10′ x 10′	HV Lime	Replacement Canopy
12902	_	Black	Replacement Bag





12910 10' x 10' HV Lime Lightweight Tent

12911 10' x 10' HV Lime Replacement Canopy

HV Lime Optional Side Panel


12998















N-FERNO® WARMING PRODUCTS

Since our ancestors decided to forego their furry coats, live indoors, and walk upright, man has been locked in a pitiless battle with Mother Nature. No holds barred, take no prisoners. N-Ferno® Warming Products have leveled the playing field and put Mother Nature (and her little toadie Jack Frost) on the ropes. And are we letting them back up? There's a cold chance in hell.

WARMING PRODUCTS // HEATED CLOTHING & ACC. SERIES

WARMING PRODUCTS // THERMAL LINER SERIES



6490 Heated Jacket



6490B Replacement Battery



6490W Replacement Wall Charger

6873 3-Layer w/ FR Modacrylic Shell



6863 3-Layer Liner w/ Nylon Shell



6867 3-Layer Liner w/ Nylon Shell



6950 3-Layer Liner



WARMING PRODUCTS 6892 3-Layer FR Liner // THERMAL LINER SERIES



6860 2-Layer w/ FR Modacrylic Shell



6862 2-Layer w/ FR Modacrylic Shell



6850 2-Layer Liner

WARMING PRODUCTS // THERMAL **BALACLAVA SERIES**



6970 Balaclava w/ Hot Rox



6825FR Nomex Balaclava



6828FR Modacrylic Balaclava





6816 Reversible Knit Cap

6819BT Be Tenacious Knit Cap



6820 FR Knit Cap



6802 Classic Trapper™ Hat

WARMING PRODUCTS // THERMAL **HAT & CAP SERIES**







WARMING PRODUCTS
// THERMAL CLOTHING
SERIES



6465 Thermal / Jacket



















6952 3-Layer Liner w/ Sherpa



6880 2-Layer FR Modacrylic Liner

6882 2-Layer FR Modacrylic Liner

6890 3-Layer FR Liner







6840 2-Layer Fleece Liner - Econo



6842 2-Layer Fleece Liner



6870 2-Layer Mouth Pc.



6872 2-Layer FR Modacrylic Mouth Pc.



6824 Wool Blend Balaclava



6827 2-Pc. Fleece/Neoprene Balaclava



6826 2-Pc. Fleece Balaclava



6822 Balaclava w/ Spandex Top



6821 Fleece Balaclava



6810 Half Stretch Cap



6815 Full Stretch Cap

WARMING PRODUCTS
// ACCESSORIES



6990/6992 Hand & Toe Warming Packs



6995 Foot Warming Packs

N-FERNO® WARMING PRODUCTS:

HEATED CLOTHING & ACC. SERIES

YKK ZIPPERS

Heavy-duty zippers from the top zipper makers in the world.

DIFFERENTIATED BY DESIGN

WATER- AND WIND-RESISTANT

Water- and wind-resistant outer shell provides protection from the harshest elements.

TWO HEAT ZONES

Two heat zones distribute heat to the core body regions: chest and back.

THREE HEAT SETTINGS

High, medium, and low heat settings provide customizable warmth.



7.4V Lithium Ion Battery provides up to 9 hours of continuous heat on low setting, 5 hours on medium setting, and 3 hours on high setting.



6490



HEATED JACKET WITH REMOVABLE SLEEVES

- 2 heat zones: front (chest) and back
- 3 heat settings: high, medium, and low
- Preheat mode option for increased warm-up time
- Up to 9 hours of continuous heat
- Battery: 7.4V, 5200 mAh lithium ion battery



6490

6490: HEATED JACKET KIT

ITEM #	SIZE	COLOR	
41403	M	Black	
41404	L	Black	
41405	XL	Black	
41406	2XL	Black	
41407	3XL	Black	

* Includes Heated Jacket, 7.4 Lithium Ion Battery, and Wall Charger

6490J: JACKET REPLACEMENT

ITEM #	SIZE	COLOR	
41303	M	Black	
41304	L	Black	
41305	XL	Black	
41306	2XL	Black	
41307	371	Black	



N-FERNO® HEATED CLOTHING EXPLAINED

We developed the 6490 Heated Jacket – aka, the portable furnace – specifically for those hattling Hoth-like weather conditions. Uniquely designed to obviate the traditional 3-layer system, our 6490 Heated Jacket uses the power of a lightweight Lithium Ion battery to create heat where it's needed most – the body's core. Two heat zones on the chest and back provide three levels of customizable heat for up to nine hours at the touch of a button. Its outer shell is constructed from a water- and wind-resistant fabric to trap heat inside and make sure Mother Nature minds her own business. Multiple pockets provide sufficient storage. This comfy coat is ideal for anyone working in construction, warehousing, distribution, or outdoors needing supercharged warmth without additional bulk.

APPLICATIONS:
Road Construction
Heavy Construction
Building Construction
Iron/Steel Work
Oil/Gas Refining
Drilling/Mining
Freight/Baggage
Warehousing/Distribution
Landscaping/Grounds

TWO HEAT ZONES Two heat zones distribute heat to the core body regions: chest and back.

REPLACEMENT PARTS & ACCESSORIES:





N-FERNO® WARMING PRODUCTS:







6465

OUTER LAYER/THERMAL/JACKET



- Rugged 300D poly shell w/ PU & UV treatments
- Soft, warm fleece lining

OUTER LAYER/THERMAL/BIB

- Armortex[™] reinforcement zones in heavy wear areas
- Storm flap front
- 5 pockets including back document and front cell

41100 0					
41102 S	3	Black	41105	XL	Black
41103 N	M	Black	41106	2XL	Black
41104 L	-	Black	41107	3XL	Black





BASE LAYER/THERMAL/RIPPED FIT CREW T



- · Stretch fabric, brushed interior for warmth and comfort
- Anti-odor helps workers remain unscented
- Moisture wicking treatments keep workers dry
- · Raglan sleeves, flat seams, and long tail cut
- . Thumb loops to sleeves in place and wind out

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
40203	M	Black	40206	2XL	Black
40204	L	Black	40207	3XL	Black
40205	XL	Black			







BASE LAYER/THERMAL/RIPPED FIT



- 500D nylon shell provides element protection
- Armortex[™] reinforcement zones in heavy wear areas
- · Several pockets including hip and chest
- Removable PE foam knee/shin pads
- "Be Tenacious" non-slip, adjustable elastic straps

ITEM #	SIZE	COLOR	ITEM #	SIZE	COLOR
41203	М	Black	41206	2XL	Black
41204	L	Black	41207	3XL	Black
41205	XL	Black			





- · Stretch fabric, brushed interior for warmth and comfort
- Anti-odor helps workers remain unscented
- · Moisture wicking treatments keep workers dry
- Flat seams and tagless waistband

ITEM #	SIZE	COLOR	ITEN	A #	SIZE	COLOR
40803	M	Black	408	306	2XL	Black
40804	L	Black	408	307	3XL	Black
40805	XL	Black				

N-FERNO® THERMAL BASE LAYERS:



REDESIGNED WITH THE WORKER IN MIND.

Our newly redesigned base layers are built to lock in warmth; ideal for wearing daily in your quest to make even the harshest environments feel like Gilligan's Island.

New stretch fabric has soft brushed interior for next-to-skin comfort that offers next-level warmth.

The smooth jersey exterior ensures layering up without bunching, while the self-fabric crew neck and flat lock seams offer soft comfort against skin. The design features venting in all the right places to aid optimal core temperature maintenance. Raglan sleeves allow for full mobility and we've lengthened the back of the shirt to thwart an embarrassing crack attack. Last (but not least), new thumbholes prevent the dreaded creeping sleeve.

Innovative moisture wicking management transports perspiration away from the skin, keeping you dry even when working hard. Sweat can stink, but an antimicrobial treatment provides odor control for even longer usage.

THERMAL LINER SERIES

DIFFERENTIATED BY DESIGN

HOOK AND LOOPS

Updated hook and loop configuration to allow for easier installation and secure into a hard hat suspension for ultimate warmth during those cold fall and winter days.

REFLECTIVE DETAIL

Reflective accent for visibility when in low light conditions.

WARMING PACK POCKETS

For extra warmth, place a warming pack into the liner pocket and enjoy hours of toasty relief.

LAYERING DETAILS

Layering systems allow you to choose the product that is right for your climate needs. The more layers, the more warmth.

FLAME RESISTANT AND NON-FLAME RESISTANT OPTIONS

Depending on your needs, stay toasty warm and flame free in FR liners - you've got options!





FIND OUT MORE ABOUT THE TECHNOLOGY THAT GOES INTO THE FULL LINE OF ERGODYNE WARMING PRODUCTS AT: WWW.ERGODYNE.COM













6882: SHOULDER LENGTH

COLOR

Black

SIZE

ITFM #

16882

6880: REGULAR LENGTH

COLOR

Black

SIZE

ITFM #

16880

















BALACLAVA SERIES

DIFFERENTIATED BY DESIGN

STRETCHABLE FLEECE

Stretchable fleece to ensure a great fit.


REFLECTIVE DETAIL

At center back of most balaclavas, a reflective accent has been added for visibility when in low light conditions.

FLAME RESISTANT AND NON-FLAME RESISTANT OPTIONS

Depending on your needs, stay toasty warm and flame free in FR balaclavas · you've got options!







- Built-in heat exchanger for warm air inhalation
- · Form-fitting design prevents eyewear from fogging
- Adjustable mask with hook and loop attachments
- Removable face mask



// PATENTED





















DANGER STARTS WELL BEFORE ZERO //

Cold Stress is just as dangerous as Heat Stress — but with its sneaky symptoms, it often goes undetected until it's too late. Awareness is key. Being informed about the dangers of Cold Stress and the importance of breathing warm air can help save lives and keep workers warm, comfortable, and productive.

FROST BITE

SYMPTOMS: PALE, WAXY-WHITE SKIN COLOR; SKIN BECOMES HARD AND NUMB; USUALLY AFFECTS EXTREMITIES INCLUDING EARS AND NOSE.

RESPONSE:


- Move the person to a warm dry area and remove any wet/tight clothing that may cut off blood circulation.
- DO NOT rub the affected area, rubbing can cause skin/tissue damage.
- Gently place the affected area in warm (105°F) water. Do not pour water directly on affected area. Warming will take 25-40 mins.
- Once normal feeling, movement and color return to area, dry and wrap to keep warm.
- Seek medical attention as soon as possible.

HYPOTHERMIA


SYMPTOMS: FATIGUE/DROWSINESS; UNCONTROLLED SHIVERING; COOL BLUISH SKIN; SLURRED SPEECH; CLUMSY MOVEMENTS; IRRITABLE/ IRRATIONAL/CONFUSED BEHAVIOR.

RESPONSE:

- CALL FOR EMERGENCY HELP IMMEDIATELY.
- Move the person to a warm dry area and remove any wet/tight clothing and replace with dry clothing or wrap in a blanket.
- Drink warm, sweet drinks (sugar water or sports-type drinks). Avoid caffeinated drinks.
- Have the person move their arms and legs to create muscle heat. If unable to do so, place hot packs in armpits, groin, neck, and head. DO NOT rub the person or place them in warm water.



Hypothermia can occur when land temperatures are **above** freezing or water temperatures are below 95°F/35°C. Cold-related illnesses can slowly overcome a person who has been chilled by low temperatures, brisk winds, or wet clothing.



THERMAL HAT & CAP SERIES

DIFFERENTIATED BY DESIGN



3M™ Thinsulate™ technology brings you added warmth for those cold winter days when added insulation is appreciated.



















THERMAL ACCESSORY SERIES



HOURS OF WARMTH

Self-contained packs add heat for hours when exposed to air.

ALL NATURAL

All natural ingredients that heat up, providing you with all natural warmth.

ACTIVATION

Simply open pack and expose to oxygen.

STOCK UP AND PUT 'EM TO USE! MOST N-FERNO® WINTER LINERS

MOST N-FERNO® WINTER LINERS INCLUDE POCKETS NEAR THE EARS FOR WARMING PACK USE. TOASTED EARS FEEL BETTER!

N-FERNO® WARMING PACKS

Whether in mittens or gloves, the 6990 Hand Warming Packs come in handy whenever you need to keep fingers from freezing. Most N-Ferno® Winter Liners come standard with warming pack pockets designed specifically for the versatile little power packs of heat to keep ears nice and toasty. You can even get crazy and toss one in a pocket! The 6992 Toe Warming Packs adhere to the insole of a shoe or boot to keep toes comfortable – so frostbite can fuggedaboutit. For those who need full foot heating, there's the 6995 Full Foot Warming Packs.

















TREX[™] FOOTWEAR ACCESSORIES

Brian Boitano WISHES he looked this smooth on the ice. While we can't guarantee you'll be pulling off triple Salchows with the greatest of ease, you will be making your way past the trickiest terrain without breaking a hip or chipping a tooth. How, you ask? TREX[™] Ice Traction. TREX[™] sneers at the frictionless ice world of winter and takes the sting out of the slick, snowy ground. Fear no terrain with TREX[™].



TRACTION SPEAKS LOUDER THAN WORDS.









ONE-PIECE ICE TRACTION DEVICE





- 8 rugged, heat-treated carbon steel studs
- Stretchable rubber for fit and easy on/off
- Flexible to -40°F (-40°C)
- U.S.: M (5-8), L (8-11), XL (11-15), 2XL (15-18)

ITEM #	SIZE	COLOR
16753	M	Black
16754	L	Black
16755	XL	Black
16756	2XL	Black



PERFORMANCE ONE-PIECE ICE TRACTION DEVICE



- 12 rugged, heat-treated carbon steel studs
- Stretchable rubber construction
- Contoured, "step-in" design wraps around boots
- Flexible to -40°F (-40°C)
- U.S.: S (5-7), M (7-9), L (9-11), XL (11-14)

ITEM #	SIZE	COLOR
16782	S	Black
16783	M	Black
16784	L	Black
16785	XL	Black





ADJUSTABLE ONE-PIECE ICE TRACTION DEVICE

- 10 rugged, heat-treated carbon steel studs
- Adjustable cord cinches tight for a secure fit
- Stretchable rubber for fit and easy on/off
- Flexible to -40°F (-40°C)
- U.S.: M (5-8), L (8-11), XL (11-14)

ITEM #	SIZE	COLOR
16773	M	Black
16774	L	Black
16775	XL	Black





REPLACEMENT STUDS

AGGRESSIVE SPIKE ICE TRACTION DEVICE







- Stainless steel aggressive chain and spike system
- Innovative heel spike plate design
- Stretchable rubber ring ensures a secure fit
- Flexible to -40°F (-40°C)
- U.S.: S (5-7), M (7-9), L (9-11), XL (11-14)

ITEM #	SIZE	COLOR
16742	S	HV Orang
16743	M	HV Orang
16744	L	HV Orang
16745	XL	HV Orang

STRAP-ON HEEL ICE TRACTION DEVICE



- Corrosion-resistant steel heel plate
- Heel-only design leaves mid-foot free
- Channeled design will not retain ice or debris
- Rugged webbing, hook and loop strap
- · Rear reflective accents enhance worker conspicuity

0	001011
M/L	Black
XL+	Black

 8 heat-treated carbon steel replacement studs Fits Trex™ 6300, 6304, and 6310 ice traction devices
ITEM# SIZE COLOR 16795 — Orange






Ask for directions when you're lost. Call a plumber when your sink is broken. Use this index when you need to find something in the workbook. You can do this; we believe in you.

Mart		Model	Page	Model	Page	Model	Page	Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
Second Color		100	52	818WP	31	3157	113	5120	122	5739	133	6480	179	6842	184	8260FR	65
No. Part		100HV	52	8190D	30	3158		5125	122	5740	132	6485	165	6850	184	8280	69
Second Color		200	45	819WP	30	3175	112	5130	125	5743	133	6486	165	6852	184	8281	69
Second Color		230	45	820	24	3180	105	5143	123	5744	133	6490	178	6860	184	8287	74
Second Color		260	45	821	27	3181	105	5144	123	5745	133	6500	165	6862	184	8289	68
1982 65		300	44	860	25	3182	105	5151	169	5760	132	6550	165	6863	183	8291	69
10		315	44	900	32	3190	105	5155	169	5763	132	6602	159	6867	183	8293	70
No. 1	1	325	45	901	33	3191	105	5156	169	5780	146	6602MF	157	6870	184	8295	69
1		335	45	910	33	3192	105	5157	169	5782	146	6603	159	6872	184	8310	66
145	2	340	45	920	29	3200	91	5158	169	5802	145	6605	164	6877	183	8320	66
14		342	41	921	29	3215	91	5159	169	5804	145	6609	165	6880	183	8330	66
Second S	ż	344	41	922CR	29	3216	90	5180	125	5808	145	6615	164	6882	183	8356FR	66
Second 1	10	345	41	924	29	3218	90	5181	125	5810	144	6630	164	6885	183	8365	74
Second Property Second	١.	347	42	925CR	28	3222	90	5182	125	5815	144	6650	164	6890	183	8377	73
ST		350	42	925F(x)	28	3225	90	5183	125	5817	144	6660	165	6892	183	8379	73
Section Sect	L	355	42	925WP	29	3251	91	5184	125	5820	145	6665	162	6950	183	8380	73
175		357	42	1051	53	3275	91	5210	129	5840	145	6670CT	159	6952	183	8385	74
Section Sect		367	42	1100SF	52	3280	91	5215	129	5843	145	6685	162	6970	185	8386	74
885		375	47	1400UN	53	3311	111	5216	129	5870	146	6686	162	6990	191	8388	74
\$60		380	47	1500	53	3386	113	5220	129	5872	146	6700	160	6992	191	8391	70
400 55 1500 53 3410 116 500 113 5888 146 67000F 157 8033 77 8397 70 420 55 2008F 52 3415 116 5504 143 5888 146 67000F 157 8003 77 8397 70 500 57 3000 114 3540 117 5506S 143 5830 130 6705CT 158 8005 77 8911 67 600 57 3001 114 3700 105 5516 140 5337 131 6705CT 158 8005 77 8911 67 615 57 3075 114 3703 106 5517 139 5538 131 6705CF 157 8008 67 8918 75 620 57 3075 114 3703 106 5518 140 5838 131 6705CF 157 8008 67 8918 75 650 57 3070 111 3723 107 5522 142 5855 131 6710CF 158 8020 71 8930 77 655 57 3100 111 3723 107 5522 142 5855 131 6710CF 158 8020 71 8930 77 655 57 3100 109 3724 107 5522 142 5855 131 6710CF 158 8020 71 8930 77 670 55 3101 111 3725 107 5522 139 5800 131 6710CF 158 8020 71 8935 75 670 55 3101 111 3759 107 5522 122 5870 131 6710CF 158 8020 71 8935 75 670 55 3101 111 3759 107 5522 122 5870 131 6710CF 157 8008 69 8935MF 157 7100 22 3102F60 110 3755 107 5538 139 5000 172 6715CF 158 8021 69 8935MF 157 7100 22 3102F60 110 3755 107 5538 139 6000 172 6715CF 158 8021 69 8935MF 157 7100 23 3100F60 110 3750 107 5548 142 5010 173 6716 150 8025 69 8935MF 157 7100 24 310F60 110 3750 107 5555 141 6034 173 6716 160 8140 71 8955 95 7100R 23 3100F60 110 3750 107 5555 141 6034 173 6716 160 8140 71 8955 95 7100R 23 310F60 110 3750 107 5555 141 6034 173 6710 158 8210 67 8900 33 720 25 3108 111 3800 177 5560 141 6038 172 6710FR 151 8225 67 9002 33 720 25 3108 111 400 575 555 564 140 6190 173 6815 189 8216 63 9012 33 720 25 3108 111 400 575 575 5561 140 6190 173 6815 189 8216 65 9012 33 720 34 3109 109 4000 55 5562 140 6190 173 6815 189 8220 65 9000 33 720 25 3108 111 500 109 5008 127 5560 142 6300 173 6815 189 8220 65 9015 32 720 34 3109 109 5008 127 5560 120 620 173 6815 189 8220 65 9015 32 720 34 3109 109 5008 127 5561 120 6190 173 6815 189 8220 65 9000 33 720 34 3109 110 500 5008 127 5561 120 6190 173 6815 189 8220 65 9000 33 720 57 3108 110 500 5008 127 5561 120 6190 173 6815 189 8220 65 9000 33 720 720 7318 111 11 5000 5000 127 5565 120 620 195 6822 188 8200 65 1000 89 841 74 75 75 75 7		385	47	1505	53	3400	117	5243	129	5875	147	6700CT	159	6995	191	8392	70
400 55 1500 53 3410 116 500 113 5888 146 67000F 157 8033 77 8397 70 420 55 2008F 52 3415 116 5504 143 5888 146 67000F 157 8003 77 8397 70 500 57 3000 114 3540 117 5506S 143 5830 130 6705CT 158 8005 77 8911 67 600 57 3001 114 3700 105 5516 140 5337 131 6705CT 158 8005 77 8911 67 615 57 3075 114 3703 106 5517 139 5538 131 6705CF 157 8008 67 8918 75 620 57 3075 114 3703 106 5518 140 5838 131 6705CF 157 8008 67 8918 75 650 57 3070 111 3723 107 5522 142 5855 131 6710CF 158 8020 71 8930 77 655 57 3100 111 3723 107 5522 142 5855 131 6710CF 158 8020 71 8930 77 655 57 3100 109 3724 107 5522 142 5855 131 6710CF 158 8020 71 8930 77 670 55 3101 111 3725 107 5522 139 5800 131 6710CF 158 8020 71 8935 75 670 55 3101 111 3759 107 5522 122 5870 131 6710CF 158 8020 71 8935 75 670 55 3101 111 3759 107 5522 122 5870 131 6710CF 157 8008 69 8935MF 157 7100 22 3102F60 110 3755 107 5538 139 5000 172 6715CF 158 8021 69 8935MF 157 7100 22 3102F60 110 3755 107 5538 139 6000 172 6715CF 158 8021 69 8935MF 157 7100 23 3100F60 110 3750 107 5548 142 5010 173 6716 150 8025 69 8935MF 157 7100 24 310F60 110 3750 107 5555 141 6034 173 6716 160 8140 71 8955 95 7100R 23 3100F60 110 3750 107 5555 141 6034 173 6716 160 8140 71 8955 95 7100R 23 310F60 110 3750 107 5555 141 6034 173 6710 158 8210 67 8900 33 720 25 3108 111 3800 177 5560 141 6038 172 6710FR 151 8225 67 9002 33 720 25 3108 111 400 575 555 564 140 6190 173 6815 189 8216 63 9012 33 720 25 3108 111 400 575 575 5561 140 6190 173 6815 189 8216 65 9012 33 720 34 3109 109 4000 55 5562 140 6190 173 6815 189 8220 65 9000 33 720 25 3108 111 500 109 5008 127 5560 142 6300 173 6815 189 8220 65 9015 32 720 34 3109 109 5008 127 5560 120 620 173 6815 189 8220 65 9015 32 720 34 3109 109 5008 127 5561 120 6190 173 6815 189 8220 65 9000 33 720 34 3109 110 500 5008 127 5561 120 6190 173 6815 189 8220 65 9000 33 720 57 3108 110 500 5008 127 5561 120 6190 173 6815 189 8220 65 9000 33 720 720 7318 111 11 5000 5000 127 5565 120 620 195 6822 188 8200 65 1000 89 841 74 75 75 75 7		390	47	1600	53	3405	117	5244	129	5876	147	6700FR	161	8001	77	8393	70
500 57 3000 114 3540 117 5568\$ 143 5935 131 6705CI 158 8005 77 8911 67		400	56	1650	53	3410	116	5500	143	5888	146	6700MF	157	8003		8397	70
COO S7 S000		420	56	2000SF	52	3415	116	5504	143	5930	130	6705	160	8004	77	8910	67
615 57 3025 114 3703 106 5517 139 5938 131 6705MF 157 8008 67 8918 75		500	57	3000	114	3540	117	5506S	143	5935	131	6705CT	158	8005	77	8911	67
615 57 3025 114 3703 106 5517 139 5938 131 6705MF 157 8008 67 8918 75		600	57	3001	114	3700	106	5516	140	5937	131	6705FR	161	8006	77	8915	75
650 57 3100 111 3723 107 5522 142 5945 131 6710GT 158 8020 71 8330 77 655 57 3100FLO 109 3724 107 5527 139 560 131 6710R 161 8040 71 8335 76 670 55 3101 111 3726 107 5528 139 5970 131 6710RF 157 8830 71 8335CT 159 675 55 3102 111 3750 107 5532 142 5975 131 6715CT 168 8991 69 833MF 157 710CR 23 3103 106 3770 107 5548 142 6010 173 6716 160 8140 71 8935 95 710CR 23 3103Flo 10 3790 107 5555 141 6094 173		615	57	3025	114	3703		5517	139	5938	131	6705MF	157	8008		8918	75
655 57 3100F(x) 109 3724 107 5527 139 5960 131 6710FR 161 8040 71 8935 76 670 55 3101 111 3726 107 5528 139 5970 131 6710MF 157 8080 71 8935CT 159 675 55 3102 111 3750 107 5528 142 5975 131 6715 160 8089 69 8930MF 157 710 22 3102F(x) 110 3755 107 5538 139 6000 172 6715CT 158 8091 69 8930MF 157 710CR 23 3103 106 3770 107 5548 142 6010 172 6715CT 158 8091 69 8950 95 710CR 23 3103F(x) 110 3780 107 5555 141 6094 173 6717 160 8205 62 8960 95 710CR 23 3107F(x) 110 3780 107 5555 141 6095 173 6717CT 159 8210 67 9000 33 720 25 3108 111 3800 117 5560 141 6098 172 6717CT 159 8210 62 9000 33 720 25 3108F(x) 109 4000 55 5560 141 6098 172 6717FR 161 8215 62 9002 33 730 34 3109F(x) 110 4020 55 5562 140 6190 178 6810 189 8220 63 9012 33 730 34 3109F(x) 110 4020 55 5562 140 6190 178 6810 189 8220 63 9015 32 7300 34 310F(x) 109 4000 55 5562 140 6193 173 6815 189 8225 63 8ADR 87 740 34 3110 111 5005 127 5564 140 6193 173 6815 189 8225 63 8ADR 87 740 34 3110 111 5005 127 5564 140 6193 173 6815 189 8225 63 8ADR 87 740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8225 63 8ADR 87 740 34 3110 111 5000 123 5563 132 6200 167 6818 189 8230 63 FEDA 88 8800 33 3111 111 5002 123 5563 132 6200 167 6820 189 8245 65 ODIN 86 812C 3115 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 812C 3115 3119 3111 5082 124 5725 339 6315 195 6822 186 8245 65 ODIN 86 812C 3115 3119 3111 5082 124 5728 339 6315 195 6825 185 8245		620	57	3026	114	3713		5518	140	5940	130	6710	160	8010	71	8925	75
670 55 3101 111 3726 107 5528 139 5970 131 6710MF 157 8080 71 89350T 159 675 55 55 3102 111 3750 107 5532 142 5975 131 6715 160 8089 69 8936MF 157 710 22 3102F(N) 110 3755 107 5538 139 6000 172 6715CT 158 8091 69 8950 95 710CR 23 3103F(N) 110 3780 107 5555 141 6094 173 6716 160 8140 71 8955 95 710LR 23 3103F(N) 110 3780 107 5555 141 6094 173 6716 160 8140 71 8955 95 710LR 23 310F(N) 110 3790 107 5555 141 6094 173 6717CT 159 8210 62 8000 33 720LR 23 3108F(N) 110 3790 107 5555 141 6094 173 6717CT 159 8210 62 8000 33 720LR 25 3108 111 3800 117 5560 141 6098 172 6717FR 161 8215 62 9002 33 720LR 25 3108F(N) 109 4000 55 5561 140 6100 173 6802 188 8216 63 9012 33 730 34 3109 111 4010 55 5562 140 6190 173 6802 188 8216 63 9012 33 730 34 3109 111 4010 55 5562 140 6190 173 6810 189 8220 63 8015 32 73000 34 310F(N) 110 4020 55 5563 140 6193 173 6815 189 8225 63 8ALDR 87 740 34 3110 111 5005 127 5564 140 6193 173 6815 189 8225 63 8ALDR 87 740 34 3110 111 5005 127 5567 142 6220 167 6818 189 8229 63 BACR 87 760 24 3110F(N) 109 5008 127 5567 142 6220 167 6818 189 8229 63 BACR 87 760 24 3110F(N) 109 5008 127 5567 142 6220 167 6818 189 8220 63 EROA 88 810 27 3114 112 5025 123 5563 132 6300 166 68198T 189 8225 63 RVASIR 88 810 27 3114 112 5025 123 5563 132 6300 195 6821 187 8240 65 10NC 89 811 25 5030 127 5060 127 5700 142 6301 195 6821 187 8240 65 10NC 89 811 27 5060 127 5700 142 6301 195 6821 187 8244 55 NORD 89 811 27 5060 127 5700 142 6301 195 6821 186 8245 65 00NI 86 812 812 27 3117F(N) 110 5092 123 5563 132 6300 195 6821 187 8245 64 717R 89 811 812 27 3117F(N) 110 5092 123 5700 142 6301 195 6821 186 8245 64 717R 89 811 812 27 3118F(N) 109 5080 124 5728 139 6310 195 6821 186 8245 64 717R 89 811 815 8240 65 10NI 88 81 815		650	57	3100	111	3723	107	5522	142	5945	131	6710CT	158	8020	71	8930	77
675 55 3102 111 3750 107 5532 142 5975 131 6715 160 8089 69 8935MF 157 710 22 3102F(M) 110 3755 107 5538 139 6000 172 6715CT 158 8091 69 8950 95 710CR 23 3103 106 3770 107 5548 142 6010 173 6716 160 8140 71 8955 95 710CR 23 3103F(M) 110 3780 107 5550 141 6094 173 6717 160 8205 62 8960 95 710TX 23 3107F(M) 110 3790 107 5555 141 6095 173 6717CT 159 8210 62 9000 33 720 25 3108F(M) 109 4000 555 5560 141 6098 172 6717FR 161 8215 62 9002 33 7201TR 25 3108F(M) 109 4000 555 5561 140 6100 173 6810 189 8220 63 9012 33 730 34 3109 111 4010 55 5562 140 6100 173 6810 189 8220 63 9012 33 7300 34 3109F(M) 110 4020 55 5562 140 6193 173 6810 189 8220 63 9015 32 73000 34 3110 111 5005 127 5564 140 6193 173 6810 189 8220 63 9048 87 740 34 3110 111 5005 127 5564 140 6193 173 6815 189 8225 63 BALDR 87 740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8229 63 DAGR 87 760 24 3110F(M) 109 5008 127 5567 142 6220 167 6818 189 8220 65 EROA 88 800 33 3111 111 5020 123 5638 133 6230 166 6816 189 8229 63 DAGR 87 760 24 3110F(M) 109 5008 127 5567 142 6220 167 6818 189 8230 63 EROA 88 810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5658 132 6300 195 6821 187 8244 65 NUORD 89 812 26 3116 112 5060 127 5706 142 6301 195 6821 187 8244 65 NUORD 89 812 27 311F(M) 109 508 127 5706 142 6301 195 6821 186 8245 65 ODIN 86 812 27 311F(M) 109 508 124 5725 139 6310 195 6823 186 8245 65 ODIN 86 812 27 311F(M) 109 508 124 5725 139 6310 195 6825 185 8249 64 VALXYRIE 88 815 27 3119F(M) 100 5092 124 5728 139 6315 195 6825 185 8249 64 VALXYRIE 88 816 31 3130 112 5093 124 5728 139 6315 195 6825 186 8250 64 816 31 3130 112 5093 124 5728 139 6315 179 6827 186 8253 64		655	57	3100F(x)	109	3724	107	5527	139	5960	131	6710FR	161	8040	71	8935	76
710		670	55	3101	111	3726	107	5528	139	5970	131	6710MF	157	8080	71	8935CT	159
710CR 23 3103 106 3770 107 5548 142 6010 173 6716 160 8140 71 8955 95 95 710LTR 23 3103F(x) 110 3780 107 5550 141 6094 173 6717 160 8205 62 8960 95 710TX 23 310F(x) 110 3790 107 5555 141 6095 173 6717CT 159 8210 62 9000 33 720 25 3108 111 3800 117 5560 141 6098 172 6717FR 161 8215 62 9002 33 720LTR 25 3108F(x) 109 4000 55 5561 140 6100 173 6802 188 8216 63 9012 33 730 34 3109 111 4010 55 5562 140 6190 173 6810 189 8220 63 9015 32 7300D 34 3109F(x) 110 4020 55 5563 140 6193 173 6815 189 8225 63 BALDR 87 740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8229 63 DAGR 87 760 24 3110F(x) 109 5008 127 5567 142 6220 167 6818 189 8229 63 DAGR 87 760 24 3110F(x) 109 5008 127 5563 132 6240 167 6820 189 8235 63 KVASIR 88 810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 812 26 3115 112 5060 127 5706 142 6301 195 6822 186 8245 65 DOIN 86 812K 27 3114F(x) 109 5068 127 5706 142 6301 195 6822 186 8245 65 DOIN 86 812K 27 3114F(x) 109 5068 127 5706 142 6301 195 6822 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5728 139 6310 195 6825 185 8259 64 816 816 817		675	55	3102	111	3750	107	5532	142	5975	131	6715	160	8089	69	8935MF	157
710IR 23 3103F(w) 110 3780 107 5550 141 6094 173 6717 160 8205 62 8960 95 710TX 23 3107F(w) 110 3790 107 5555 141 6095 173 6717CT 159 8210 62 9000 33 33 720 25 3108 111 3800 117 5560 141 6098 172 6717FR 161 8215 62 9002 33 720TR 25 3108F(w) 109 4000 55 5561 140 6100 173 6802 188 8216 63 9012 33 33 34 3109 111 4010 55 5562 140 6190 173 6810 189 8220 63 9015 32 7300 34 3109F(w) 110 4020 55 5563 140 6193 173 6815 189 8225 63 BALDR 87 740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8229 63 DAGR 87 760 24 3110F(w) 109 5008 127 5564 140 6220 167 6818 189 8230 63 ERDA 88 8800 33 3111 111 5025 123 5688 133 6230 167 6818 189 8235 63 KMSIR 88 881 26 3115 112 5030 123 5650 132 6300 195 6821 187 8244 65 NIORD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 64 TYR 89 8120 27 3114F(w) 110 5063 127 5706 142 6301 195 6823 186 8245 64 TYR 89 812 27 3118F(w) 109 5080 124 5725 139 6310 195 6824 186 8245 64 TYR 89 812 27 3118F(w) 109 5080 124 5725 139 6310 195 6824 186 8245 64 TYR 89 812 27 3119F(w) 110 5062 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(w) 110 5092 124 5728 139 6315 195 6826 186 8250 64 8187 81		710	22	3102F(x)	110	3755	107	5538	139	6000	172	6715CT	158	8091	69	8950	95
710TX 23 3107F(w) 110 3790 107 5555 141 6095 173 6717CT 159 8210 62 9000 33 720 25 3108 111 3800 117 5560 141 6098 172 6717FR 161 8215 62 9002 33 720LIR 25 3108F(w) 109 4000 55 5561 140 6100 173 6802 188 8216 63 9012 33 730 34 3109 111 4010 55 5562 140 6190 173 6810 189 8220 63 9015 32 73000 34 3109F(w) 110 4020 55 5563 140 6193 173 6815 189 8225 63 BALDR 87 740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8229 63 DAGR 87 760 24 3110F(w) 109 5008 127 5567 142 6220 167 6818 189 8230 63 ERDA 88 800 33 3111 111 5020 123 5638 133 6230 166 6819BT 189 8235 63 KVASIR 88 810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NURD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 8120R 27 311F(w) 110 5063 127 5706 142 6304 195 6823 186 8246 64 Thrist 87 812TX 27 3118F(w) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5725 139 6315 195 6825 185 8249 64 VALYRIE 88 815 27 3119F(w) 110 5092 124 5733 133 6455 179 6827 186 8253 64 816 31 3130 112 5093 124 5733 133 6465 179 6827 186 8253 64		710CR	23	3103	106	3770	107	5548	142	6010	173	6716	160	8140	71	8955	95
720 25 3108 111 3800 117 5560 141 6098 172 671/FR 161 8215 62 9002 33 7201R 25 3108F(x) 109 4000 55 5561 140 6100 173 6802 188 8216 63 9012 33 730 34 3109F(x) 110 4020 55 5562 140 6190 173 6810 189 8220 63 9015 32 7300 34 3109F(x) 110 4020 55 5563 140 6193 173 6815 189 8225 63 BALDR 87 740 34 3110F(x) 109 5008 127 5567 142 6220 167 6818 189 8229 63 DAGR 87 760 24 3110F(x) 109 5008 127 5567 142 6220 167		710LTR	23	3103F(x)	110	3780	107	5550	141	6094	173	6717	160	8205	62	8960	95
720LTR 25 3108F(x) 109 4000 55 5561 140 6100 173 6802 188 8216 63 9012 33 730 34 3109 111 4010 55 5562 140 6190 173 6810 189 8220 63 9015 32 73000 34 3109F(x) 110 4020 55 5563 140 6193 173 6815 189 8225 63 BALDR 87 740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8229 63 DAGR 87 750 24 3110F(x) 109 5008 127 5567 142 6220 167 6818 189 8230 63 ERDA 88 800 33 3111 111 5020 123 5638 133 6230 166 6819BT 189 8235 63 KVASIR 88 810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NJORD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 812TX 27 3118F(x) 110 5063 127 5706 142 6301 195 6822 186 8245 65 ODIN 86 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6822 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6822 186 8246 64 THOR 87 812TX 27 3119F(x) 110 5062 124 5725 139 6310 195 6824 186 8246 64 THOR 87 812TX 27 3119F(x) 110 5062 124 5725 139 6310 195 6824 186 8246 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 8166 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 8167 8187 817 31 3150 113 5115 122 5737 133 6455 179 6828 185 8254 65		710TX	23	3107F(x)	110	3790	107	5555	141	6095	173	6717CT	159	8210	62	9000	33
730 34 3109 111 4010 55 5562 140 6190 173 6810 189 8220 63 9015 32 7300D 34 3109F(k) 110 4020 55 5563 140 6193 173 6815 189 8225 63 BALDR 87 740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8229 63 DAGR 87 760 24 3110F(k) 109 5008 127 5567 142 6220 167 6818 189 8230 63 ERDA 88 800 33 3111 111 5020 123 5638 133 6230 166 6819H 189 8230 63 ERDA 88 810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NJORD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 812CR 27 3117F(k) 110 5063 127 5706 142 6304 195 6822 186 8245 64 THOR 87 812TX 27 3118F(k) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(k) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		720	25	3108	111	3800	117	5560	141	6098	172	6717FR	161	8215	62	9002	33
7300D 34 3109F(x) 110 4020 55 5563 140 6193 173 6815 189 8225 63 BALDR 87 740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8229 63 DAGR 87 760 24 3110F(x) 109 5008 127 5567 142 6220 167 6818 189 8230 63 ERDA 88 800 33 3111 111 5020 123 5638 133 6230 166 6819BT 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NJORD 89 812 26 3116 112 5060 127 5700 142 6301 195 68		720LTR	25	3108F(x)	109	4000	55	5561	140	6100	173	6802	188	8216	63	9012	33
740 34 3110 111 5005 127 5564 140 6215 166 6816 189 8229 63 DAGR 87 760 24 3110F(x) 109 5008 127 5567 142 6220 167 6818 189 8230 63 ERDA 88 800 33 3111 111 5020 123 5638 133 6230 166 6819BT 189 8235 63 KVASIR 88 810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NJORD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 812CR 27 3117F(x) 110 5063 127 5706 142 6304 195 6823 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		730	34	3109	111	4010	55	5562	140	6190	173	6810	189	8220	63	9015	32
760 24 3110 x) 109 5008 127 5567 142 6220 167 6818 189 8230 63 ERDA 88 8300 33 3111 111 5020 123 5638 133 6230 166 6819BT 189 8235 63 KVASIR 88 810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NJORD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 812CR 27 3117F(x) 110 5063 127 5706 142 6304 195 6823 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		7300D	34	3109F(x)	110	4020		5563	140	6193	173	6815	189	8225	63	BALDR	87
800 33 3111 111 5020 123 5638 133 6230 166 6819BT 189 8235 63 KVASIR 88 810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NJORD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 812CR 27 3117F(x) 110 5063 127 5706 142 6304 195 6823 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		740		3110	111	5005		5564	140	6215		6816	189	8229	63	DAGR	
810 27 3114 112 5025 123 5650 132 6240 167 6820 189 8240 65 LOKI 89 811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NJORD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 812CR 27 3117F(x) 110 5063 127 5706 142 6304 195 6823 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		760		3110F(x)	109	5008		5567	142	6220	167	6818	189	8230	63	ERDA	
811 26 3115 112 5030 123 5653 132 6300 195 6821 187 8244 65 NJORD 89 812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 ODIN 86 812CR 27 3117F(x) 110 5063 127 5706 142 6304 195 6823 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		800		3111	111	5020		5638	133	6230		6819BT	189	8235	63	KVASIR	
812 26 3116 112 5060 127 5700 142 6301 195 6822 186 8245 65 0DIN 86 812CR 27 3117F(x) 110 5063 127 5706 142 6304 195 6823 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		810	27	3114	112	5025	123	5650	132	6240	167	6820	189	8240	65	LOKI	89
812GR 27 3117F(x) 110 5063 127 5706 142 6304 195 6823 186 8246 64 THOR 87 812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65	Sec.		26	3115		5030	123	5653		6300		6821	187	8244	65	NJORD	89
812TX 27 3118F(x) 109 5080 124 5725 139 6310 195 6824 186 8248 64 TYR 89 814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65				3116	112	5060		5700		6301		6822	186	8245	65	ODIN	
814 31 3119 111 5082 124 5728 139 6315 195 6825 185 8249 64 VALKYRIE 88 815 27 3119F(ω) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		812CR		3117F(x)	110	5063		5706	142	6304	195	6823	186	8246	64	THOR	87
815 27 3119F(x) 110 5092 124 5730 132 6320 195 6826 186 8250 64 816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		812TX		3118F(x)	109	5080		5725	139	6310		6824	186	8248	64	TYR	89
816 31 3130 112 5093 124 5733 133 6435 179 6827 186 8253 64 817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		814	31	3119	111	5082	124	5728	139	6315	195	6825	185	8249	64	VALKYRIE	88
817 31 3150 113 5115 122 5737 133 6465 179 6828 185 8254 65		815		3119F(x)	110	5092	124	5730	132			6826	186	8250	64		
		816	31	3130	112	5093		5733	133	6435	179	6827	186	8253	64		
817WP 31 3155 113 5116 122 5738 133 6470 179 6840 184 8255 65		817	31	3150	113	5115	122	5737	133	6465	179	6828	185	8254	65		
		817WP	31	3155	113	5116	122	5738	133	6470	179	6840	184	8255	65		

PICK ON SOMEONE YOUR OWN SIZE

With our sizing options, fitting in is as easy as putting on Velcro® sneakers. Our Tenacious Work Gear® comes in a wide variety of sizes and styles. So put those middle school memories to rest. No more sitting alone at lunch 'cause your parents wouldn't spring for "The Rachel" or your Tamagotchi went through the wash. Size up right, here or on www.ergodyne.com.







TREX^{III}

Use shoe or boot size to determine the appropriate size. TREX™ Ice Traction should fit snugly.









			6300			6310				6304 // 6320				6315		
SIZE:	บ	SM	UK	EU		USM	UK	EU		USM	UK	EU	USM	UK	EU	
Small	-									5-7	4.5-6.5	37-40	5-7	4.5-6.5	37-40	
Medium	5	5-8	4.5-7.5	37-41		5-8	4.5-7.5	37-41		7-9	6.5-8.5	40-42	7-9	6.5-8.5	40-42	
Large	8-	-11	7.5-10.5	41-44		8-11	7.5-10.5	41-44		9-11	8.5-10.5	42-44	9-11	8.5-10.5	42-44	
X-Large	11	l-15 1	10.5-14.5	44-48		11-14	10.5-13.5	44-47		11-14	10.5-13.5	44-47	11-14	10.5-13.5	44-47	
2XLarge	15	5-18 1	14.5-17.5	48-51												
3XLarge	-															



ProFlex® Back Supports

Measure around the waist. A support should fit snugly, but not so tightly that it cannot be cinched firmly when ready to lift.



N-Ferno® Base Layer Bottoms

Use standard waist size measurement.



N-Ferno® Base Layer Shirts

Individually sized M, L, XL, 2XL, 3XL and follow standard sizing.



N-Ferno[®] Outerwear Jacke

Bring tape measure around the widest part of your chest, under your arms, completely around your torso.



N-Ferno" Outerwear Bib

Use standard waist size measurement.

							П	
SIZE:	FITS WAISTS:	П	FITS WAISTS:	П	FITS CHEST SIZE:	FITS CHEST SIZE:		FITS WAISTS:
X-Small	Up to 25" (64 cm)	П		П				
Small	25-30" (64-76cm)	П		П				
Medium	30-34" (76-86cm)	П	31-34" (79-86cm)	П	38-41" (97-104cm)	36-38" (91-97 cm)		30-34" (76-86 cm)
Large	34-38" (86-97cm)	П	34-37" (86-94cm)	П	41-44" (104-112cm)	38-42" (97-107 cm)		34-38" (86-97 cm)
X-Large	38-42" (97-107cm)	П	37-40" (94-102cm)	П	44-47" (112-119cm)	42-46" (107-117 cm)		38-42" (97-107 cm)
2XLarge	42-46" (107-117cm)		40-44" (102-112cm)	П	47-50" (119-127cm)	46-50" (117-127 cm)		42-46" (107-117 cm)
3XLarge	46-52" (117-132cm)		44-48" (112-122cm)		50-53" (127-135cm)	50-54" (127-137 cm)		46-48" (117-123 cm)
4XLarge	52-58" (132-147cm)							



GloWear® Hi-Vis Shirts

T-Shirt, Polo Shirt, and Sweatshirt are individually sized S, M, L, XL, 2XL, 3XL, 4XL, 5XL and follow standard sizing.



GloWear® Hi-Vis Vests

Vests & Vests w/Sleeves are sold in combined sizes: S/M, L/XL, 2XL/3XL, and 4XL/5XL. *Note: 8240HL is available in M/L and XL/2XL only.



GloWear® Pants 8910/8911

Use standard waist size measurement.



GloWear® Pants

Use standard waist size measurement.



GloWear®

Bring tape measure around the widest part of your chest, under your arms, completely around your torso.

SIZE:	FITS CHEST SIZE:	FITS CHEST SIZE:	FITS WAIST SIZE:	FITS WAIST SIZE:	FITS CHEST SIZE:
Small	34-36" (86-91 cm)			Up to 30" (76 cm)	34-36" (86-91 cm)
Medium	36-38" (91-97 cm)			30-34" (76-86 cm)	36-38" (91-97 cm)
Large	38-42" (97-107 cm)			34-38" (86-97 cm)	38-42" (97-107 cm)
X-Large	42-46" (107-117 cm)			38-42" (97-107 cm)	42-46" (107-117 cm)
2XLarge	46-50" (117-127 cm)			42-46" (107-117 cm)	46-50" (117-127 cm)
3XLarge	50-54" (127-137 cm)			46-48" (117-123 cm)	50-54" (127-137 cm)
4XLarge	54-58" (137-147 cm)			48-50" (123-127 cm)	54-58" (137-147 cm)
5XLarge	58-62" (147-157 cm)			50-54" (127-137 cm)	58-62" (147-157 cm)
S/M		36-44" (91-112 cm)	Up to 40" (102 cm)		
M/L (8240HL only)		40-48" (102-123 cm)*			
L/XL		44-52" (112-132 cm)	40-46" (102-117 cm)		
XL/2XL (8240HL only)		48-56" (123-142 cm)*			
2XL/3XL		52-58" (132-147 cm)	46-52" (117-132 cm)		
4XL/5XL		58-64" (147-163 cm)	52-58" (132-147 cm)		

For full sizing of all Ergodyne items, visit www.ergodyne.com



Chill-Its®

Bring tape measure around the widest part of your chest, under your arms, completely around your torso.



Chill-Its® Cooling Vest 6688

Bring tape measure around the widest part of your chest, under your arms, completely around your torso.



Chill-Its[®] Phase Change Vest

Bring tape measure around the widest part of your chest, under your arms, completely around your torso.



Arsenal® Synthetic Ric

Choose your synthetic belt size based on your pant waist size.

	your torso.		your torso.	your torso.	
		_			
SIZE:	FITS CHEST SIZE:		FITS CHEST SIZE:	FITS CHEST SIZE:	FITS WAIST SIZE:
X-Small					
Small				32-40" (81-102 cm)	
Medium	36-38" (91-97 cm)		38-41" (97-104 cm)	32-40" (81-102 cm)	
Large	38-42" (97-107 cm)		41-44" (104-112 cm)	40-52" (102-132 cm)	29-38" (74-97cm)
X-Large	42-46" (107-117 cm)		44-47" (112-119 cm)	40-52" (102-132 cm)	36-44" (91-112cm)
2XLarge	46-50" (117-127 cm)		47-50" (119-127 cm)		42-49" (107-125cm)
3XLarge	50-54" (127-137 cm)		50-53" (127-135 cm)		
4XLarge			53-56" (135-142 cm)		
	_				




SIZE UP THE SITUATION


Improperly sized gear is a prime cause of heartache and sadness. Remember when you showed up at school wearing highwater pants? Of course that's nothing compared to the crack-tacular combination of too-short shirt and too-loose pants. Don't let these calamities occur. Your gear will be more effective and comfortable if you choose appropriate sizes.

CHEST: Measurement should be taken around the fullest part of the chest with arms down, just under the arms and across the shoulder blades.

WAIST: Measure around waist (not pulling tightly) at the height you prefer to wear the waistband.

INSEAM: Take a pair of pants that fit you well and measure from the crotch to the bottom of the leg.






























INTERGALACTIC HEADQUARTERS: 44° 58' 18.31" N 93° 09' 12.88" W ALT. 934 FT. 1021 BANDANA BOULEVARD EAST SUITE 220 SAINT PAUL, MN, USA 55108 PHONE 651 642 9889 // 800 225 8238 WWW.ERGODYNE.COM

©2016 Tenacious Holdings Inc. All Rights Reserved. All Wrongs Reversed. Ergodyne. Ergoman and Ergoman design, Ergodyne Badge, Tenacious Work Gear Logo, Ergodyne Tenacious Work Gear, Arsenal, Chill-Its, CR825Fx Dorsal Impact, DRDP CDDP, GloWear, Nu202, Squids, Sticky Fingers, ProFlex, ProFlex (Expand), CORE Performance Work Wear, N-Ferno, SHAX and Skullerz are registered trademarks of Ergodyne and protected in the U.S. and abroad. Be Tenacious, BET (Beverage Extrication Tool), Buddy System, Orange Squad, Squad Box, Team Extreme, Team Tenacious, Tenacious Toilet, QuickCuff Open-Center Stay, Perfor-air, Power Panel Positioner, Storm Drains, Products for Occupational Athletes, TREX, Hot Rox, Tenacious-U, Tool Tails, Tool Trap, Tenacious Testers, Tenacious Nation, Make the Workplace a Betterplace, Drops Free Zone and Tenacious Talks are trademarks of Ergodyne. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies. All other product names mentioned herein may be trademarks and/or registered trademarks of their respective owners. Ergodyne is a division of Tenacious Holdings Inc.