

4950 Mustang Welder Specification Sheet

PRODUCT DESCRIPTION:

Only the finest top grain leather go into our MIG/TIG welding options. Sewn with DuPont[™] Kevlar® thread to resist sparks and sharp metals which can unravel most gloves, you will find these gloves a great long-term value. Low heat welding often requires optimal dexterity which affords great attention to detail. You'll find features on the 4950 include Premium grade cream grain cow leather, 4.5" russet split gauntlet cuff and wing thumb.

FEATURES:

- Premium Top Grain Cowhide
- Wing Thumb
- Sewn with super-strong, heat-resistant DuPont™ Kevlar® thread
- 4.5" Split Cowhide Gauntlet Cuff

APPLICATIONS:

Construction, Mig/Tig, Millwright operations , Ship building, Welding

TECHNICAL DATA FOR: 4950


| Series | Mustang |
|----------------|------------------|
| Material Group | Leather |
| Product Type | Welder |
| Glove Size | Large |
| Material | Leather |
| Leather Cut | Grain |
| Leather Type | Cow Skin |
| Grade | Premium |
| Features | Sewn With KEVLAR |
| Lining | Unlined |
| Pattern | Gunn |
| Thumb Style | Wing |
| Thickness | 0.8 - 1.4 mm |

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrsafety.com

©2017 MCR Safety - All Rights Reserved



4950 Mustang Welder Specification Sheet



| Item No: | Size: | A: | B: | C: | Case Weight | UOM Weight |
|----------|-----------|--------|-------|-------|-------------|------------|
| | | | | | | |
| 4950L | Large | 12.370 | 6.250 | 4.500 | 33.282 lb. | 5.547 |
| 4950LB | Large | 12.37 | 6.25 | 4.50 | 61.872 lb. | 5.156 |
| 4950M | Medium | 12.130 | 5.770 | 4.500 | 28.818 lb. | 4.803 |
| 4950S | Small | 12.63 | 5.77 | 5 | 26.778 lb. | 4.463 |
| 4950XL | X - Large | 12.630 | 6.520 | 4.500 | 34.512 lb. | 5.752 |

©2017 MCR Safety - All Rights Reserved