

Stock & Delivery Program for Fall Protection Products



NEED IT
NOW

WE KNOW WHAT'S AT STAKE.

NEED IT NOW

Need it NOW! is MSA's fall protection stocking and delivery program that includes the most popular products for key industries such as construction, utilities, oil, gas and petrochemical, and general industry.


Items included in the **Need it NOW!** program will ship same day or next if ordered by 12 PM EST. MSA reserves the right to limit the quantity of products ordered through this program.

Program Rules

- Items in this document include MSA's most popular fall protection products and ship same day or next if order is received and entered by 12 PM EST.
- All orders shipped ground unless otherwise specified on the customer order.
- All standard order terms and conditions apply.
- MSA reserves the right to limit the quantity of products ordered through this program.

Exclusions

- Ship complete orders are excluded from the program
- Will-Call orders are excluded from the program
- Customers not in good credit standing (orders that go to credit hold)
- Orders with multiple shipping locations
- Shipments outside of the US and Canada



MSA fall protection products include **premier**, **compliance** and **specialty** brands. MSA **premier** brands include EVOTECH® and Latchways® with innovative design, comfort and advanced technology. Our trusted Workman® brand provides simple **compliance**, reliability and affordability to meet sensitive budget needs. Our **specialty** Gravity® line has been developed with advanced materials and testing for specific industry applications. These leading brands meet the needs of at-heights workers for many work environments and complete MSA's extensive fall protection offerings.

EVOTECH Full-Body Harnesses



EVOTECH LITE Harness
Part No. 10155559



EVOTECH Standard Harness
Part No. 10105940



EVOTECH Construction Harness
Part No. 10112710



EVOTECH Derrick Harness
Part No. 10153611



EVOTECH Arc Flash Harness
Part No. 10150152

EVOTECH LITE Harness

PART NO.	D-Ring Configuration		Size				Leg Buckle Type		Padding	Standards	
	Back	Back, Hips	XS	STD	XLG	SXL	Tongue Buckle	Aluminum Quick-Connect	Shoulder	ANSI Z359.11	CSA Z259.10
10155574	■		■					■	■	■	■
10155559	■			■				■	■	■	■
10155575	■				■			■	■	■	■
10155576	■					■		■	■	■	■
10155577		■	■					■	■	■	■
10155578		■		■				■	■	■	■
10155579		■			■			■	■	■	■
10155580		■				■		■	■	■	■
10168415	■		■				■		■	■	■
10167972	■			■			■		■	■	■
10167885	■				■		■		■	■	■
10167748	■					■	■		■	■	■
10172915		■	■				■		■	■	■
10168171		■		■			■		■	■	■
10168174		■			■		■		■	■	■
10168175		■				■	■		■	■	■

EVOTECH Standard Harness

PART NO.	D-Ring Configuration		Size		Leg Buckle Type		Chest Strap Type	Padding	Standards
	Back	Back, Hips	STD	XLG	Tongue Buckle	Quick-Connect	Quick-Connect	Shoulder	OSHA/ANSI/CSA
10105931	■		■		■		■	■	■
10105932	■			■	■		■	■	■
10105940	■		■			■	■	■	■
10105941	■			■		■	■	■	■
10105933		■	■		■		■	■	■
10105935		■		■	■		■	■	■
10105942		■	■			■	■	■	■
10105943		■		■		■	■	■	■

Full-Body Harnesses

EVOTECH LITE Construction Harness

PART NO.	D-Ring Configuration	Size				Leg Buckle Type		Padding	Standards
	Back, Hips	XS	STD	XLG	SXL	Tongue Buckle	Aluminum Quick-Connect	Shoulder & Lumbar	OSHA/ANSI/CSA
10172966	■	■					■	■	■
10172967	■		■				■	■	■
10172968	■			■			■	■	■
10172969	■				■		■	■	■
10172948	■	■				■		■	■
10172949	■		■			■		■	■
10172950	■			■		■		■	■
10172961	■				■	■		■	■

EVOTECH Construction Harness

PART NO.	D-Ring Configuration	Size		Leg Buckle Type		Chest Strap Type	Padding	Standards
	Back, Hips	STD	XLG	Tongue Buckle	Quick-Connect	Quick-Connect	Shoulder	OSHA/ANSI/CSA
10112710	■	■		■		■	■	■
10112741	■		■	■		■	■	■
10112744	■	■			■	■	■	■
10112745	■		■		■	■	■	■

EVOTECH Derrick Harness

PART NO.	Size		Leg Buckle Type	Saddle		Standards
	Std	XLG	Tongue Buckle	Metal	Nylon	OSHA/ANSI/CSA
10152949	■		■	■		■
10154124		■	■	■		■
10153611	■		■		■	■
10155680		■	■		■	■

EVOTECH Arc Flash Harness

PART NO.	D-Ring Configuration		Web Loop	Size		Leg Buckle Type		Standards	
	Back	Back, Hips	Back	STD	XLG	Qwik-Fit™ Buckle	Quick-Connect	OSHA/ANSI	OSHA/ANSI/CSA
10150160			■	■		■		■	
10150148			■	■			■	■	
10150149			■		■		■	■	
10150156	■			■		■			■
10150144	■			■			■		■
10150145	■				■		■		■
10155824		■		■		■			■
10150152		■		■			■		■
10150153		■			■		■		■

Workman Full-Body Harnesses



(Front)

Workman Harness
Part No. 10072487

(Back)

Workman Standard Harness

PART NO.	D-Ring Configuration				Size			Leg Buckle Type		Standards OSHA/ ANSI/CSA
	Back	Back, Hips	Back, Chest	Back, Chest, Hips	STD	XLG	SXL	Qwik-Fit Buckle	Tongue Buckle	
10072479	■				■			■		■
10072480	■					■		■		■
10072481	■						■	■		■
10072487	■				■				■	■
10072488	■					■			■	■
10072489	■						■		■	■
10072483		■			■			■		■
10072484		■				■		■		■
10072485		■					■	■		■
10072491		■			■				■	■
10072492		■				■			■	■
10072493		■					■		■	■
10108744			■		■				■	■
10108745			■			■			■	■
10108768				■	■				■	■
10108769				■		■			■	■
10108772				■	■			■		■
10108773				■		■		■		■

Full-Body **Harnesses**



Workman Construction Harness
Part No. 10077571



Workman Arc Flash Harness
Part No. 10152671



Workman Arc Flash Harness
Part No. 10152637



Workman Stainless Steel Harness
Part No. 10155932

Workman Construction Harness

PART NO.	Size			Padding		Standards
	STD	XLG	SXL	Lumbar	Shoulder & Lumbar	OSHA/ANSI/CSA
10072495	■			■		■
10072496		■		■		■
10072497			■	■		■
10077571	■				■	■
10077572		■			■	■
10077573			■		■	■

Workman Arc Flash Harness

PART NO.	Style		D-Ring Configuration	Web Loop	Size		Leg Buckle Type		Standards
	Vesttype	Crossover	Back	Back	STD	XLG	Qwik-Fit Buckle	Tongue Buckle	OSHA/ANSI/CSA
10152652	■		■		■		■		■
10152637	■		■		■			■	■
10152638	■		■			■		■	■
10152648	■			■	■		■		■
10152633	■			■	■			■	■
10152634	■			■		■		■	■
10152656		■		■	■		■		■
10152671		■		■	■			■	■
10152672		■		■		■		■	■

Gravity Full-Body Harnesses



(Front)

(Back)

Gravity Utility Harness
Part No. 10162117



Gravity Welder Harness
Part No. 10103216



Gravity Urethane Harness
Part No. 10155875

Gravity Utility Harness (Arc Flash)

PART NO.	D-Ring Configuration	Size		Leg Buckle Type	Padding	Accessories			Standards	
	PVC-Coated, Back, Hips, Chest	S	M	Quick-Connect	Leg & Lumbar	Leather Insulators	Reflective Striping	Rescue Loops	ANSI Z359.11	ASTM F887
10162117	■	■		■	■	■	■	■	■	■
10162118	■		■	■	■	■	■	■	■	■

Gravity Welder Harness

PART NO.	D-Ring Configuration	Size		Leg Buckle Type	Standards
	Back	STD	XLG	Quick-Fit	OSHA/ANSI/CSA
10103216	■	■		■	■
10103217	■		■	■	■

Gravity Urethane-Coated Harness

PART NO.	Style	D-Ring Configuration		Size		Leg Buckle Type	Standards
	Vesttype	Back	Back & Hip	STD	XLG	Tongue Buckle	OSHA/ANSI/CSA
10155871	■	■		■		■	■
10155872	■	■			■	■	■

V-TEC™ Self-Retracting Devices



Part No.
63206-00A
63206-00ACA

Part No.
63306-00A
63306-00ACA

Part No.
63013-00A

Part No.
63013-00C

Part No.
63013-00E

Part No.
63203-00A
63203-00ACA

V-TEC 20-ft. (6 m) Self-Retracting Lanyards

PART NO.	Type		Length	Connection		Standards	
	Galvanized	Stainless Steel		Lifeline Connection	Harness Connection	ANSI Z359.14	CSA Z259.2.2
63206-00A	■		20 ft. (6 m)	36CS	Steel carabiner	■	
63206-00ACA	■		20 ft. (6 m)	36CS	Steel carabiner		■
63306-00A		■	20 ft. (6 m)	36CS	Steel carabiner	■	
63306-00ACA		■	20 ft. (6 m)	36CS	Steel carabiner		■

V-TEC 10-ft. (3 m) Personal Fall Limiters

PART NO.	Type		Length	Connection		Standards	
	Web	Cable		Lifeline Connection	Harness Connection	ANSI Z359.14	CSA Z259.2.2
63013-00A	■		10 ft. (3 m)	AL36CL	Steel carabiner	■	■
63013-00C	■		10 ft. (3 m)	Aluminum swivel carabiner	Steel carabiner	■	■
63013-00E	■		10 ft. (3 m)	36CS	Steel carabiner	■	■
63203-00A		■	10 ft. (3 m)	36CS	Steel carabiner	■	
63203-00ACA		■	10 ft. (3 m)	36CS	Steel carabiner		■



Single-leg
Part No. 63011-00B



Twin-leg
Part No. 63111-00A



Single-leg Tie-back
Part No. 63041-00A



Twin-leg Tie-back
Part No. 63141-00A

V-TEC Mini Personal Fall Limiters

PART NO.	Type			Line Length	Connection		Standards	
	Single-leg	Twin-leg	Tie-back		Lifeline Connection	Harness Connection	ANSI Z359.14 (Class B)	OSHA
63011-00A	■			6 ft. (1.8 m)	AL36CL	Steel carabiner	■	■
63011-00B	■			6 ft. (1.8 m)	36C	Steel carabiner	■	■
63011-00C	■			6 ft. (1.8 m)	Aluminum swivel carabiner	Steel carabiner	■	■
63011-00D	■			6 ft. (1.8 m)	Aluminum carabiner	Steel carabiner	■	■
63011-00E	■			6 ft. (1.8 m)	36CS	Steel carabiner	■	■
63011-00F	■			6 ft. (1.8 m)	36CL	Steel carabiner	■	■
63111-00A		■		6 ft. (1.8 m)	AL36CL (2)	Twin-Link Connector	■	■
63111-00B		■		6 ft. (1.8 m)	36C (2)	Twin-Link Connector	■	■
63111-00C		■		6 ft. (1.8 m)	Aluminum swivel carabiner (2)	Twin-Link Connector	■	■
63111-00D		■		6 ft. (1.8 m)	Aluminum triple-lock carabiner (2)	Twin-Link Connector	■	■
63111-00E		■		6 ft. (1.8 m)	36CS (2)	Twin-Link Connector	■	■
63111-00F		■		6 ft. (1.8 m)	36CL (2)	Twin-Link Connector	■	■
63041-00A			■	9 ft. (2.7 m)	FP5K	Steel carabiner		■
63141-00A			■	9 ft. (2.7 m)	FP5K (2)	Twin-Link Connector		■

Latchways Mini Twin-Link	
PART NO.	Description
63900-04	Twin-Link Connector for Mini PFL



Twin-Link Connector
Part No. 63900-04

Self-Retracting Devices



Single-leg
Part No.
64011-00B

Twin-leg
Part No.
64111-00B

Twin-Leg Tie-back
Part No.
64141-00A

Part No.
62707-00US

Part No.
62710-00US

Part No.
62209-00US
62409-00US

Part No.
62215-00US
62415-00US

V-SHOCK™ Mini Personal Fall Limiters

PART NO.	Type			Line Length	Connection		Standards		
	Single-leg	Twin-leg	Tie-back		Lifeline Connection	Harness Connection	ANSI Z359.14 (Class B)	CSA Z259.2.2	OSHA
64011-00B	■			6 ft. (1.8 m)	36C	Steel carabiner	■		■
64011-00BCA	■			6 ft. (1.8 m)	36C	Steel carabiner		■	■
64111-00A		■		6 ft. (1.8 m)	AK36CL	Twin-Link Connector	■		■
64111-00B		■		6 ft. (1.8 m)	36C	Twin-Link Connector	■		■
64111-00F		■		6 ft. (1.8 m)	36CL	Twin-Link Connector	■		■
64111-00ACA		■		6 ft. (1.8 m)	AL36CL	Twin-Link Connector		■	■
64111-00BCA		■		6 ft. (1.8 m)	36C	Twin-Link Connector		■	■
64111-00FCA		■		6 ft. (1.8 m)	36CL	Twin-Link Connector		■	■
64141-00A		■	■	9 ft. (2.7 m)	FP5K	Steel carabiner			■

Latchways® Leading Edge Self-Retracting Lanyards

PART NO.	Type	Length	Net Weight	Weight Capacity	Standards	
	Cable				ANSI Z359.14 (LE)	CSA Z259.2.2
62707-00US	■	23 ft. (7 m)	13.2 lb. (6 kg)	310 lb. (140 kg)	■	
62710-00US	■	33 ft. (10 m)	17.6 lb. (8 kg)	310 lb. (140 kg)	■	

Latchways Standard Self-Retracting Lanyards

PART NO.	Type		Length	Connection	Net Weight
	Cable, Stainless Steel	Cable, Galvanized		Harness Connection	
62209-00US	■		30 ft. (9 m)	36CS	13.2 lbs. (6 kg)
62409-00US		■	30 ft. (9 m)	36CS	13.2 lbs. (6 kg)
62215-00US	■		50 ft. (15 m)	36CS	16.6 lbs. (7.5 kg)
62415-00US		■	50 ft. (15 m)	36CS	16.6 lbs. (7.5 kg)

Workman Self-Retracting Devices



Workman Mini Personal Fall Limiters

PART NO.	Type			Length	Connection		Standards		
	Single-leg	Twin-leg	Tie-back		Lifeline Connection	Harness Connection	ANSI Z359.14 (Class A)	CSA Z259.2.2	OSHA
10157841	■			6 ft. (1.8 m)	36C	Carabiner	■		■
10157808	■			6 ft. (1.8 m)	36C	Carabiner		■	■
10157858		■		6 ft. (1.8 m)	36C	Carabiner	■		■
10157860		■		6 ft. (1.8 m)	36C	Carabiner	■		■
10157862		■		6 ft. (1.8 m)	AL36CL	Carabiner	■		■
10157852		■		6 ft. (1.8 m)	36C	Carabiner		■	■
10157854		■		6 ft. (1.8 m)	36CL	Carabiner		■	■
10157856		■		6 ft. (1.8 m)	AL36CL	Carabiner		■	■
10157864		■	■	9 ft. (3 m)	FPSK	Carabiner		■	■

Workman Personal Fall Limiters





PART NO.	Type	Length	Connection		Standards		
	Web		Harness Connection	Lifeline Connection	ANSI Z359.14	CSA Z259.2.2	OSHA
10093353	■	12 ft. (3.7 m)	1" steel carabiner	36C snaphook	■		■
10093354	■	12 ft. (3.7 m)	None	36C snaphook	■		■
10093356	■	10 ft. (3 m)	None	36C snaphook		■	■
10093357	■	10 ft. (3 m)	1" steel carabiner	36C snaphook		■	■

Workman Self-Retracting Lanyards


PART NO.	Type		Length	Connection	Standards		
	Cable, Galvanized	Cable, Stainless Steel		Harness Connection	ANSI Z359.14	CSA Z259.2.2	OSHA
10119507	■		30 ft. (9 m)	36CS snaphook	■	■	■
10120724		■	30 ft. (9 m)	36CS snaphook	■	■	■
10121834	■		50 ft. (15 m)	36CS snaphook	■	■	■
10121778		■	50 ft. (15 m)	36CS snaphook	■	■	■

FP5K™ Energy-Absorbing Lanyards

FP5K Web Tie-Back Energy-Absorbing Lanyard

	PART NO.	Type		Connection		Standards	
		Single-leg	Twin-leg	Harness Connection	Anchorage Connection	ANSI Z359.13	CSA Z259.11
	10107207	■		36C	FP5K	■	
	10107208		■	36C	FP5K	■	
	10047084	■		36C	FP5K		■
	10047085		■	36C	FP5K		■

Rebar Assemblies

	PART NO.	Type	Connection	Standards
				OSHA
	10107326	Rebar chain assembly	36CL snaphook with 2.5" (57 mm) gate	■

Web Restraint Lanyards



Part No. 505204















Part No. SWL3268704LS





PART NO.	Material	Type				Length	Connection		Standards	
		Single-leg	Twin-leg	Adj	Fixed		Harness Connection	Anchorage Connection	CSA Z259.11-05 E4	OSHA
505204	1" (25 mm) nylon	■		■		6 ft. (1.8 m)	36C	36C	■	■
10056763	1" (25 mm) nylon		■		■	5 ft. (1.5 m)	36C	(2) FP5K	■	■
SWL3268704LS	1" (25 mm) nylon	■			■	4 ft. (1.2 m)	36C	36C	■	■
505088	1" (25 mm) nylon	■		■		6 ft. (1.8 m)	36C	36C		■

Workman Energy-Absorbing Lanyards





Workman Energy-Absorbing Lanyard

	PART NO.	Type			Connection		Standards		
		Single-leg	Twin-leg	Tie-back	Harness Connection	Anchorage Connection	ANSI Z359.13	CSA Z259.11	OSHA
	10113158	■			36C	36C	■		■
	10113164	■			36C	36CL	■		■
	10113157	■		■	36C	36C	■		■
	10113159		■		36C	(2) 36C	■		■
	10113163		■		36C	(2) 36CL	■		■
	10113162		■	■	36C	(2) 36C	■		■
	10072474	■			36C	36C		■	■
	10076124	■			36C	36CL		■	■
	10072472	■		■	36C	36C		■	■
	10073708		■		36C	(2) 36C		■	■
	10072475		■		36C	(2) 36CL		■	■
	10072473		■	■	36C	(2) 36C		■	■

ArcSafe® Energy-Absorbing Lanyards

	PART NO.	Type		Connection		Standards		
		Single-leg	Twin-leg	Harness Connection	Anchorage Connection	ANSI Z359.13	CSA Z259.11	ASTM F887
	10107200	■		Hitch loop	36C	■		■
	10107201		■	Hitch loop	(2) 36C	■		■
	10060139	■		Hitch loop	36C		■	■
	10060140		■	Hitch loop	(2) 36C		■	■

Diamond™ Energy-Absorbing Lanyards

	PART NO.	Type		Length	Connection		Standards	
		Single-leg	Twin-leg		Harness Connection	Anchorage Connection	CSA Z259.11	OSHA
	10023932	■		6 ft. (1.8 m)	36C	36C	■	■
	10023933	■		6 ft. (1.8 m)	36C	36CL	■	■
	10023970		■	6 ft. (1.8 m)	36CSN	(2) 36C	■	■
	10023971		■	6 ft. (1.8 m)	36CSN	(2) 36CL	■	■

Anchorage Connectors



Part No. 10042792



Part No. 10042794



Part No. 505282



Part No. SFP3267504

PointGuard™ Anchorage Connector Strap

POINTGUARD ANCHORAGE CONNECTOR STRAP	10042792	PointGuard residential anchorage connector strap, 3 ft. (1 m) with D-ring
	10042794	PointGuard concrete anchorage connector strap, 4 ft. (1.2 m) with D-ring

Anchorage Connector Straps

ANCHORAGE CONNECTOR STRAPS	505282	Anchorage connector strap, nylon, 5 ft. (1.5 m) length
	10023490	Anchorage connector strap, double D-ring, 5 ft. (1.5 m) length
	SFP2267504	Double D-ring anchorage connector strap, 4 ft. (1.2 m) length

Anchorage Slings

ANCHORAGE SLINGS	SFP3267504	Anchorage cable sling, 4 ft. (1.2 m) length
	SFP3267506	Anchorage cable sling, 6 ft. (1.8 m) length


5K Removable Concrete Anchor
Part No. 10081594

10K Removable Concrete Anchor
Part No. 10081570

Anchorage
Connector
Extension
Part No. 505233

Bolt D-ring with Hole
Part No. 10003213

D-Plate Anchorage Connector
Part No. 506632

Removable Concrete Anchors

REMOVABLE CONCRETE ANCHORS	10081594	5K removable concrete anchor
	10081570	10K removable concrete anchor


Anchorage Connector Extensions

	Part No.	Length	Connection		Standards	
			Tie-off Connection	Anchorage Connection	ANSI Z359	OSHA
ANCHORAGE CONNECTOR EXTENSIONS	505233	5 ft. (1.5 m)	O-ring	36C	■	■

Anchorage Connector Components

ANCHORAGE CONNECTORS	10003213	Bolt D-ring with hole only
	506632	D-plate anchorage connector, zinc-plated steel

Energy-Absorbing **Lanyards**



Workman FP Stryder
Part No. 10144431

Beam Grips

WORKMAN FP STRYDER	10144431	Workman FP Stryder Anchorage Connector, Standard version, fits beam flange widths from 4" (101 mm) to 13.5" (343 mm)
---------------------------	----------	--

Carabiners



Part No. 10089205




Part No. 10089207



Part No. 10089209

CARABINERS	10089205	3/8" (14 mm) steel, auto-locking, ANSI Z, CSA
	10089207	1" (25 mm) steel, auto-locking with pin, ANSI Z, CSA
	10089209	2.1" (53 mm) steel, auto-locking with pin, ANSI Z, CSA

MSA XTIRPA™ Manhole Guard System



CARABINERS	IN-2210	Davit Arm
	IN-2108	Manhole guard with integrated mast
	IN-2404	Mounting bracket
	A2108-18	Stabilizer for manhole guard

Workman Confined Space Entry Kits



Workman Tripod
Part No. 10102002



Confined Space Entry Kit
with Workman Winch and Workman Rescuer
Part No. 10163033



Workman Winch
Part No. 10147301



Workman Rescuer
Part No. 10158178

Workman Tripod

WORKMAN TRIPOD	10102002	Workman Tripod
-----------------------	----------	----------------

Workman Confined Space Entry Kits

PART NO.	Stainless Steel Kit Components					Standards		
	8-ft. (2.4 m) Tripod	50-ft. (15 m) Workman Rescuer	65-ft. (20 m) Workman Winch	Pulleys	Carabiners	ANSI Z359.14	CSA Z259.2.2	OSHA
10163033	■	■	■	2	2	■		■

Workman Winch

WORKMAN WINCH	10147301	Workman Winch, stainless steel cable, 65 ft. (20 m), ANSI Z359.14
----------------------	----------	---

Workman Rescuer

WORKMAN RESCUER	10158178	Workman Rescuer, stainless steel cable, 50 ft. (15 m), ANSI Z359.14
------------------------	----------	---

Horizontal Lifelines



Gravity SureLine™ Temporary Cable Horizontal Lifeline


STEEL CABLE HORIZONTAL LIFELINE SYSTEM	10150416	Steel Cable Horizontal Lifeline System with turnbuckle, 40 ft. (12 m)
	10150418	Steel Cable Horizontal Lifeline System with turnbuckle, 60 ft. (18 m)



Gravity Dyna-Line® Temporary Synthetic Horizontal Lifeline

DYNA-LINE TEMPORARY HORIZONTAL LIFELINE	10150414*	Dyna-Line Temporary Horizontal Lifeline for two workers, 60 ft. (18 m) rope*
--	-----------	--

* Includes anchor straps



Gravity SureLine Temporary Synthetic Horizontal Lifeline

SURELINE TEMPORARY HORIZONTAL LIFELINE	10150424	SureLine Temporary Horizontal Lifeline, 60 ft. (18 m) black rope
---	----------	--

LadderLatch® Attachment Device



Part No. 3104L-00
3103L-00

LADDERLATCH ATTACHMENT DEVICE	3104L-00	MSA LadderLatch attachments device for vertical lifeline kit, ANSI
	3103L-00	MSA LadderLatch attachments device for vertical lifeline kit, CSA

Accessories



Lanyard Connector Adapter
Part No. 505318



Hands-Off™ Chisel Grip
Part No. 10040018



18" (457 mm) Tool Holder
Part No. 507005



Rescue Etrier (open)
Part No. 10063441



Rescue Etrier (folded)
Part No. 10063431

Harness Accessories

LANYARD CONNECTOR ADAPTER	505318	Lanyard connector adapter, nylon, 1 D-ring, 18" (457 mm) (back D-ring extension)
LANYARD CLIP	SHW26	Lanyard clip (Velcro key ring)
SUSPENSION TRAUMA SAFETY STEP	10063431	Suspension Trauma Safety Step with carabiner
	10063441	Suspension Trauma Safety Step without carabiner

General Accessories

CHISEL GRIP	10040018	Hands-Off Chisel Grip
TOOL HOLDER	507005	Tool holder, 18" (457 mm)
	507006	Tool holder, spark resistant, 18" (457 mm)

Training



Fall Protection Training



MSA has the most thorough, hands-on, solution-based training available in the industry—taught at your site or at one of three MSA training facilities. Classes include Competent Person for Equipment Inspection, Safety at Heights, Safety at Heights Management & Rescue Planning, and many more.

Safety at Heights Training Overview

MSA's Safety at Heights Fall Protection education training programs are designed for both MSA channel partners and end user owners of MSA fall protection equipment.

MSA training courses give you the opportunity to participate in the most active, hands-on, solutions-based training available.

Our comprehensive, hands-on courses can be taught at your facility or at one of MSA's North American training facilities, located in Denver, CO, Chicago, IL, Houston TX, Cranberry Township PA, Toronto ON, and Edmonton AB, Canada.

Our training facilities are unsurpassed in the industry and offer an unparalleled training experience.

Advanced registration for these programs is required.



Confined Space Training

MSA confined space product training is FREE and provides a review of OSHA and ANSI standards, inherent dangers, key terminology, hazard identification, permit and non-permit required confined spaces, and atmospheric testing (onsite or Web-based).



MSA-U® Training Center

MSA-U is our online training tool that provides education to your employees concerning product care and use, industry safety standards, application solutions, and more. Our convenient, online approach results in less downtime for your company. The MSA-U Program Administrator function even tracks and documents required training quickly and easily for your record-keeping convenience.

Fall Protection Hazard Awareness Onsite Demonstrations

MSA offers FREE, OSHA-compliant fall protection safety demonstrations and training using a custom portable tower. Topics include ANSI/OSHA standards, components of a fall arrest system, equipment inspection, and calculating fall distances.



Note: This Bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.



ID 2300-116-MC / November 2017
© MSA 2017 Printed in U.S.A.

MSA – The Safety Company
1000 Cranberry Woods Drive
Cranberry Township, PA 16066 USA
Phone 724-776-8600
www.MSAsafety.com

U.S. Customer Service Center
Phone 1-800-MSA-2222
Fax 1-800-967-0398

MSA Canada
Phone 1-800-672-2222
Fax 1-800-967-0398

MSA Mexico
Phone 01 800 672 7222