

#### Revision Date 30-Apr-2015

Version 1

SAFETY DATA SHEET

1. IDENTIFICATION		
<u>Product identifier</u> Product Name	26MA POWER BEAD RED RTV SILICONE 7.25 OZ AE	
<u>Other means of identification</u> Product Code Synonyms	85915 None	
<u>Recommended use of the chemical</u> Recommended Use Uses advised against	<u>and restrictions on use</u> Sealant No information available	
Details of the supplier of the safety Manufacturer Address ITW Permatex 10 Columbus Blvd. Hartford, CT 06106 USA	<u>data sheet</u> <u>Distributor</u> ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994	
Company Phone Number 24 Hour Emergency Phone Number	1-87-Permatex (877) 376-2839 Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453	
E-mail address	mail@permatex.com	
	2. HAZARDS IDENTIFICATION	

### **Classification**

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Gases under pressure	Compressed gas

### Label elements

Warning

### Emergency Overview

Harmful if inhaled Causes skin irritation Causes serious eye irritation Suspected of causing cancer Contains gas under pressure; may explode if heated



### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label) IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC) Not applicable

Other Information

Not applicable.

Unknown acute toxicity

12.3% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
POLY (DIMETHYLSILOXANE), HYDROXY TERMINATED	70131-67-8	40 - 70	*
AMORPHOUS SILICA	7631-86-9	7 - 13	*
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE	64742-46-7	3 - 7	*
NITROGEN	7727-37-9	1 - 5	*
IRON OXIDE	1309-37-1	1 - 5	*
METHYLTRIACETOXYSILANE	4253-34-3	1 - 5	*

ETHYLTRIACETOXYSIL	ANE 17689-77-9	1 - 5	*	
TITANIUM DIOXIDE	13463-67-7	1 - 5	*	
ACETIC ACID	64-19-7	1 - 5	*	
*The exact perce	entage (concentration) of composition has b	been withheld as a trade s	ecret.	
	4. FIRST AID MEASURE	S		
Description of first aid measures				
General advice	Get medical advice/attention if you feel unwell.			
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.			
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.			
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.			
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.			
Self-protection of the first aider	Use personal protective equipment as required.			
Most important symptoms and effe	ects, both acute and delayed			
Symptoms	See section 2 for more information.			
Indication of any immediate medic	al attention and special treatment neede	ed .		
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASU	RES		
Suitable extinguishing media Carbon dioxide (CO2), Dry chemical,	Foam			
Unsuitable extinguishing media None.				
Specific hazards arising from the of Keep product and empty container a	<b>chemical</b> way from heat and sources of ignition.			
Explosion data				

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required. Contents under pressure. Do not puncture or incinerate cans.

Environmental precautions			
Environmental precautions	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
Methods and material for containme	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Flood with water to complete polymerization and scrape off floor. Sweep up and shovel into suitable containers for disposal. Slippery, can cause falls if walked on.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing		
	vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. Do not puncture or incinerate cans. Contents under pressure.		
Conditions for safe storage, includi	Wash contaminated clothing before reuse. Use personal protective equipment as required. Do not puncture or incinerate cans. Contents under pressure.		
<u>Conditions for safe storage, includi</u> Storage Conditions	Wash contaminated clothing before reuse. Use personal protective equipment as required. Do not puncture or incinerate cans. Contents under pressure.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
AMORPHOUS SILICA 7631-86-9	-	(vacated) TWA: 6 mg/m <sup>3</sup> <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m <sup>3</sup> TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
IRON OXIDE 1309-37-1	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> fume and total dust Iron oxide (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction regulated under Rouge	IDLH: 2500 mg/m <sup>3</sup> Fe dust and fume TWA: 5 mg/m <sup>3</sup> Fe dust and fume
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m³	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
ACETIC ACID 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m <sup>3</sup>	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Paste Red Acetic acid No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point	<u>Values</u> No information available No information available Not Applicable > 93 °C / > 200 °F	Remarks • Method
Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit:	No information available No information available No information available	
Lower flammability limit: Vapor pressure Vapor density	No information available <5 mm Hg >1	Air = 1
Relative density Water solubility Solubility in other solvents Partition coefficient	1.05 Not applicable No information available No information available	Polymerization
Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	No information available No information available No information available No information available	
Explosive properties Oxidizing properties <u>Other Information</u>	No information available No information available	
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available 3.0% No information available No information available	

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# Conditions to avoid

Excessive heat.

#### Incompatible materials Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides Nitrogen oxides (NOx) Acetic acid Oxides of sulfur Formaldehyde

## **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation	May be harmful if inhaled.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
POLY (DIMETHYLSILOXANE), HYDROXY TERMINATED 70131-67-8	-	> 16 mL/kg(Rabbit)	> 8750 mg/m³ (Rat)7 h
AMORPHOUS SILICA 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE 64742-46-7	= 7400 mg/kg(Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat)4 h
IRON OXIDE 1309-37-1	> 10000 mg/kg (Rat)	-	-
METHYLTRIACETOXYSILANE 4253-34-3	= 2060 mg/kg (Rat)	-	-
TITANIUM DIOXIDE 13463-67-7	> 10000 mg/kg (Rat)	-	-
ACETIC ACID 64-19-7	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat)4 h

#### Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information	on available.		
Germ cell mutagenicity	No informatio	No information available.		
Carcinogenicity	The table bel	The table below indicates whether each agency has listed any ingredient as a carcinogen.		
Chemical Name	ACGIH	IARC	NTP	OSHA
AMORPHOUS SILICA	-	Group 3	-	-
7631-86-9				

IRON OXIDE 1309-37-1	-	Group 3	-	-
TITANIUM DIOXIDE 13463-67-7	-	Group 2B	-	X
IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans Not classifiable as a human carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present Target Organ Effects Eyes, Respiratory system, Skin, Teeth.				
The following values are ca	lculated based on ch	apter 3.1 of the GHS doc	ument	
U	17289 mg/k			
ATEmix (oral)		y .		
ATEmix (oral) ATEmix (dermal)	6094 mg/kg	0		

#### **Ecotoxicity**

82.1% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
AMORPHOUS SILICA 7631-86-9	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static	7600: 48 h Ceriodaphnia dubia mg/L EC50
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE 64742-46-7	-	35: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Pimephales promelas mg/L LC50 static	-
ACETIC ACID 64-19-7	-	79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50 Static 47: 24 h Daphnia magna mg/L EC50

#### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

Chemical Name	Partition coefficient	
ACETIC ACID	-0.31	
64-19-7		

#### Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Na	ime	California Hazardous Waste Status				
ACETIC AC 64-19-7	ID	Toxic Corrosive Ignitable				
	14. TRANSPORT INFORMATION					
DOT UN/ID no Proper shipping name: Hazard Class Emergency Response Guide Number	UN/ID no1950Proper shipping name:Aerosols, Limited Quantity (LQ)Hazard Class2.2Emergency Response Guide126					
IATA UN/ID no Proper shipping name: Hazard Class ERG Code	ID 8000 Consumer commodity 9 9L					
IMDG						

MDG	
UN/ID no	1950
Proper shipping name:	Aerosols, Limited Quantity (LQ)
Hazard Class	2.2
EmS-No	F-D, S-U

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not Listed.
ENCS	Not Listed.
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SAR	Α	31	1/3 <sup>-</sup>	12	Ha	azard	Cate	gories	
			-	-	-	-	-	-	

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
-	

#### **Reactive Hazard**

No

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ACETIC ACID 64-19-7	5000 lb	-	-	Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACETIC ACID	5000 lb	-	RQ 5000 lb final RQ
64-19-7			RQ 2270 kg final RQ
US State Regulations			

# California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
TITANIUM DIOXIDE - 13463-67-7	Carcinogen	

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
AMORPHOUS SILICA 7631-86-9	Х	X	Х
NITROGEN 7727-37-9	Х	X	Х
IRON OXIDE 1309-37-1	Х	X	Х
TITANIUM DIOXIDE 13463-67-7	Х	X	Х
ACETIC ACID 64-19-7	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 2	Flammability 1	Instability 0	-
<u>HMIS</u>	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 30-Apr-2015

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet