

# Safety Data Sheet

Issue Date: 11-Jul-2011

Revision Date: 14-Oct-2014

Version 1

Issue Date. 11-501-2011	Revision Date. 14-001-2014	,	
	1. IDENTIFICATION		
Product Identifier Product Name	Low Foam		
Other means of identification SDS # Product Code UN/ID No	CARROLL-153 164 UN3267		
<u>Recommended use of the chemica</u> Recommended Use	<u>I and restrictions on use</u> Wax Stripper with Ammonia.		
Details of the supplier of the safety Supplier Address Carroll Co. 2900 W. Kingsley Road Garland, TX 75041	data sheet		
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	1-800-527-5722 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
	2. HAZARDS IDENTIFICATION		
Appearance Purple liquid	Physical State Liquid	Odor	Ammonia
<u>Classification</u>			
Skin corrosion/irritation Serious eye damage/eye irritation		Category 1 Sub-category C Category 1	
<u>Signal Word</u> Danger			
Hazard Statements Causes severe skin burns and eye da	amage		

<u>Precautionary Statements - Prevention</u> Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Call a poison center or doctor/physician

Rinse mouth

Do not induce vomiting

#### Precautionary Statements - Storage

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Trade Secret	Proprietary	<5
Ethylene Glycol Monobutyl Ether	111-76-2	<5
Trade Secret	Proprietary	<5
Trade Secret	Proprietary	<5
Ammonium hydroxide	1336-21-6	<5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

#### First Aid Measures

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If irritation persists, seek medical attention.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Give large volumes of water. Get medical attention.

#### Most important symptoms and effects

SymptomsCauses severe skin burns and eye damage. Inhalation of vapor or mist may be irritating.<br/>May be irritating to the mouth, throat and stomach.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Product is not flammable.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

#### Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Flood area with water and then mop up. Dispose of in accordance with federal, state and local regulations.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

.. . . .

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Do not destroy or deface the label.

#### Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep container tightly closed and store in a cool, dry and well-ventilated place. Store<br/>containers upright. Store locked up.

Incompatible Materials Strong acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trade Secret	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
	TWA: 3 ppm	TWA: 6 mg/m <sup>3</sup>	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m <sup>3</sup>
		(vacated) TWA: 8 mg/m <sup>3</sup>	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m <sup>3</sup>
		(vacated) STEL: 15 mg/m <sup>3</sup>	-
thylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 $mg/m^3$	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	-
		(vacated) S*	
		` S* ´	
Trade Secret	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
	5 5	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

#### Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Goggles.
Skin and Body Protection	Rubber gloves. Suitable protective clothing.
<b>Respiratory Protection</b>	Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties **Physical State** Liquid Appearance Purple liquid Odor Ammonia Color Purple **Odor Threshold** Not determined Property \_\_\_\_\_ Values Remarks • Method 12.9 рΗ **Melting Point/Freezing Point** Not applicable **Boiling Point/Boiling Range** Not determined Flash Point None **Evaporation Rate** Not determined Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability Limits	Not determined
Lower Flammability Limit	Not determined
Vapor Pressure	Not applicable
Vapor Density	Not determined
Specific Gravity	1.012 (Water = 1)
Water Solubility	Completely soluble
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined
	10. STABILITY AND REACTIVITY

#### **Reactivity**

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to Avoid**

Keep separated from incompatible substances. Keep out of reach of children.

#### **Incompatible Materials**

Strong acids.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not ingest.

#### Component Information

Chemical Name	Oral LD50 Dermal LD50		Inhalation LC50	
Trade Secret	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-	
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg(Rat)	= 2270 mg/kg (Rat)= 220 mg/kg ( Rabbit)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h	
Trade Secret	= 7200 mg/kg (Rat)	-	-	
Trade Secret	-	= 1350 mg/kg (Rabbit)	-	

Ammonium hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-
Trade Secret	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit)= 14422 mg/kg (Rat)	-
Trade Secret	= 10 g/kg (Rat)	-	-

#### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

#### Numerical measures of toxicity

Not determined

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

#### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trade Secret	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow- through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		65: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Trade Secret		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Ammonium hydroxide 1336-21-6		8.2: 96 h Pimephales promelas mg/L LC50		0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50

Trade Secret	500: 72 h Desmodesmus	337 - 352: 96 h Pimephales	EC50 = 32.4 mg/L 5 min	500: 48 h Daphnia magna
	subspicatus mg/L EC50	promelas mg/L LC50 flow-	EC50 = 880 mg/L 17 h	mg/L EC50
		through 366: 96 h	-	-
		Pimephales promelas mg/L		
		LC50 static 220 - 460: 96 h		
		Leuciscus idus mg/L LC50		
		static		
Trade Secret	1.01: 72 h Desmodesmus	41: 96 h Lepomis		610: 24 h Daphnia magna
	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50
	_	static 59.8: 96 h Pimephales		
		promelas mg/L LC50 static		

#### Persistence/Degradability

Not determined.

### **Bioaccumulation**

Not determined.

# <u>Mobility</u>

Chemical Name	Partition Coefficient
Trade Secret	-1.91
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

### Other Adverse Effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Trade Secret	Toxic
	Corrosive
Ammonium hydroxide	Toxic
1336-21-6	Corrosive

# **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN3267 Corrosive liquid, basic, organic, n.o.s. (Ethanolamine) 8 III
IATA UN/ID No Proper Shipping Name	UN3267 Corrosive liquid, basic, organic, n.o.s. (Ethanolamine)

Hazard Class	8
Packing Group	III

# IMDG

UN/ID No	UN3267
Proper Shipping Name	Corrosive liquid, basic, organic, n.o.s. (Ethanolamine)
Hazard Class	8
Packing Group	III
Marine Pollutant	This material may meet the definition of a marine pollutant

# **15. REGULATORY INFORMATION**

#### International Inventories

TSCA

Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### US Federal Regulations

### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Trade Secret	1000 lb		RQ 1000 lb final RQ
			RQ 454 kg final RQ
Ammonium hydroxide	1000 lb		RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ

#### SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	<5	1.0
Ammonium hydroxide - 1336-21-6	1336-21-6	<5	1.0
Trade Secret -		<1	1.0

# CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trade Secret	1000 lb			Х
Ammonium hydroxide	1000 lb			Х

### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Trade Secret	Х	Х	Х

Ethylene Glycol Monobutyl Ether 111-76-2	Х	Х	Х
Trade Secret	Х	Х	Х
Ammonium hydroxide 1336-21-6	Х	Х	Х
Trade Secret	Х		Х

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 3	Flammability Not determined Flammability 0	<b>Instability</b> Not determined <b>Physical Hazards</b> 1	<b>Special Hazards</b> Not determined <b>Personal Protection</b> B = Goggles, gloves
Issue Date: Revision Date: Revision Note:	11-Jul-2011 14-Oct-2014 New format			

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**