

## Safety Data Sheet

Version 1

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier Product name Chemical name	CHAMPION SPRAYON APPLE BLOSSOM AIR FRESHENER 7-7981-2
Other means of identification Product code Synonyms	FG 438-5321-3 Air deodorizer
Recommended use of the chemical Recommended Use Uses advised against	<u>and restrictions on use</u> Room Deodorizer. Avoid spraying directly on varnished or painted surfaces.
Details of the supplier of the safety	data sheet
Supplier Address	Manufacturer Address
Chase Products Co.	Chase Products Co.
2727 Gardner Road	2727 Gardner Road
Broadview, IL 60155	Broadview, IL 60155
708-273-1121	708-273-1121
Emergency Telephone Number	
Company Phone Number	708-865-1000
24 Hour Emergency Phone Number	1-800-255-3924

2. Hazards Identification

ChemTel 1-800-255-3924

### **Classification**

Emergency telephone

FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

### Label Elements

### **EMERGENCY OVERVIEW**

# Warning hazard statements Flammable Aerosol Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explode if heated Image: Contains gas under pressure; may explore; m

Precautionary Statements - Prevention

Keep away from heat, sparks, open flames and hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

### **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 50°C (122 °F)

### Hazards not otherwise classified (HNOC) Other Information

### 3. Composition/information on Ingredients

Common Name Synonyms Chemical Family Formula Chemical nature Air Freshener. Air deodorizer. MIXTURES. 7-7981-2 Aqueous perfumed solution.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	75-80	*
Propane	74-98-6	10-15	*
N-Butane	106-97-8	5-10	*

Chemical Additions

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures		
FIRST AID MEASURES		
Eye Contact	Flush from eyes with plenty of water. If irritation develops, consult a physician.	
Skin contact	Wash skin with soap and water.	
inhalation	If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get medical attention if injury develops.	
INGESTION	Ingestion from an aerosol product is unlikely to occur.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	None needed.	
5. Fire-fighting measures		

### Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

### Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame. Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. Accidental release measures

Personal precautions,	protective equ	uipment and	emergency	procedures
· · · · · ·		-		•

Personal precautions	Use with adequate general or local exhaust ventilation.
For emergency responders	Remove all sources of ignition.
Environmental Precautions	
Environmental Precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for Containment	Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.
Methods for cleaning up	Clean contaminated surface thoroughly.
	7. Handling and Storage
Precautions for safe handling	
Advice on safe handling	Do not deliberately inhole years or aproximist. Avoid getting aproximite even
	Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.
Conditions for safe storage, includ	
<u>Conditions for safe storage, includ</u> Storage Conditions	

### 8. Exposure Controls/Personal Protection

### Control parameters

**Exposure guidelines** See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³
N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>

### Appropriate engineering controls

### FG 438-5321-3 CHAMPION SPRAYON APPLE BLOSSOM AIR FRESHENER

Engineering controls	Use with adequate general or local exhaust ventilation.
Individual protection measures, suc	ch as personal protective equipment
Eye/face Protection	Conventional eyeglasses to guard against splashing.
Skin and Body Protection	Household type gloves, if desired.
Respiratory protection	None required if used in a well-ventilated area .
General hygiene considerations	None needed.

### 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol liquid white	Odor Odor threshold	Perfumed. No information available
Property pH Melting point/freezing point Boiling point/boiling range Flash Point	Values 0.99 to 1.00 Not applicable Water 212 °F/100 °C Not applicable. This is an aerosol product for which Flame Projection is 0 in. with 0 in flashback. Product was tested for Enclosed Space Ignition test and is a Category 2 flammable aeroso as defined under 29CFR 1910.122 Appendix B.3.	t I	
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air	Faster than butyl acetate	No information available No information available No information available	
Upper flammability limits Lower Flammability Limit Vapor pressure Vapor Density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	Not available Not available 0.99 -1.00 (concentrate) No information available No information available	No information available No information available No information available Soluble in water No information available No information available No information available No information available No information available	
Other Information Softening point Molecular weight VOC content (%) Density Bulk Density	No information available No information available 19.5% 8.33 lb/gal No information available		

### 10. Stability and Reactivity

**Reactivity** 

Not applicable Not applicable

# Chemical stability Stable. Possibility of hazardous reactions Temperatures above 130 °F may cause cans to burst with force. hazardous polymerization Hazardous polymerization does not occur.

nazardous polymenzation riazardous polymenzation does r

<u>Conditions to Avoid</u> Temperatures above 122 °F (50 °C). <u>Incompatible Materials</u> Avoid heat, open flame and contact with strong oxidizers. <u>Hazardous decomposition products</u> Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

### **11. Toxicological Information**

### Information on likely routes of exposure

Product Information This product has not been tested as whole. See below for information on ingredients.

inhalation no data available.

Eye Contact no data available.

Skin contact no data available.

**INGESTION** no data available.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Propane 74-98-6	-	-	= 658 mg/L (Rat)4 h
N-Butane 106-97-8	-	-	= 658 g/m³(Rat)4 h

### Information on toxicological effects

Symptoms

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation corrosivity sensitization Germ Cell Mutagenicity carcinogenicity	None expected. May cause eye irritation with susceptible persons. Not applicable. No a skin sensitizer. No information available. Not known chronic effects based on available data. None of the ingredients present in excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.
Reproductive Toxicity STOT - single exposure STOT - repeated exposure Aspiration Hazard	No information available. No information available. No information available. Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

### Numerical measures of toxicity - Product Information

Unknown acute toxicity

### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-gas)1669380 mg/lATEmix (inhalation-vapor)3374 mg/l

### 12. Ecological Information

This product does not contain marine pollutants.

### ecotoxicity

21.4895% of the mixture consists of components(s) of unknown hazards to the aquatic environment

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
Propane 74-98-6	2.3
N-Butane 106-97-8	2.89

Other adverse effects

No information available

### 13. Disposal Considerations

Waste treatment methods	
Disposal of wastes	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

### 14. Transport Information

DOT	Limited quantity (LQ) Air Freshener/Deodorizer
UN/ID no	UN1950
Proper Shipping Name	Limited quantity (LQ)
Hazard Class	2.1
Marine pollutant	This product does not contain marine pollutants.

### 15. Regulatory information

International	Inventories
TSCA	

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory.

### DSL

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

All ingredients are listed or are excluded from listing on the DSL.

### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
Propane 74-98-6	X	X	Х
N-Butane 106-97-8	X	Х	Х

### U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information					
NFPA_	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable	
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical Hazards 1	<b>Personal Protection</b> A - Eyes protection	
Prepared by	Regulatory Department				
Issue date	06-May-2015				
Revision note					
This SDS supersedes a previous MSDS dated June 19, 2013.					
Disclaimer	-				

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet