

SAFETY DATA SHEET

Issuing Date 15-Aug-2014

Revision Date 15-Aug-2014

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier	
Product Name	Asidufoam® Foaming Bathroom Cleaner
Other means of identification	
Product Code(s)	33732, 33701, 33705, 33755
UN-Number	UN1760
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Bathroom cleaner
Uses advised against	No information available
Supplier's details Supplier Address ITW PRO BRANDS 805 E. Old 56 Highway Olathe, KS 66061 TEL: 1-800-443-9536 Emergency telephone number	
Emergency Telephone	800-535-5053 Infotrac

Emergency Telephone Number

2. HAZARDS IDENTIFICATION


Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1

GHS Label elements, including precautionary statements

Emergency Overview



Precautionary Statements

Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray.
- · Wash face, hands and any exposed skin thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

- Immediately call a POISON CENTER or doctor/physician.
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

• Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Wash contaminated clothing before reuse.

Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

None

Spills and Leaks

None

Storage

· Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Toxic to aquatic life. Harmful to aquatic life with long lasting effects

1.5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Cocamidopropyl betaine	61789-40-0	3 -7	*
Diethylene glycol monobutyl ether	112-34-5	1-5	*
Citric acid	77-92-9	1-5	*
Sulfamic acid	5329-14-6	1-5	*
2-Butoxyethanol	111-76-2	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice	Immediate medical attention is required.
Eye Contact	Keep eye wide open while rinsing. Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician or Poison Control Center immediately.
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to PhysicianTreat symptomatically. Product is a corrosive material. Use of gastric lavage or emesis is
contraindicated. Possible perforation of stomach or esophagus should be investigated. Do
not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in
blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak. High risk of slipping due to leakage/spillage of product.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental Precautions		
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Avoid release to the environment. See Section 12 for additional Ecological Information.	
Methods and materials for conta	ainment and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Cleaning Up	Small spillage: Wipe up with absorbent material (e.g. cloth, fleece) Large spillage: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean any slippery coating that remains using a detergent/soap solution or another biodegradable cleaner.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Handling	Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors of mists. In case of insufficient ventilation, wear suitable respiratory equipment. Ensure adequate ventilation. Do not take internally. Wash thoroughly after handling.	

Conditions for safe storage, including any incompatibilities

StorageKeep container closed when not in use. Keep out of the reach of children. Do not
contaminate food or feed stuffs.Incompatible ProductsStrong oxidizing agents. Strong reducing agents. Alkalis. Reactive metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-70-2		TWA: 240 mg/m ³ (vacated) TWA: 25 ppm	TWA: 5 ppm TWA: 24 mg/m³
		(vacated) TWA: 120 mg/m ³ (vacated) S*	
		S*	

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Tightly fitting safety goggles. Impervious gloves. Impervious clothing. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures	When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Liquid Pine	Appearance Odor Threshold	Yellow No information available
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature	Values 1.3 No data available 100 °C / 212 °F No data available > 1 (air = 1) 1.011 @ 70°F Completely soluble No data available No data available No data available	Remarks/ - Me None known None known	ethod_
Decomposition Temperature Viscosity	No data available 2.5 cps	None known None known	
Flammable Properties	Not flammable		
Explosive Properties Oxidizing Properties	No data available No data available		
Other information			
VOC Content (%)	1.00%		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Incompatible products.

Incompatible materials

Strong oxidizing agents. Strong reducing agents. Alkalis. Reactive metals.

Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Sulfur oxides. Ammonia.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	May cause irritation of respiratory tract.
Eye Contact	Causes serious eye damage. Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	Corrosive. Causes severe skin burns.
Ingestion	May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cocamidopropyl betaine	= 4900 mg/kg (Rat)	-	-
Diethylene glycol monobutyl ether	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Citric acid	3000 mg/kg (Rat)	-	-
Sulfamic acid	= 1450 mg/kg (Rat)	-	-
2-Butoxyethanol	= 470 mg/kg (Rat)	220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm
		2270 mg/kg (Rat)	(Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

•	nce of Governmental Industrial Hygienists)
A3 - Animal Carcinogen	
IARC: (International Agency	
Group 3: Not Classifiable as to	b its Carcinogenicity to Humans
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Avoid repeated exposure. Possible risks of irreversible effects. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. May cause adverse liver effects. May cause adverse effects on the bone marrow and blood-forming system.
Target Organ Effects	Liver. Kidney. Respiratory system. Eyes. Skin. Central nervous system (CNS). Blood. Hematopoietic system.
Aspiration Hazard	No information available.

Numerical measures of toxicity - Product

Acute Toxicity	1.5% of the mixture consists of ingredient(s) of unknown toxicity.
The following values are calculated	d based on chapter 3.1 of the GHS document:
LD50 Oral	19758 mg/kg; Acute toxicity estimate
LD50 Dermal	60612 mg/kg; Acute toxicity estimate
Inhalation	
dust/mist	150 mg/L; Acute toxicity estimate
Vapor	1100 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Cocamidopropyl betaine 61789-40-0	EC50 72 h: 1.0 - 10.0 mg/L (Desmodesmus subspicatus) EC50 96 h: = 0.55 mg/L (Desmodesmus subspicatus)	LC50 96 h: 1.0-10.0 mg/L (Brachydanio rerio) LC50 96 h: = 2 mg/L semi-static (Brachydanio rerio)		EC50 48 h: = 6.5 mg/L (Daphnia magna)
Diethylene glycol monobutyl ether 112-34-5	EC50 96 h: > 100 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 1300 mg/L static (Lepomis macrochirus)		EC50 24 h: = 2850 mg/L (Daphnia magna) EC50 48 h: > 100 mg/L (Daphnia magna)
Citric acid 77-92-9		LC50 96 h: = 1516 mg/L static (Lepomis macrochirus)		EC50 72 h: = 120 mg/L (Daphnia magna)
Sulfamic acid 5329-14-6		LC50 96 h: = 14.2 mg/L static (Pimephales promelas)		
2-Butoxyethanol 111-76-2		LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus)		EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation

Chemical Name	Log Pow	
Citric acid	-1.72	
2-Butoxyethanol	0.81	

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	Dispose of in accordance with federal, state, and local regulations
Contaminated Packaging	Do not re-use empty containers.
US EPA Waste Number	D002
California Hazardous Waste Codes	791

14. TRANSPORT INFORMATION

DOT

UN1760
Corrosive liquid, n.o.s.
8
III
UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III
154

TDG	
UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	III IN1700 Companies liquid a c.a. (Cultarais said Cityis said) 0. III
Description	UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III
MEX	
UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	
Description	UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III
ICAO	
UN-Number	UN1760
Proper shipping name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	III
Description	UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III
ΙΑΤΑ	
UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	III
ERG Code	8L
Description	UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III
IMDG/IMO	
UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	
EmS No.	F-A, S-B
Marine Pollutant	Product is a marine pollutant according to the criteria set by IMDG/IMO
Description	UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III
RID	
UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	
Classification Code Description	C9 UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III
Decemption	
ADR	101/700
UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class Packing Group	8 III
Classification Code	C9
Tunnel Restriction Code	(E)
Description	UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III, (E)
ADN Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	
Classification Code	C9
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (Sulfamic acid, Citric acid), 8, III
Limited Quantity	5 L

15. REGULATORY INFORMATION

International Inventories TSCA

Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Citric acid	-	-	RQ Section number 180.950
I.C. State Demulations			

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Diethylene glycol monobutyl ether	Х		Х	Х	
Sulfamic acid	Х				
2-Butoxyethanol	Х	Х	Х	Х	Х
Isobutyl acetate	Х	Х	Х		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 3	Flammability 0	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 3	Flammability 0	Physical Hazard 0	Personal Protection X	
Prepared By	23 British American Blvd.				
Issuing Date	Latham, NY 12110 1-800-572-6501 15-Aug-2014				
Revision Date	15-Aug-2				

Revision Note

Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet