

Safety Data Sheet

Issue Date: 08-Aug-2011 **Revision Date:** 16-Jan-2014 **Version** 1.0

1. IDENTIFICATION

Product Identifier

Product Name Workhorse

Other Means of Identification

Product Code 062000

Recommended use of the Chemical and Restrictions on Use

Recommended Use Butyl degreaser cleaner concentrate. For industrial use.

Details of the Supplier of the Safety Data Sheet

Midlab, Inc. 140 Private Brand Way Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-423-337-3180

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Red Physical State Liquid Odor Characteristic

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.

May be corrosive to metals.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original container.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Absorb spillage to prevent material damage.



Precautionary Statements - Storage

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Ethylene Glycol Monobutyl Ether	111-76-2	3-7
Sodium Metasilicate	6834-92-0	1-5
Potassium Hydroxide	1310-58-3	1-5
Alcohols, C9-11 Ethoxylated	68439-46-3	1-5
Sodium Xylene Sulfonate	1300-72-7	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Skin Contact Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse.

Inhalation Remove to fresh air. Seek immediate medical attention/advice.

Ingestion Rinse mouth. Do not induce vomiting. Drink plenty of water. Seek medical advice.

Most important Symptoms and Effects

Symptoms Exposed individuals may experience eye tearing, redness and discomfort. Contact may

cause irritation and redness.

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal,

state and local regulations. Use a water rinse for final clean up.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do

not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with eyes. Handle in

accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and

out of reach of children. Protect from freezing.

Incompatible Materials Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Sodium Metasilicate 6834-92-0	2 mg/m³	2 mg/m³	-
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate Engineering Controls

Engineering Controls General ventilation sufficient.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses.

Skin and Body Protection Chemical resistant protective gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical StateLiquidAppearanceClearColorRed

Odor Characteristic
Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

13.0-13.5 pН **Melting Point/Freezing Point** ~ 0 °C / ~32 °F **Boiling Point/Boiling Range** 101 °C / 214 °F Flash Point Not applicable **Evaporation Rate** Not determined Flammability (Solid, Gas) n/a-liquid **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined

Specific Gravity 1.02

Water Solubility Completely soluble @ 25 °C (77 °F)

Not determined Solubility in other solvents **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Sodium Metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-
Potassium Hydroxide 1310-58-3	= 214mg/kg (Rat)	-	-

Alcohols, C9-11 ethoxylated = 1378 mg/kg (Rat) > 2 g/kg (Rabbit) -
--

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl				
Ether	A3	Group 3		
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	-	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Sodium Metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	_	216: 96 h Daphnia magna mg/L EC50
Potassium Hydroxide 1310-58-3	-	80: 96h Gambusia affinis mg/L LC50 static	-	-

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether 111-76-2	0.81
Potassium Hydroxide 1310-58-3	0.83

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium Hydroxide	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

DOT

UN3266, Corrosive Liquid, Basic, Inorganic, NOS(Containing Potassium Hydroxide), 8, PG

<u>IATA</u>

<u>IMDG</u>

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3	di 0001		RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard

Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether	111-76-2	3-7	1.0

US State Regulations

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA – Reportable Quantities	CWA - Toxic Pollutants	CWA – Priority Pollutants	CWA – Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			X

U.S. State Right-to-Know Regulations

Chemical Name	State List
Ethylene Glycol Monobutyl Ether 111-76-2	MA, NJ, PA
Potassium Hydroxide 1310-58-3	MA, NJ, PA

CT – Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 – California Prop 65 FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

MA - Massachusetts Right to Know List

MN - Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List PA – Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

16. OTHER INFORMATION

NFPA **Health Hazards Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined **Health Hazards Personal Protection Flammability Physical Hazards** HMIS Not determined 3

Issue Date: 08-Aug-2011 Revision Date: 15-Jan-2014

Revision Note: New format Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

End of Safety Data Sheet

^{*}Denotes changes from last version.