

Issue Date	08-Aug-2011	Revision Date:	16-Jan-2014		Version	1.0
		1. IDENT	TIFICATION			
<u>Product Ide</u> Product Na		Non-Ammoniated Floor S	Stripper			
<u>Other Mean</u> Product Co	s of Identification_ de	110600				
<u>Recommen</u> Recommen		al and Restrictions on Use Floor stripper. For indus				
Details of th Midlab, Inc. 140 Private Athens, TN 3		<u>ty Data Sheet</u>				
Company P	<u>Telephone Number</u> hone Number Telephone (24 hr)	Phone: 1-423-337-3180 INFOTRAC 1-352-323-3 1-800-535-5053 (North A	500 (International)			
		2. HAZARDS	IDENTIFICATION			
Appearance	e Colorless	Physical S	State Liquid		Odor	None
<u>Classification</u>	<u>on</u>					
Acute toxicity	y - Inhalation (Vapors)			Category 4		
Skin corrosio				Category 1 Sub-cate	egory B	
	damage/eye irritation			Category 1 Category 1		
Corrosive to	Corrosive to metals					
	t Otherwise Classified	(HNOC)				

Signal Word Danger

Hazard Statements

Harmful if inhaled. Causes severe skin burns and eye damage.

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Keep only in original container.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.



IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Specific treatment: Remove from exposure and treat symptoms. Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up. Store in corrosive container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Unknown Acute Toxicity

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Ethylene Glycol n-Butyl Ether	111-76-2	10-30
Monoethanolamine	141-43-5	5-10
Potassium Hydroxide	1310-58-3	1-5
Sodium Xylene Sulfonate	1300-72-7	1-5
Nonylphenoxypolyethoxyethanol	68412-54-4	0.5-1.5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.		
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.		
Ingestion	Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician immediately.		
Most Important Symptoms and Ef	fects		
Symptoms	Causes severe skin burns and eye damage. Prolonged or repeated exposure can remove natural skin oils and may produce irritation. Chronic exposure may cause liver, kidney and/or blood disorders.		
Indication of any Immediate Medical Attention and Special Treatment Needed			
Notes to Physician	Treat symptomatically. May aggravate pre-existing skin disorders and pulmonary diseases.		
5. FIRE-FIGHTING MEASURES			

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Water. Foam.

Unsuitable Extinguishing Media

Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products

Normal products of combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions. Protective Equipment and Emergency Procedures

- Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.
- **Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional information. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
Methods for Clean-Up	Contain and collect with an inert absorbent and place into an appropriate container for disposal. Dilute remaining residue with water and neutralize with dilute acetic acid (vinegar).

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. For industrial and commercial use only. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Take off all contaminated clothing and wash before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from freezing. Keep out of the reach of children. Store locked up.
Incompatible Materials	Acids. Oxidizing agents. Uncontrolled contact with water.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol n-Butyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions. Eyewash stations. Showers.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Use chemical splash goggles or glasses as necessary to prevent contact.
Skin and Body Protection	Protective chemical impervious gloves of butyl rubber, nitrile rubber or PVC, chemical resistant suit and boots.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.
General Hygiene Consideratior	Is Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Appearance Color	Liquid Clear Colorless	Odor Odor Threshold	None Not determined
<u>Propertv</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate	<u>Values</u> >13.0 Not known ~ 101 °C / ~214 °F Not applicable Not determined	<u>Remarks • Method</u>	
Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Liquid-not applicable Not applicable Not applicable Not determined 1.02 Completely soluble Not determined Not determined	@ 25 °C (77 °F)	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids. Oxidizing agents. Uncontrolled contact with water.

Hazardous Decomposition Products

Normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information	
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Harmful if inhaled.
Ingestion	May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol n-Butyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg(Rabbit)	= 2.21 mg/L (Rat)4 h = 450 ppm(Rat)4 h
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg(Rabbit)	-
Potassium Hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-
Sodium Xylene Sulfonate 1300-72-7	= 7200 mg/kg (Rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol n-Butyl				
Ether	A3	Group 3		
111-76-2				

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Chronic toxicity Chronic exposure may cause liver, kidney and/or blood disorders.

Numerical Measures of Toxicity

Not determined

Unknown Acute Toxicity

None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent

A3 - Animal Carcinogen

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol n-Butyl Ether 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	-	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	65: 48 h Daphnia magna mg/L EC50
Potassium Hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	-	-

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

<u>Mobility</u>

Chemical Name	Partition Coefficient
Ethylene Glycol n-Butyl Ether 111-76-2	0.81
Monoethanolamine 141-43-5	-1.91
Potassium Hydroxide 1310-58-3	0.83

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium Hydroxide	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

UN1760, Corrosive Liquid, NOS (Containing Monoethanolamine), 8, PG II

IMDG

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	Yes

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol n-Butyl Ether	111-76-2	10-30	1.0

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			Х

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	State List
Ethylene Glycol n-Butyl Ether 111-76-2	NJ, MA, PA
Monoethanolamine 141-43-5	NJ, MA, PA
Potassium Hydroxide 1310-58-3	NJ, MA, PA

AZ – Arizona Ambient Air Quality Guidelines CT – Connecticut Hazardous Air Pollutants CA – California Director's List of Hazardous Substances CAP65 – California Prop 65

FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL - Illinois Toxic Air Contaminate- Carcinogenic

MA – Massachusetts Right to Know List

MN – Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List

PA – Pennsylvania Right to Know List

RI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION

<u>NFPA</u>	Hea
	Not
HMIS	Hea
	3

alth Hazards ot determined alth Hazards Flammability Not determined Flammability Instability Not determined Physical Hazards Special Hazards Not determined Personal Protection Not determined

Issue Date Revision Date: Revision Note 21-Jan-2004 16-Jan-2014 New format Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet