

Issue Date: 31-Dec-2012	Revision Date:	16-Jan-2014	Version 1.0		
1. IDENTIFICATION					
Product Identifier Product Name	Non-Butyl Heavy Foamin	ng Degreaser			
Other Means of Identification Product Code	245000				
<u>Recommended use of the Chemica</u> Recommended Use	I and Restrictions on Use Alkali Degreaser Concen				
<u>Details of the Supplier of the Safety Data Sheet</u> Midlab, Inc. 140 Private Brand Way Athens, TN 37303					
<u>Emergency Telephone Number</u> Company Phone Number Emergency Telephone (24 hr)	Phone: 1-423-337-3180 INFOTRAC 1-352-323-33 1-800-535-5053 (North A				
	2. HAZARDS I	DENTIFICATION			

Appearance Red

Physical State Liquid

Odor None

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Signal Word Danger

Hazard Statements

Causes severe skin burns and eye damage.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

Precautionary Statements - Storage

Store locked up.



Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Harmful to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Sodium Metasilicate	6834-92-0	1-5
Dipropylene Glycol Monomethyl Ether	34590-94-8	1-5
Dipropylene Glycol Monobutyl Ether	29911-28-2	1-5
Tetrasodium EDTA	64-02-8	1-5
Sodium Hydroxide	1310-73-2	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES		
First Aid Measures		
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get immediate medical advice/attention. If possible, continue to flush eyes with running water until medical attention is received.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.	
Inhalation	Remove to fresh air. Get medical attention immediately.	
Ingestion	Rinse mouth. Drink large amounts of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention immediately.	
Most important symptoms and	effects	
Symptoms	Corrosive to eyes. Corrosive and irritating to upper respiratory tract. Prolonged contact may even cause severe skin irritation or mild burn.	

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protection recommended in Section 8.

Environmental Precautions Avoid release to the environment. Methods and Material for Containment and Cleaning Up **Methods for Containment** Prevent further leakage or spillage if safe to do so. Collect in a clean, dry waste container for disposal. Dilute remaining residue with water and Methods for Clean-Up neutralize with dilute acetic acid (vinegar). 7. HANDLING AND STORAGE **Precautions for Safe Handling** Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Conditions for Safe Storage, including any Incompatibilities **Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Protect from freezing.

Incompatible Materials Acids. Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Sodium Metasilicate 6834-92-0	2 mg/m ³	2 mg/m ³	-	
Dipropylene Glycol Monomethyl Ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³	
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³	

Appropriate Engineering Controls

Engineering ControlsGeneral ventilation sufficient.Individual Protection Measures, sur- as Personal Protective EquipmentEye/Face ProtectionSplash goggles or safety glasses.Skin and Body ProtectionRubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.Respiratory ProtectionEnsure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical	State
Appeara	nce
Color	

Liquid Clear Red

Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity	Values 12.5-13.0 ~ 0 °C / ~32 °F ~ 100 °C / ~212 °F Not applicable Not determined n/a-liquid Not determined Not determined Not determined Not determined 1.06	<u>Remarks • Method</u>
Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Completely soluble Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined	@ 25 °C (77 °F)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids. Oxidizing agents.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes severe eye damage.
-------------	---------------------------

- Skin Contact Causes severe skin burns.
- Inhalation Avoid breathing vapors or mists.
- Ingestion Do not taste or swallow.

Component Information

Chemical Name	Chemical Name Oral LD50		Inhalation LC50
Sodium Metasilicate 6834-92-0	= 600 mg/kg(Rat)	-	-
Dipropylene Glycol Monobutyl Ether 29911-28-2	= 1620 µL/kg (Rat)	= 5860 µL/kg (Rabbit)	> 2.04 mg/L (Rat)4 h = 42.1 ppm (Rat)4 h
Dipropylene Glycol Monomethyl Ether = 5230 mg/kg (Rat) 34590-94-8		= 9500 mg/kg (Rabbit)	-

Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Chronic toxicity	Chronic exposure may cause liver, kidney and/or blood disorders.
merical measures of toxicity	

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	-	216: 96 h Daphnia magna mg/L EC50
Dipropylene Glycol Monobutyl Ether 29911-28-2	-	841: 96 h Poecilia reticulata mg/L LC50 static	-	-
Dipropylene Glycol Monomethyl Ether 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	-	1919: 48 h Daphnia magna mg/L LC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-	610: 24 h Daphnia magna mg/L EC50
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Dipropylene Glycol Monomethyl Ether 34590-94-8	-0.064

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium Hydroxide	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Containing Sodium Hydroxide), 8 PG II

<u>IATA</u>

IMDG

15. REGULATORY INFORMATION

International Inventories

Canada – Domestic Substances List (DSL) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2	ai 0001		RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Reactive Hazard	Yes

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Dipropylene Glycol Monomethyl Ether	34590-94-8	1-5	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb			х

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	State List
Dipropylene Glycol Monomethyl	
Ether	MA, NJ, PA
34590-94-8	

1310-73-2	Sodium Hydroxide	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines CT – Connecticut Hazardous Air Pollutants CA – California Director's List of Hazardous Substances CAP65 – California Prop 65

FL – Florida Substances List

ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic MA – Massachusetts Right to Know List MN – Minnesota Hazardous Substances List NJ – New Jersey Right to Know List PA – Pennsylvania Right to Know List RI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 3	Flammability Not determined Flammability 0	Instability Not determined Physical Hazards 0	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	31-Dec-2012 16-Jan-2014 New format Version 1.0			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet