according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® ORANGE POLISH

Version 1.4

Revision Date 10/23/2017

Print Date 11/29/2017

SDS Number 350000032827 GEN_SOF Number 60196

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	PLEDGE® ORANGE POLISH
Recommended use	:	Furniture Polish/Cleaner
Restrictions on use	:	Use only as directed on label
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone	:	+1-800-558-5252
Emergency telephone number	:	24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Gases under pressure	Compressed gas	Contains gas under pressure;
		may explode if heated.

Labelling

Hazard symbols Gas cylinder

Signal word Warning

Hazard statements

Contains gas under pressure; may explode if heated.

Precautionary statements

according to Hazard Communication Standard; 29 CFR 1910.1200



Version 1.4		Prir	nt Date 11/29/2017
Revision Date 10/23/2017			S Number 350000032827 N_SOF Number 60196
Protect from sunlight. Store Other hazards		ventilated place. e identified	
B. COMPOSITION/INFORMAT	ON ON IN	GREDIENTS	
Chemical name		CAS-No.	Weight percent
Hydrocarbons, C7-C9, isoalk	anes	64741-66-8	10.00 - 30.00
I. FIRST AID MEASURES Description of first aid m Eye contact		special requirements	
Skin contact		special requirements	
Inhalation	: No	special requirements.	
Ingestion	: No	special requirements	
Most important symptoms	and effec	ts, both acute and dela	ayed
Indication of any immedi	ate medica	al attention and special	I treatment needed
	measures	unless otherwise stated	
See Description of first aid			<u> </u>
·	;		
See Description of first aid 5. FIREFIGHTING MEASURES Suitable extinguishing media	: Use	water spray, alcohol-res oon dioxide.	sistant foam, dry chemical or

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® ORANGE P	OLISH		
Version 1.4	Print Date 11/29/2017		
Revision Date 10/23/2017	SDS Number 350000032827 GEN_SOF Number 60196		
firefighting	fire.		
Further information	: Fight fire from maximum distance or protected area. Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Cool and use caution when approaching or handling fire-exposed containers. Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.		
6. ACCIDENTAL RELEASE ME	ASURES		
Personal precautions	: Remove all sources of ignition. Wash thoroughly after handling.		
Environmental precautions	: Outside of normal use, avoid release to the environment.		
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal. Clean residue from spill site.		
7. HANDLING AND STORAGE			
Handling			
Precautions for safe handling	 Avoid contact with skin, eyes and clothing. For personal protection see section 8. KEEP OUT OF REACH OF CHILDREN AND PETS. 		
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.		

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® ORANGE POLISH

Version 1.4

Revision Date 10/23/2017

Print Date 11/29/2017

SDS Number 350000032827 GEN_SOF Number 60196

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection	:	No special requirements.
Hand protection	:	No special requirements.
Eye protection	:	No special requirements.
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	aerosol
Color	:	white
Odour	:	Citrus
Odour Threshold	:	Test not applicable for this product type
рН	:	7 at (20 °C) (not an aqueous solution)
Melting point/freezing point	:	Test not applicable for this product type
Initial boiling point and boiling range	:	100 °C
Flash point	:	-1 °C

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® ORANGE POLISH

Version 1.4

Revision Date 10/23/2017

Print Date 11/29/2017

SDS Number 350000032827 GEN_SOF Number 60196

	30.2 °F Method: Tag Closed Cup (TCC) liquid
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Does not sustain combustion.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 0.95 g/cm3 at 20 °C
Solubility(ies)	: immiscible
Partition coefficient: n- octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: The substance or mixture is not classified as self heating.
Decomposition temperature	:
Viscosity, dynamic	: Test not applicable for this product type
Viscosity, kinematic	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type

Safety Data Sheet hnson according to Hazard Communication Standard; 29 CFR 1910.1200 A FAMILY COMPANY PLEDGE® ORANGE POLISH Print Date 11/29/2017 Version 1.4 SDS Number 35000032827 Revision Date 10/23/2017 GEN SOF Number 60196 Volatile Organic : 11.1 % - additional exemptions may apply Compounds *as defined by US Federal and State Consumer Product Total VOC (wt. %)* Regulations Other information : None identified 1 **10. STABILITY AND REACTIVITY** Possibility of hazardous : Stable under recommended storage conditions. reactions Conditions to avoid : Direct sources of heat. Incompatible materials : Strong oxidizing agents Hazardous decomposition : Thermal decomposition can lead to release of irritating gases products and vapours. **11. TOXICOLOGICAL INFORMATION** Acute oral toxicity : LD50 > 5000 mg/kg Acute inhalation toxicity : LC50 > 10 mg/L Acute dermal toxicity : LD50 > 5000 mg/kg **GHS Properties** Classification Routes of entry No classification proposed Acute toxicity Oral Dermal No classification proposed Acute toxicity No classification proposed Inhalation - Dust and Mist Acute toxicity Acute toxicity No classification proposed Inhalation - Vapour Acute toxicity No classification proposed Inhalation - Gas

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® ORANGE POLISH

Version 1.4

Print Date 11/29/2017

Revision Date 10/23/2017

SDS Number 350000032827 GEN_SOF Number 60196

Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known. Condition

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Hydrocarbons, C7-C9, isoalkanes	No data available			

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® ORANGE POLISH

Version 1.4

Revision Date 10/23/2017

Print Date 11/29/2017

SDS Number 350000032827 GEN_SOF Number 60196

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Hydrocarbons, C7-C9, isoalkanes	EC50	Daphnia magna (Water flea)	2.4 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Hydrocarbons, C7-C9, isoalkanes	EC50	Pseudokirchneriella subcapitata	29 mg/l	96 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Hydrocarbons, C7-C9, isoalkanes	22 %	28 d	Not readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Hydrocarbons, C7-C9, isoalkanes	No data available	No data available

Mobility

Component	End point	Value
Hydrocarbons, C7-C9, isoalkanes	log Koc	> 1.783 - < 2.36

PBT and vPvB assessment

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® ORANGE POLISH

Version 1.4

Revision Date 10/23/2017

Print Date 11/29/2017

SDS Number 350000032827 GEN_SOF Number 60196

Component	Results
Hydrocarbons, C7-C9,	Not fulfilling PBT and vPvB criteria
isoalkanes	

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper shipping name	UN 1950 AEROSOLS, non- flammable, 2.2	UN 1950 AEROSOLS, non- flammable, 2.2	UN 1950 AEROSOLS, non-flammable, 2.2
Transport hazard class(es)	2.2	2	2.2
Packing group	-	-	-
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

15. REGULATORY INFORMATION

according to Hazard Communication Standard; 29 CFR 1910.1200



/ersion 1.4	Print Date 11/29/2017
Revision Date 10/23/2017	SDS Number 350000032827 GEN_SOF Number 60196
Notification status	: All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Notification status	: All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
California Prop. 65	: This product is not subject to the reporting requirements under California's Proposition 65.

16. OTHER INFORMATION HMIS Ratings 0 Health Flammability 2 Reactivity 0 **NFPA Ratings** Health 0 Fire 3 0 Reactivity Special

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

according to Hazard Communication Standard; 29 CFR 1910.1200



PLEDGE® ORANGE POLISH

Version 1.4

Revision Date 10/23/2017

Print Date 11/29/2017

SDS Number 350000032827 GEN_SOF Number 60196

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)