Printing date 04/17/2015 Reviewed on 12/29/2014

1 Identification

· Product identifier: PRH

· Trade name: Ultimate Solutions - Para Rim Hanger - Cherry (Pink)

· Manufacturer article number: EPAAL03

· CAS Number: 106-46-7

· EC number:

203-400-5

· Index number:

602-035-00-2

- · Application of the substance / the mixture Air Freshener
- Details of the supplier of the safety data sheet: (755)(21)
- · Manufacturer/Supplier:

Industrias Salcom, SA de CV

Calle 2 No. 10540

Parque Industrial El Salto

EL SALTO, JAL, ZP.45680

MEXICO

fredcominu@wiese.com.mx

- · Information department: Product safety department
- · Emergency telephone number:

International During Normal Office ours central USA time: +52 33 3688 0850

CHEMTREC Day or Night within USA and Canada: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

1,4-dichlorobenzene

· Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2015 Reviewed on 12/29/2014

Trade name: Rim Hanger PARA ULTIMATE Cherry

(Contd. of page 1)

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 *1 Health = *1Fire = 2

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

106-46-7 1,4-dichlorobenzene

- Identification number(s)
- · EC number: 203-400-5
- · Index number: 602-035-00-2

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting. Seek immediate medical attention, show the product wrap or SDS.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2015 Reviewed on 12/29/2014

Trade name: Rim Hanger PARA ULTIMATE Cherry

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

106-46-7 1,4-dichlorobenzene

PEL Long-term value: 450 mg/m³, 75 ppm

REL See Pocket Guide App. A

TLV Long-term value: 60 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2015 Reviewed on 12/29/2014

Trade name: Rim Hanger PARA ULTIMATE Cherry

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties		
· General Information · Appearance:		
Form:	Solid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	54 °C (129 °F)	
Boiling point/Boiling range:	175 °C (347 °F)	
· Flash point:	66 °C (151 °F)	
· Flammability (solid, gaseous):	Product is not flammable.	
· Ignition temperature:	640 °C (1184 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2.2 Vol %	
Upper:	12 Vol %	
· Vapor pressure at 20 °C (68 °F):	1.7 hPa (1 mm Hg)	
Density at 20 °C (68 °F):	1.45904 g/cm³ (12.176 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2015 Reviewed on 12/29/2014

Trade name: Rim Hanger PARA ULTIMATE Cherry

(Contd. of page 4) · Solubility in / Miscibility with Water at 20 °C (68 °F): $0.1 \, g/l$ · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dvnamic: Not applicable. Kinematic: Not applicable. Organic solvents: 0.0 % < 99.90 % **VOC** content: Solids content: 99.8 % · Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

106-46-7 1,4-dichlorobenzene

Oral LD50 500 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
106-46-7 1,4-dichlorobenzene	2B
· NTP (National Toxicology Program)	
106-46-7 1,4-dichlorobenzene	R
· OSHA-Ca (Occupational Safety & Health Administration)	
Substance is not listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2015 Reviewed on 12/29/2014

Trade name: Rim Hanger PARA ULTIMATE Cherry

· Ecotoxical effects:

- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3077
UN proper shipping name	
DOT	Environmentally hazardous substances, solid, n.o.s. (1,
IMDG	dichlorobenzene) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLI
IMDG	N.O.S. (1,4-dichlorobenzene), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLI
	N.O.S. (1,4-dichlorobenzene)
Transport hazard class(es)	
DOT, IMDG, IATA	
41111	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: 1,
	dichlorobenzene
	Yes
Marine pollutant:	
-	Symbol (fish and tree)
Marine pollutant: Special marking (IATA): Special precautions for user	Symbol (fish and tree) Symbol (fish and tree) Warning: Miscellaneous dangerous substances and articles

Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2015 Reviewed on 12/29/2014

Trade name: Rim Hanger PARA ULTIMATE Cherry

	(Contd. of page
EMS Number:	F- A , S - F
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: No limit
	On cargo aircraft only: No limit
Remarks:	Special marking with the symbol (fish and tree).
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN3077, Environmentally hazardous substances, solid, n.o.
	(1,4-dichlorobenzene), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

106-46-7 1,4-dichlorobenzene

· TSCA (Toxic Substances Control Act):

106-46-7 1,4-dichlorobenzene

138-86-3 dipentene

5392-40-5 Citral

78-70-6 Linalool

- Proposition 65
- · Chemicals known to cause cancer:

106-46-7 1,4-dichlorobenzene

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

106-46-7 1,4-dichlorobenzene

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

106-46-7 1,4-dichlorobenzene

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/17/2015 Reviewed on 12/29/2014

Trade name: Rim Hanger PARA ULTIMATE Cherry

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

1,4-dichlorobenzene

· Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr. Cominu
- · Date of preparation / last revision 04/17/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Carc. 2: Carcinogenicity, Hazard Category 2

- USA