Printing date 05/02/2017 Reviewed on 05/02/2017

1 Identification

· Product identifier PWB-24

· Trade name: <u>ULTIMATE SOLUTIONS PARA WALL BLOCK-CHERRY (PINK) 24 OUNCE</u>

· Manufacturer article number: EPABA06

· CAS Number:

106-46-7

· EC number:

203-400-5

· Index number:

602-035-00-2

- · Application of the substance / the mixture Air Freshener.
- Details of the supplier of the safety data sheet (755)(21)
- · Manufacturer/Supplier:

Industrias Salcom, SA de CV

Calle 2 No. 10540

Parque Industrial El Salto

EL SALTO, JAL, ZP.45680

**MEXICO** 

fredcominu@wiese.com.mx

- · Information department: Product Safety Department
- · Emergency telephone number: +52 33 3688 0850

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

1,4-dichlorobenzene

· Hazard statements

None

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

(Contd. on page 2)

Printing date 05/02/2017 Reviewed on 05/02/2017

#### Trade name: PWB-24 PARA WALL BLOCK CHERRY

(Contd. of page 1)

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Rinse mouth.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1

Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



\*1 *Health* = \*1

Fire = 2

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

106-46-7 1,4-dichlorobenzene

- · Identification number(s)
- · EC number: 203-400-5
- · Index number: 602-035-00-2

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If swallowed, rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor/ physician. Obtain emergency medical attention.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 05/02/2017 Reviewed on 05/02/2017

Trade name: PWB-24 PARA WALL BLOCK CHERRY

(Contd. of page 2)

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

General measures:

Avoid contact with skin and eyes. Eliminate all ignition sources if safe to do so. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust, fume. Spilled material may present a slipping hazard.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
	30 ppm
• PAC-2:	
	170 ppm
• PAC-3:	
	1,000 ppm

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

106-46-7 1,4-dichlorobenzene

PEL Long-term value: 450 mg/m³, 75 ppm

(Contd. on page 4)

Printing date 05/02/2017 Reviewed on 05/02/2017

#### Trade name: PWB-24 PARA WALL BLOCK CHERRY

(Contd. of page 3)

REL See Pocket Guide App. A

TLV | Long-term value: 60 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

 $\cdot$  Appearance:

Form: Solid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range: 54 °C (129 °F) Boiling point/Boiling range: 175 °C (347 °F)

• Flash point:  $66 \, ^{\circ}C \, (151 \, ^{\circ}F)$ 

· Flammability (solid, gaseous): Product is not flammable.

· Ignition temperature: 640 °C (1184 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Not determined.

• Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 5)

Printing date 05/02/2017 Reviewed on 05/02/2017

Trade name: PWB-24 PARA WALL BLOCK CHERRY

		(Contd. of page
· Explosion limits:		
Lower:	2.2 Vol %	
Upper:	12 Vol %	
· Vapor pressure at 20 °C (68 °F):	1.7 hPa (1 mm Hg)	
· Density at 20 °C (68 °F):	1.45904 g/cm³ (12.176 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	0.1 g/l	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Organic solvents:	0.0 %	
VOC content:	99.8 %	
	0.0~g/l / 0.00~lb/gl	
Solids content:	99.8 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

106-46-7 1,4-dichlorobenzene

Oral LD50 500 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

2B

· NTP (National Toxicology Program)

R

(Contd. on page 6)

Printing date 05/02/2017 Reviewed on 05/02/2017

Trade name: PWB-24 PARA WALL BLOCK CHERRY

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3077
UN proper shipping name	
DOT	Environmentally hazardous substances, solid, n.o.s. (1,4 dichlorobenzene)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII N.O.S. (1,4-dichlorobenzene), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII N.O.S. (1,4-dichlorobenzene)
Transport hazard class(es)	
DOT, IMDG, IATA	
<b>1 1 2 2 2 3 3 4 3 4 3 4 3 4 3 4 3 4 3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 4 4 4 4 4 4 4 4</b>	
Class	9 Miscellaneous dangerous substances and articles
Label	9

(Contd. on page 7)

Printing date 05/02/2017 Reviewed on 05/02/2017

Trade name: PWB-24 PARA WALL BLOCK CHERRY

	(Contd. of page
Environmental hazards:	Product contains environmentally hazardous substances: 1,4 dichlorobenzene
· Marine pollutant:	Yes
name pommum	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Danger code (Kemler):	90
· EMS Number:	F- $A$ , $S$ - $F$
· Stowage Category	A
· Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 an
	7.7.3.9.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: No limit
	On cargo aircraft only: No limit
· Remarks:	On cargo aircraft only: No limit Special marking with the symbol (fish and tree).
· IMDG	Special marking with the symbol (fish and tree).
· IMDG · Limited quantities (LQ)	Special marking with the symbol (fish and tree).  5 kg
· IMDG	Special marking with the symbol (fish and tree).  5 kg Code: E1
· IMDG · Limited quantities (LQ)	Special marking with the symbol (fish and tree).  5 kg Code: E1 Maximum net quantity per inner packaging: 30 g
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	Special marking with the symbol (fish and tree).  5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· IMDG · Limited quantities (LQ)	Special marking with the symbol (fish and tree).  5 kg Code: E1 Maximum net quantity per inner packaging: 30 g

## 15 Regulatory information

 $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$ 

· Section 355 (extremely hazardous substances):

Substance is not listed.			
· Section 313 (Specific toxic chemical listings):			
106-46-7 1,4-dichlorobenzene			
,	cic Substances Control Act):		
106-46-7	1,4-dichlorobenzene		
	dipentene		
5392-40-5			
78-70-6	Linalool		

· Proposition 65

· Chemicals known to cause cancer:	
106-46-7 1,4-dichloro	benzene

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

(Contd. on page 8)

Printing date 05/02/2017 Reviewed on 05/02/2017

Trade name: PWB-24 PARA WALL BLOCK CHERRY

(Contd. of page 7)

#### · Carcinogenic categories

#### · EPA (Environmental Protection Agency)

Substance is not listed.

#### · TLV (Threshold Limit Value established by ACGIH)

*A3* 

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

106-46-7 1,4-dichlorobenzene

#### GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07

GHS08

#### · Signal word Warning

#### · Hazard-determining components of labeling:

1,4-dichlorobenzene

#### · Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

#### · Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Rinse mouth.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: +52 33 3688 0850
- · Date of preparation / last revision 05/02/2017 / 20

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 9)

Printing date 05/02/2017 Reviewed on 05/02/2017

#### Trade name: PWB-24 PARA WALL BLOCK CHERRY

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 2: Carcinogenicity – Category 2

\* Data compared to the previous version altered.

(Contd. of page 8)