Printing date 04/15/2015

Reviewed on 08/08/2014

1 Identification

- · Product identifier: UMCH-6
- · Trade name: Ultimate Solutions ulti-MIST 6.75 oz. 30-Day Supply Metered Spray Cherry
- Manufacturer article number: EAEDC04
- · Application of the substance / the mixture Air Freshener
- Details of the supplier of the safety data sheet: (763)(34)

• Manufacturer/Supplier: Industrias Salcom, SA de CV Calle 2 No. 10540 Parque Industrial El Salto EL SALTO, JAL, ZP.45680 MEXICO fredcominu@wiese.com.mx

· Information department: Product safety department

- Emergency telephone number: International During Normal Office ours central USA time: +52 33 3688 0850
- CHEMTREC Day or Night within USA and Canada: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

GHS07 Eye Irrit. 2A H.

Eye Irrit. 2A	H319	Causes serious eye irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements
Extremely flammable aerosol. Pressurized container: May burst if heated.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Pressurized container: Do not pierce or burn, even after use.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.


(Contd. on page 2)

USA

Printing date 04/15/2015

Reviewed on 08/08/2014

Trade name: Ultimate Metered Air Freshener Cherry Refill





· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 4	Fire = 4
REACTIVITY 1	Reactivity = 1

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
67-64-1	acetone	50-<99.999%	
75-28-5	isobutane	10-<25%	
74-98-6	propane	2.5-<10%	
	Fragrance Trade Secret (763)	2.5-<10%	
106-97-8	butane	<i>1-≤</i> 2.5%	

4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 04/15/2015

Reviewed on 08/08/2014

Trade name: Ultimate Metered Air Freshener Cherry Refill

(Contd. of page 2)

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents • **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- · Information about protection against explosions and fires:
- Do not spray on a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Protect from heat. Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

 \cdot Components with limit values that require monitoring at the workplace:

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m³, (500) NIC-250 ppm BEI

(Contd. on page 4)

⁻ USA

Printing date 04/15/2015

Reviewed on 08/08/2014

Trade name: Ultimate Metered Air Freshener Cherry Refill

(Contd. of page 3)
75-28-5 isobutane
TLV Short-term value: 2370 mg/m ³ , 1000 ppm
74-98-6 propane
PEL Long-term value: 1800 mg/m ³ , 1000 ppm
REL Long-term value: 1800 mg/m ³ , 1000 ppm
TLV refer to Appendix F
106-97-8 butane
REL Long-term value: 1900 mg/m ³ , 800 ppm
<i>TLV</i> Short-term value: 2370 mg/m ³ , 1000 ppm
· Ingredients with biological limit values:
67-64-1 acetone
BEI 50 mg/L
Medium: urine Time: end of shift
Parameter: Acetone (nonspecific)
• Additional information: The lists that were valid during the creation were used as basis.
 Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

USA

Printing date 04/15/2015

Reviewed on 08/08/2014

Trade name: Ultimate Metered Air Freshener Cherry Refill

(Contd. of page 4)

Information on basic physical and c	hamical proparties	
General Information	nemicui properties	
Appearance:		
Form:	Aerosol	
Color:	According to product specification	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	-44 °C (-47 °F)	
Flash point:	-97 °C (-143 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	460 °C (860 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	1.8 Vol %	
Upper:	13.0 Vol %	
Vapor pressure at 20 °C (68 °F):	3000 hPa (2250 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	77.4 %	
VOC content:	28.5 %	
	284.8 g/l / 2.38 lb/gl	
Solids content:	3.4 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

3

Safety Data Sheet acc. to OSHA HCS

Printing date 04/15/2015

Reviewed on 08/08/2014

Trade name: Ultimate Metered Air Freshener Cherry Refill

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

110-91-8 morpholine

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 04/15/2015

Reviewed on 08/08/2014

(Contd. of page 6)

Trade name: Ultimate Metered Air Freshener Cherry Refill

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number DOT, IMDG, IATA	UN1950
IMDG	Aerosols, flammable AEROSOLS AEROSOLS, flammable
Transport hazard class(es)	
DOT	
	2.1 2.1
	2.1
	2.1
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Gases - F-D,S-U
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
Excepted quantities ($\widetilde{E}Q$)	1L Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN1950, Aerosols, 2.1

(Contd. on page 8)

Printing date 04/15/2015

Reviewed on 08/08/2014

Trade name: Ultimate Metered Air Freshener Cherry Refill

(Contd. of page 7)

1 - 1			•	c .	. •
151	{ <i>\rho</i> 11	atory	1111	format	101
	··· 5 ···	weery	<i>u</i> y	UT III III	

· Safety, health and environmental regulations/legislation specific for the substance or mixture	!
Sara	

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

- 67-64-1 acetone 75-28-5 isobutane
- 74-98-6 propane
- 25265-71-8 oxydipropanol
- 106-97-8 butane

110-91-8 morpholine

100-51-6 Benzyl alcohol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• *Chemicals known to cause reproductive toxicity for males:* None of the ingredients is listed.

None of the ingreatents is listea.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

• TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

110-91-8 morpholine

\cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



• Signal word Danger

Hazard statements
 Extremely flammable aerosol. Pressurized container: May burst if heated.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.

• *Precautionary statements* If medical advice is needed, have product container or label at hand. Keep out of reach of children. Ι

A4

A4

Printing date 04/15/2015

Reviewed on 08/08/2014

Trade name: Ultimate Metered Air Freshener Cherry Refill

(Contd. of page 8)

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Pressurized container: Do not pierce or burn, even after use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: Mr. Cominu

· Date of preparation / last revision 04/15/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose. 50 percent

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· Sources

Additional Information Section 11 and Section 15

"According to IARC Morpholine is not classifiable as to its carcinogenicity to humans (Group 3). IARC (1989) IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol. 47, Some Organic Solvents, Resin Monomers and Related Compounds, Pigments and Occupational Exposures in Paint Manufacture and Painting, Lyon, pp. 199–213"

USA