Reviewed on 04/06/2015

Printing date 04/22/2015

### 1 Identification

- · Product identifier UMCM-6
- · Trade name: Ultimate Solutions ulti-MIST 6.75 oz. 30-Day Supply Metered Spray Cucumber Melon
- · Manufacturer article number: EAEDC03
- · Application of the substance / the mixture Air Freshener.
- Details of the supplier of the safety data sheet (774)(56)
- · Manufacturer/Supplier:

Industrias Salcom, SA de CV

Calle 2 No. 10540

Parque Industrial El Salto

EL SALTO, JAL, ZP.45680

**MEXICO** 

fredcominu@wiese.com.mx

- · Information department: Product safety department
- · Emergency telephone number:

International During Normal Office ours central USA time: +52 33 3688 0850

CHEMTREC Day or Night within USA and Canada: 1-800-424-9300

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.



Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

2-(4-tert-Butylbenzyl)propionaldehyde

Citronellol

Hexyl Cinnamal

dipentene

Linalool

· Hazard statements

Extremely flammable aerosol. Pressurized container: May burst if heated.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Printing date 04/22/2015 Reviewed on 04/06/2015

#### Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 1)

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Pressurized container: Do not pierce or burn, even after use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 4Reactivity = 1

· HMIS-ratings (scale 0 - 4)



1 Health = 1 Fire = 4

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangeroi	· Dangerous components:		
67-64-1	acetone	50-<99.999%	
75-28-5	isobutane	10-<25%	
74-98-6	propane	2.5-<10%	
	Fragrance Trade Secret (774)	2.5-<10%	
106-97-8	butane	1-≤2.5%	
100-51-6	Benzyl alcohol	1-≤2.5%	
80-54-6	2-(4-tert-Butylbenzyl)propionaldehyde	0.1-<1%	
101-86-0	Hexyl Cinnamal	0.1-<1%	
106-22-9	Citronellol	0.1-<1%	
138-86-3	dipentene	0.1-<0.25%	
78-70-6	Linalool	0.1-<1%	

## 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 04/22/2015 Reviewed on 04/06/2015

Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

USA

Printing date 04/22/2015 Reviewed on 04/06/2015

Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 3)

# 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Contr	rol parameters		
· Comp	· Components with limit values that require monitoring at the workplace:		
67-64	-1 acetone		
PEL	Long-term value: 2400 mg/m³, 1000 ppm		
REL	Long-term value: 590 mg/m³, 250 ppm		
TLV	Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m³, (500) NIC-250 ppm BEI		
75-28	-5 isobutane		
TLV	Short-term value: 2370 mg/m³, 1000 ppm		
74-98	-6 propane		
PEL	Long-term value: 1800 mg/m³, 1000 ppm		
REL	Long-term value: 1800 mg/m³, 1000 ppm		
TLV	refer to Appendix F		
106-9	7-8 butane		
REL	Long-term value: 1900 mg/m³, 800 ppm		
TLV	Short-term value: $2370 \text{ mg/m}^3$ , $1000 \text{ ppm}$		
100-5	1-6 Benzyl alcohol		
WEEL	L Long-term value: 10 ppm		
· Ingre	dients with biological limit values:		
67-64	-1 acetone		
1 1	50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 04/22/2015 Reviewed on 04/06/2015

Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and chemical properties General Information Appearance: Form: Odor: According to product specification Odor:	Physical and chemical propert	ies
Aperarance: Form: Aerosol Color: According to product specification Odour threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Melting range: 44° C (-47°F)  Flash point: -97° C (-143°F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460°C (860°F)  Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/vo mixtures are possible.  Explosion limits: Lower: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20°C (68°F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Relative density Not determined. Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Kinematic: Not determined. Kinematic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %		hemical properties
Form: Aerosol Color: According to product specification Odor: Characteristic Odour threshold: Not determined.  pH-value: Not determined.  Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 44°C (-47°F)  Flash point: -97°C (-143°F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460°C (860°F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: 1.8 Vol % Upper: 1.3.0 Vol %  Vapor pressure at 20°C (68°F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Kinematic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %		
Color: Characteristic Odor Characteristic Onterpressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined.  Not determined.  Not determined.  According to product specification Characteristic Odo determined.  Not determined.  Not determined.  -44 °C (-47 °F)  Flash point: -97 °C (-143 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460 °C (860 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits:  Lower: 1.8 Vol %  Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined.  Relative density Not determined.  Relative density Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Kiemaatic: Not determined.  Solvent content: Organic solvents: 79.6 %  VOC content: 29.9 %		
Odor: Characteristic Odour threshold: Not determined.  pH-value: Not determined.  Change in condition Melting point/Melting range: Jundetermined.  Boiling point/Boiling range: 44°C (-47°F)  Flash point: -97°C (-143°F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460°C (860°F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits:  Lower: 1.8 Vol %  Upper: 13.0 Vol %  Vapor pressure at 20°C (68°F): 3000 hPa (2250 mm Hg)  Density: Not determined.  Relative density Not determined.  Vapour density Not determined.  Vapour density Not determined.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Kinematic: Not determined.  Solvent content: 79.6 %  VOC content: 29.9 %		
Odour threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: -44 °C (-47 °F)  Flash point: -97 °C (-143 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460 °C (860 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Relative density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined.		
PH-value: Not determined.  Change in condition Melting point/Melting range: 44 °C (-47 °F)  Flash point: -97 °C (-143 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460 °C (860 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits:  Lower: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %		
Change in condition Melting point/Melting range: Boiling point/Boiling range: -44 °C (-47 °F)  Flash point: -97 °C (-143 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460 °C (860 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: Upper: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not determined. Evaporation rate  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %		
Melting point/Melting range: Boiling point/Boiling range: Flash point: -44 °C (-47 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460 °C (860 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: Lower: Lower: Loyper: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	pH-value:	Not determined.
Boiling point/Boiling range: -44 °C (-47 °F)  Flash point: -97 °C (-143 °F)  Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460 °C (860 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/vomixtures are possible.  Explosion limits: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Relative density Not determined.  Vapour density Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Vinematic: Not determined.  Viol determined.		
Flash point: -97 °C (-143 °F) Flammability (solid, gaseous): Not applicable.  Ignition temperature: 460 °C (860 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Relative density Not determined. Vapour density Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Viscosity: Not determined. Solvent content: Not determined. Solvent content: Not determined.  Solvent content: 79.6 % VOC content: 29.9 %		
Flammability (solid, gaseous):  Not applicable.  Ignition temperature:  Aeto °C (860 °F)  Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits:  Lower:  Upper:  1.8 Vol %  Vapor pressure at 20 °C (68 °F):  3000 hPa (2250 mm Hg)  Density:  Not determined.  Relative density  Not determined.  Vapour density  Not determined.  Vapour density  Not applicable.  Solubility in / Miscibility with  Water:  Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic:  Kinematic:  Not determined.  Not determined.  Solvent content:  Organic solvents:  79.6 %  VOC content:  29.9 %	Boiling point/Boiling range:	-44 °C (-47 °F)
Ignition temperature: 460 °C (860 °F)  Decomposition temperature: Not determined.  Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Flash point:	-97 °C (-143 °F)
Decomposition temperature:  Not determined.  Auto igniting:  Product is not selfigniting.  Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: Upper:  1.8 Vol % Upper:  13.0 Vol %  Vapor pressure at 20 °C (68 °F):  3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Relative density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Flammability (solid, gaseous):	Not applicable.
Auto igniting: Product is not selfigniting.  Danger of explosion: Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not determined. Explosion rate Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Ignition temperature:	460 °C (860 °F)
Danger of explosion:  Product is not explosive. However, formation of explosive air/ve mixtures are possible.  Explosion limits: Lower: Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: 13.0 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Auto igniting:	Product is not selfigniting.
Lower: 1.8 Vol % Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Vinematic: Not determined.  Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Danger of explosion:	Product is not explosive. However, formation of explosive air/vamixtures are possible.
Upper: 13.0 Vol %  Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Explosion limits:	
Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)  Density: Not determined. Relative density Not determined. Vapour density Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Kinematic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Lower:	
Density: Not determined. Relative density Not determined. Vapour density Not determined. Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Upper:	13.0 Vol %
Relative density Vapour density Not determined. Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: V9.6 % VOC content: 29.9 %	Vapor pressure at 20 °C (68 °F):	3000 hPa (2250 mm Hg)
Vapour density Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: VOC content: 29.9 %	Density:	Not determined.
Evaporation rate  Not applicable.  Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: VOC content: 29.9 %	Relative density	Not determined.
Solubility in / Miscibility with Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Vapour density	Not determined.
Water: Not miscible or difficult to mix.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Evaporation rate	Not applicable.
Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %	Solubility in / Miscibility with	
Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: VOC content: 29.9 %	Water:	Not miscible or difficult to mix.
Dynamic: Not determined. Kinematic: Not determined.  Solvent content: 79.6 % VOC content: 29.9 %	Partition coefficient (n-octanol/water	r): Not determined.
Kinematic: Not determined.  Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %		
Solvent content: Organic solvents: 79.6 % VOC content: 29.9 %		
Organic solvents: 79.6 % VOC content: 29.9 %	Kinematic:	Not determined.
VOC content: 29.9 %		
299.0 g/l / 2.49 lb/gl	VOC content:	

(Contd. on page 6)

Printing date 04/22/2015 Reviewed on 04/06/2015

Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC.	· LD/LC50 values that are relevant for classification:				
67-64-1	acetone				
Oral	LD50 5800 mg/kg (rat)				

 Oral
 LD50
 5800 mg/kg (rat)

 Dermal
 LD50
 20000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

110-91-8 morpholine

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 7)

Printing date 04/22/2015 Reviewed on 04/06/2015

Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 6)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

IIN Name box	
· UN-Number · DOT, IMDG, IATA	UN1950
UN proper shipping name	
DOT	Aerosols, flammable
· IMDG	AEROSOLS
· IATA	AEROSOLS, flammable
Transport hazard class(es)	
DOT	
FLAMMABLE GAS	
2	
Class	2.1
Label	2.1
IMDG, IATA	
2	
Class	2.1
Label	2.1
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Gases
Danger code (Kemler):	-
EMS Number:	F-D,S-U
Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
DOT	
	On passenger aircraft/rail: 75 kg
Quantity limitations	On passenger aircragi/raii. 73 kg On cargo aircraft only: 150 kg

(Contd. on page 8)

Printing date 04/22/2015 Reviewed on 04/06/2015

Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 7)  $\cdot$  IMDG · Limited quantities (LQ) 1LCode: E0 · Excepted quantities (EQ) Not permitted as Excepted Quantity · UN "Model Regulation": UN1950, Aerosols, 2.1

# 15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): None of the ingredients is listed. · TSCA (Toxic Substances Control Act): 67-64-1 acetone 75-28-5 *isobutane* 74-98-6 propane 25265-71-8 oxydipropanol 106-97-8 butane 100-51-6 Benzyl alcohol 80-54-6 2-(4-tert-Butylbenzyl)propionaldehyde 101-86-0 Hexyl Cinnamal 106-22-9 Citronellol 138-86-3 dipentene 78-70-6 *Linalool* 110-91-8 morpholine 106-24-1 Geraniol 5392-40-5 Citral 104-54-1 Cinnamyl alcohol · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories

· EPA (En	vironmental Protection Agency)		
67-64-1	acetone	I	
· TLV (Th	· TLV (Threshold Limit Value established by ACGIH)		
67-64-1	acetone	A4	
110-91-8	morpholine	A4	
		(Contd. on page 9)	

Printing date 04/22/2015 Reviewed on 04/06/2015

Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 8)

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS07

#### · Signal word Danger

#### · Hazard-determining components of labeling:

2-(4-tert-Butylbenzyl)propionaldehyde

Citronellol

Hexyl Cinnamal

dipentene

Linalool

#### · Hazard statements

Extremely flammable aerosol. Pressurized container: May burst if heated.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Pressurized container: Do not pierce or burn, even after use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr. Cominu
- · Date of preparation / last revision 04/22/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

(Contd. on page 10)

Printing date 04/22/2015 Reviewed on 04/06/2015

Trade name: Metered Spray, ULTIMATE Cucumber Melon, 6.75oz

(Contd. of page 9)

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

USA