Printing date 07/30/2014

Reviewed on 07/21/2014

1 Identification

- · Product identifier: UMSM-6
- Trade name: Ultimate Solutions ulti-MIST 6.75 oz. 30-Day Supply Metered Spray Sweet Mango
- · Manufacturer article number: EAEDC15
- · Application of the substance / the mixture: Air Freshener
- Details of the supplier of the safety data sheet: (743)(8)

· Manufacturer/Supplier: Industrias Salcom, SA de CV Calle 2 No. 10540 Parque Industrial El Salto EL SALTO, JAL, ZP.45680 **MEXICO** fredcominu@wiese.com.mx

· Information department: Product safety department

· Emergency telephone number: International During Normal Office ours central USA time: +52 33 3688 0850 CHEMTREC Day or Night within USA and Canada: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Irritant Irritating to eyes. Extremely flammable *Extremely flammable*. Vapours may cause drowsiness and dizziness. Information concerning particular hazards for human and environment: The product has to be labeled due to the calculation procedure of international guidelines. Warning! Pressurized container. Classification system: The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data. · Label elements · Labelling according to EU guidelines: The product has been classified and marked in accordance with directives on hazardous materials. (Contd. on page 2) USA

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

(Contd. of page 1)

• Code letter and hazard designation of product:



Irritant Extremely flammable

· Risk phrases:

Extremely flammable. Irritating to eyes. Vapours may cause drowsiness and dizziness.

· Safety phrases:

Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

If swallowed, seek medical advice immediately and show this container or label. Use only in well-ventilated areas.

• Special labeling of certain preparations:

Contains dipentene. May produce an allergic reaction. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

- · Classification in accordance with Directive 75/324/EEC: Flammable
- Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH	1	Health = 1
FIRE	4	Fire = 4
REACTIVITY	1	<i>Reactivity</i> =

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

1

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
67-64-1	acetone	50-<99.999%
75-28-5	isobutane	10-<25%
74-98-6	propane	2.5-<10%
	Fragrance Trade Secret (743)	2.5-<10%
106-97-8	butane	<i>1-≤2.5%</i>
		(Contd. on page 3)

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

138-86-3 dipentene

 $\frac{\text{(Contd. of page 2)}}{0.1 - < 0.25\%}$

4 First-aid measures

• Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Do not spray on a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Protect from heat.
 Protect against electrostatic charges.
 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric

lights. Do not pierce or burn, even after use.

(Contd. on page 4)

USA

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurized containers. • Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

 \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m³, (500) NIC-250 ppm BEI

75-28-5 isobutane

TLV Short-term value: 2370 mg/m³, 1000 ppm

74-98-6 propane

PEL Long-term value: 1800 mg/m³, 1000 ppm

REL Long-term value: 1800 mg/m³, 1000 ppm

TLV refer to Appendix F

106-97-8 butane

REL Long-term value: 1900 mg/m³, 800 ppm

TLV Short-term value: 2370 mg/m³, 1000 ppm

Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

USA

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

· Protection of hands:

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and c	hemical properties
· General Information	
· Appearance: Form:	Aerosol
Form: Color:	
· Odor:	According to product specification Characteristic
· Oavr: · Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	-44 °C (-47 °F)
· Flash point:	-97 °C (-143 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	460 °C (860 °F)
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	1.8 Vol %
Upper:	13.0 Vol %
· Vapor pressure at 20 °C (68 °F):	3000 hPa (2250 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	Nat missible on difficult to min
Water:	Not miscible or difficult to mix.

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

		(Contd. of page 2
Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	77.7 %	
VOC content:	25.4 %	
	254.1 g/l / 2.12 lb/gl	
Solids content:	3.4 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5800 mg/kg (rat) Dermal LD50 20000 mg/kg (rabbit)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

110-91-8 morpholine

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

3

USA

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number DOT, IMDG, IATA	UN1950	
	011750	
UN proper shipping name DOT	Aerosols, flammable	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	
Transport hazard class(es)		
DOT		
2 AMARAN		
Class	2.1	
Label	2.1	
IMDG, IATA		
Class	2.1	
Label	2.1	
Packing group DOT, IMDG, IATA	not regulated	
	noiregniaica	
Environmental hazards: Marine pollutant:	No	
	Warning: Gases	
Marine pollutant: Special precautions for user		

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

	(Contd. of	page 7
EMS Number:	F-D,S-U	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
·DOT		
· Quantity limitations	On passenger aircraft/rail: 75 kg	
	On cargo aircraft only: 150 kg	
· IMDG		
· Limited quantities (LQ)	1L	
• Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
· UN "Model Regulation":	UN1950, Aerosols, 2.1	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

	5 (extremely hazardous substances):	
None of the	e ingredients is listed.	
· Section 313	3 (Specific toxic chemical listings):	
None of the	e ingredients is listed.	
· TSCA (Tox	xic Substances Control Act):	
67-64-1	l acetone	
75-28-5	5 isobutane	
	6 propane	
25265-71-8	8 oxydipropanol	
106-97-8	8 butane	
100-51-6	6 Benzyl alcohol	
	3 dipentene	
110-91-8	8 morpholine	
	6 Linalool	
5392-40-5		
· Proposition	n 65	
	known to cause cancer:	
None of the	e ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for males:	
None of the	e ingredients is listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	e ingredients is listed.	
· Carcinogen	nic categories	
-	ironmental Protection Agency)	
67-64-1 ac	cetone	Ι
• TLV (Thres	shold Limit Value established by ACGIH)	<u>.</u>
67-64-1 a	acetone	A4
LI_		(Contd. on page 9)

(Contd. of page 8)

A4

Safety Data Sheet acc. to OSHA HCS

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

110-91-8	morpholine
----------	------------

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

• Hazard symbols:



Irritant Extremely flammable

· Risk phrases:

Extremely flammable. Irritating to eyes. Vapours may cause drowsiness and dizziness.

· Safety phrases:

Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

If swallowed, seek medical advice immediately and show this container or label. Use only in well-ventilated areas.

· Special labeling of certain preparations:

Contains dipentene. May produce an allergic reaction.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

- · Contact: Mr. Cominu
- · Date of preparation / last revision 07/30/2014 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

LDS0: Lethal dose, 50 percent

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. on page 10)

⁻ USA

Printing date 07/30/2014

Reviewed on 07/21/2014

Trade name: Metered Air Freshener Mango

· Sources

Additional Information Section 11 and Section 15

"According to IARC Morpholine is not classifiable as to its carcinogenicity to humans (Group 3). IARC (1989) IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol. 47, Some Organic Solvents, Resin Monomers and Related Compounds, Pigments and Occupational Exposures in Paint Manufacture and Painting, Lyon, pp. 199–213"

(Contd. of page 9)

USA