

Version 1.0	Revision Date 08/24/2017	Print Date 05/31/2018
SECTION 1. PRODUCT AN	D COMPANY IDENTIFICATION	

Material name	: A00238CF MST TRAD CINN FRSH HH 20NET	10
Material number	: 0000000001001840	
Manufacturer or supplier's	etails	
Company	: Zep Inc.	
Address	: 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	: 404-352-1680	

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Air Care

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	No data available
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	 Category 1 Liquefied gas Category 2A Category 3 (Central nervous system)
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	: Prevention:



Version 1.0	Revision Date 08/24/2017	Print Date 05/31/2018
	 P210 Keep away from heat, hot s and other ignition sources. No sn P211 Do not spray on an open file P251 Pressurized container: Do use. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P271 Use only outdoors or in a w P280 Wear eye protection/ face p Response: P304 + P340 + P312 IF INHALEI and keep comfortable for breathin CENTER/doctor if you feel unwe P305 + P351 + P338 IF IN EYES for several minutes. Remove correasy to do. Continue rinsing. P337 + P313 If eye irritation personattention. Storage: P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1 P403 Store in a well-ventilated pl Disposal: Dispose of contents/container in regulation. 	noking. ame or other ignition source. not pierce or burn, even after e/ gas/ mist/ vapours/ spray. handling. vell-ventilated area. protection. D: Remove person to fresh air ng. Call a POISON II. S: Rinse cautiously with water ntact lenses, if present and sists: Get medical advice/ ht. Do not expose to 122 °F. lace.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

SECTION 4. FIRST AID MEASURES

Chemical name	CAS-No.	Concentration [%]	
acetone	67-64-1	>= 70 - < 90	
propane	74-98-6	>= 10 - < 20	
butane	106-97-8	>= 5 - < 10	
The exact percentages of disclosed substances are withheld as trade secrets.			

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses.



Version 1.0	Revision Date 08/24/2017	Print Date 05/31/2018
	Protect unharmed eye. Keep eye wide open while rinsin If eye irritation persists, consult a	•
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic bey Never give anything by mouth to If symptoms persist, call a physi	an unconscious person.
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.	
	Effects are dependent on expos contact time). Causes serious eye irritation. May cause drowsiness or dizzin Review section 2 of SDS to see	ess.
Notes to physician	: Treat symptomatically. Symptor	ns may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Do not allow run-off from fire fighting to enter drains or water courses.
Further information	 For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.	
protective equipment and	Ensure adequate ventilation.	
emergency procedures	Remove all sources of ignition.	
	Evacuate personnel to safe areas.	
	Beware of vapours accumulating to form explosive	
	concentrations. Vapours can accumulate in low areas.	



Version 1.0	Revision Date 08/24/2017	Print Date 05/31/2018
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. 	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, saw Keep in suitable, closed container	dust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL

_



A00238CF MST TRAD CINN FRSH HH 20NET10

Version 1.0	Revision	Revision Date 08/24/2017		Print Date 05/31/2018		
		C	3,000 ppm	CAL PEL		
		PEL	500 ppm 1,200 mg/m3	CAL PEL		
propane	74-98-6	TWA	1,000 ppm	ACGIH		
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL		
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1		
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0		
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL		
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL		
		TWA	800 ppm 1,900 mg/m3	OSHA P0		
		PEL	800 ppm 1,900 mg/m3	CAL PEL		

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

Engineering measures : effective ventilation in all processing areas

Personal protective equipment	nt	
Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection		
Remarks	:	Skin should be washed after contact.
Eye protection	:	Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	No special protection is required.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



A00238CF MST TRAD CINN FRSH HH 20NET10

Version 1.0	Revision Date 08/24/2017	Print Date 05/31/2018
Appearance	: Aerosol containing a liquefied gas	
Colour	: No data available	
Odour	: characteristic	
Odour Threshold	: No data available	
рН	: Not applicable	
Melting point/freezing point	: Not applicable	
Boiling point	: Not applicable	
Flash point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative density	: No data available	
Density	: No data available	
Solubility(ies)		
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.

SECTION 11. TOXICOLOGICAL INFORMATION



Version 1.0	Revision Date 08/24/2017	Print Date 05/31/2018
Potential Health Effects		
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	: Effects are immediate and delaye Symptoms may include irritation, in Symptoms of overexposure may in dizziness; and confusion. May pro- paralysis, and convulsions.	redness, pain, and rash. nclude disorientation;
	Effects are dependent on exposur contact time).	re (dose, concentration,
Carcinogenicity:		
IARC	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	
ACGIH	No component of this product preser equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
OSHA	No component of this product preser equal to 0.1% is identified as a carcin carcinogen by OSHA.	
NTP	No component of this product preser equal to 0.1% is identified as a know by NTP.	
Acute toxicity		
Components:		
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
Skin corrosion/irritation		
<u>Product:</u> Remarks: May cause skin irrita	ation in susceptible persons.	

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation



Version 1.0

Revision Date 08/24/2017

Print Date 05/31/2018

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
<u>Components:</u> butane : Partition coefficient: n- octanol/water	: Pow: 2.89

Mobility in soil

No data available



Version 1.0	Revision Date 08/24/2017	Print Date 05/31/2018
Other adverse effects		
No data available <u> Product:</u>		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.



Version 1.0

Revision Date 08/24/2017

Print Date 05/31/2018

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	s : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard			
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.			
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.			
The components of this product are reported in the following inventories:				
TSCA DSL	On TSCA Inventory All components of this product are on the Canadian DSL			

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION




Version 1.0

Revision Date 08/24/2017

Print Date 05/31/2018

Further information



HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	 Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection. Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	08/24/2017
Print Date:	05/31/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®],



Version 1.0

Revision Date 08/24/2017

Print Date 05/31/2018

Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.