ZepInc

-	-	-	-				
Version	3.0			F	Revision Dat	te 04/12/20	17

Print Date 06/01/2018

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07745 TM CINNAMON 30 DAY 12N5.3		
Material number	:	00000000001042746		
Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318		
Telephone	:	404-352-1680		

Emergency telephone numbers			
For SDS Information	:	Compliance Services 1-877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616	

## Recommended use of the chemical and restrictions on use

Recommended use : Air Care

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

## **GHS Classification**

Flammable aerosols	:	Category 1
Gases under pressure	:	Liquefied gas
Eye irritation	:	Category 2A
Skin sensitisation	:	Category 1
Specific target organ toxicity -	:	Category 3 (Central nervous system)
single exposure		

#### GHS label elements

Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>



on 3.0	Revision Date 04/12/2017	Print Date 06/01/2018
Precautionary statements	<ul> <li>Revision Date 04/12/2017</li> <li>Prevention: P210 Keep away from heat/spar No smoking. P211 Do not spray on an open fl P251 Pressurized container: Do use. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P271 Use only outdoors or in a v P272 Contaminated work clothin the workplace. P280 Wear protective gloves/ ey <b>Response:</b> P302 + P352 IF ON SKIN: Wash P304 + P340 + P312 IF INHALE and keep comfortable for breathi CENTER/doctor if you feel unwe P305 + P351 + P338 IF IN EYES for several minutes. Remove cor easy to do. Continue rinsing. P333 + P313 If skin irritation or r advice/ attention. P337 + P313 If eye irritation pers attention.</li> </ul>	ks/open flames/hot surfaces. ame or other ignition source. not pierce or burn, even after e/ gas/ mist/ vapours/ spray. r handling. well-ventilated area. ig should not be allowed out of re protection/ face protection. n with plenty of soap and water. D: Remove person to fresh air ing. Call a POISON II. S: Rinse cautiously with water ntact lenses, if present and ash occurs: Get medical

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30
cinnamaldehyde	104-55-2	>= 1 - < 5
eugenol	97-53-0	>= 0.1 - < 1
(R)-p-mentha-1,8-diene	5989-27-5	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure.



sion 3.0	Revision Date 04/12/2017	Print Date 06/01/2018
	If unconscious place in recovery advice.	position and seek medical
In case of skin contact	: In case of contact, immediately f of water. If skin irritation persists, call a ph	
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsin If eye irritation persists, consult a In case of contact, immediately f for at least 15 minutes.	a specialist.
If swallowed	<ul> <li>Keep respiratory tract clear. Never give anything by mouth to If symptoms persist, call a physic DO NOT induce vomiting unless physician or poison control center Take victim immediately to hosp</li> </ul>	cian. directed to do so by a er.
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delay Symptoms may include irritation Symptoms of overexposure may dizziness; and confusion. May p paralysis, and convulsions.	, redness, pain, and rash. r include disorientation;
	Effects are dependent on expose contact time). Causes serious eye irritation. May cause drowsiness or dizzine Review section 2 of SDS to see	ess.
Notes to physician	: Treat symptomatically. Symptor	

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	<ul> <li>Collect contaminated fire extinguishing water separately. Thi must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water mus be disposed of in accordance with local regulations.</li> <li>For safety reasons in case of fire, cans should be stored separately in closed containments.</li> </ul>

Version 3.0	Revision Date 04/12/2017	Print Date 06/01/2018
	Use a water spray to cool fully clos	sed containers.
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	paratus for firefighting if

Zepinc

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> </ul>

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Always replace cap after use.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	Oxidizing agents Store and keep away from bases and alkalies.



Version 3.0

Revision Date 04/12/2017

Print Date 06/01/2018

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

## **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

**Engineering measures** : effective ventilation in all processing areas

Personal protective equipment	
Respiratory protection :	No personal respiratory protective equipment normally required.
Hand protection	

Remarks	:	Skin should be washed after contact.
---------	---	--------------------------------------



Version 3.0	Revision Date 04/12/2017	Print Date 06/01/2018
Eye protection	: Always wear eye protection when eye contact with the product cannot	
Skin and body protection	: No special protection is required.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aeroso	l containing a liquefied gas
Colour	: colourle	ess
Odour	: charact	teristic
Odour Threshold	: No data	a available
рН	: Not app	olicable
Melting point/freezing point	: No data	a available
Boiling point	: No data	a available
Flash point	: Not app	blicable
Evaporation rate	: No data	a available
Flammability (solid, gas)	: Extrem	ely flammable aerosol.
Upper explosion limit	: No data	a available
Lower explosion limit	: No data	a available
Vapour pressure	: No data	a available
Relative vapour density	: No data	a available
Density	: No data	a available
Solubility(ies)		
Water solubility	: partly s	oluble
Solubility in other solvents	: not det	ermined
Partition coefficient: n- octanol/water	: No data	a available
Auto-ignition temperature	: not det	ermined
Thermal decomposition	: No data	a available
Viscosity		
Viscosity, kinematic	: No data	a available
Heat of combustion	: 36.56 k	:J/g

Version 3.0

Revision Date 04/12/2017

Zepinc Print Date 06/01/2018

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Bases Acids Oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)

## SECTION 11. TOXICOLOGICAL INFORMATION

#### **Potential Health Effects**

Aggravated Medical Condition Symptoms of Overexposure	<ul> <li>None known.</li> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.</li> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed
	human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential
OSHA	carcinogen by ACGIH. No component of this product present at levels greater than or
	equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	



sion 3.0	Revision Date 04/12/2017	Print Date 06/01/20
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
<b>propane:</b> Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 Rat: 658 mg/l Exposure time: 4 h	
	LC50 Rat: 1,355 mg/l	
cinnamaldehyde: Acute oral toxicity	: LD50 Oral Rat: 2,220 mg/kg	
<b>(R)-p-mentha-1,8-diene:</b> Acute oral toxicity	: LD50 Oral Rat: 4,400 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 5,000 mg/kg	
n corrosion/irritation		
Product:		

## Serious eye damage/eye irritation

## Product:

Remarks: Severe eye irritation

## Respiratory or skin sensitisation

## Product:



Version 3.0

Revision Date 04/12/2017



Print Date 06/01/2018

Remarks: Causes sensitisation.

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

acetone: propane: cinnamaldehyde: eugenol: (R)-p-mentha-1,8-diene:

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

## Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

## **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

## Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
<u>Components:</u>	
cinnamaldehyde :	
Partition coefficient: n-	: Pow: 1.83
octanol/water	

Version 3.0	Revision Date 04/12/2017	Print Date 06/01/2018
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances	
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).	
Additional ecological information	: No data available	

Zepinc

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications



Version 3.0

Revision Date 04/12/2017

Print Date 06/01/2018

noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

## EPCRA - Emergency Planning and Community Right-to-Know Act

## **CERCLA** Reportable Quantity

Components	CAS-No.		Calculated product RQ
		(lbs)	(lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	s : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard				
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.				
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.				
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.				
The components of this product are reported in the following inventories:					
TSCA DSL	On TSCA Inventory All components of this product are on the Canadian DSL				
For information on the country notification status for other regions please contact the manufacturer's regulatory group.					
Inventory Acronym and Validity Area Legend					

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## **SECTION 16. OTHER INFORMATION**




Version 3.0

Revision Date 04/12/2017

Print Date 06/01/2018

#### **Further information**



#### **OSHA - GHS Label Information:**

Hazard pictograms	
Signal word Hazard statements	: Danger:
nazaru statements	<ul> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	<ul> <li>Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection.</li> <li>Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.</li> <li>Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Version:	3.0
Revision Date:	04/12/2017
Print Date:	06/01/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next



Version 3.0

Revision Date 04/12/2017

Print Date 06/01/2018

Dimension<sup>™</sup>, Petro<sup>®</sup>, i-Chem<sup>®</sup>, TimeMist<sup>®</sup>, TimeWick<sup>™</sup>, MicrobeMax<sup>®</sup>, Country Vet<sup>®</sup>, Konk<sup>®</sup>, Original Bike Spirits<sup>®</sup>, Blue Coral<sup>®</sup>, Black Magic<sup>®</sup>, Rain-X<sup>®</sup>, Niagara National<sup>™</sup>, FC Forward Chemicals<sup>®</sup>, Rexodan<sup>®</sup>, Mykal<sup>™</sup>, and a number of private labeled brands.