

Version 3.0	Revision Date 04/12/2018	Print Date 06/01/2018				
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION						

Material name		PA1017 TM TW LUSCIOUS APPLE REFILL 6/CS		
Material number	:	0000000001043686		
Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137		
Telephone	:	404-352-1680		

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Air Care

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	colourless
Odour	characteristic

GHS Classification

Flammable liquids Skin irritation Eye irritation Skin sensitisation Reproductive toxicity	 Category 4 Category 2 Category 2A Category 1 Category 2
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H227 Combustible liquid. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child.



Version 3.0	Revision Date 04/12/2018	Print Date 06/01/2018
Precautionary statements	 Prevention: P201 Obtain special instructions bef P202 Do not handle until all safety p and understood. P210 Keep away from heat, hot surf and other ignition sources. No smok P261 Avoid breathing dust/ fume/ ga P264 Wash skin thoroughly after hat P272 Contaminated work clothing sh the workplace. P280 Wear protective gloves/ protect protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash wit P305 + P351 + P338 IF IN EYES: R for several minutes. Remove contact easy to do. Continue rinsing. P308 + P313 IF exposed or concern attention. P333 + P313 If skin irritation or rash advice/ attention. P337 + P313 If eye irritation persists attention. P362 Take off contaminated clothing P370 + P378 In case of fire: Use dry alcohol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilate Disposal: P501 Dispose of contents/container regulation. 	recautions have been read aces, sparks, open flames ing. as/mist/vapours/spray. ndling. nould not be allowed out of ctive clothing/ eye h plenty of soap and water. inse cautiously with water t lenses, if present and ed: Get medical advice/ occurs: Get medical s: Get medical advice/ g and wash before reuse. r sand, dry chemical or ed place. Keep cool.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
2-tert-butylcyclohexyl acetate	88-41-5	>= 30 - < 50
benzyl acetate	140-11-4	>= 5 - < 10
alpha,alpha-dimethylphenethyl butyrate	10094-34-5	>= 5 - < 10
2-phenylethanol	60-12-8	>= 3 - < 5
dimethylcyclohex-3-ene-1-carbaldehyde	68737-61-1	>= 3 - < 5
allyl (3-methylbutoxy)acetate	67634-00-8	>= 3 - < 5
decan-4-olide	706-14-9	>= 3 - < 5
hexyl acetate	142-92-7	>= 3 - < 5
benzyl benzoate	120-51-4	>= 1 - < 3
2-(4-tert-butylbenzyl)propionaldehyde	80-54-6	>= 0.1 - < 1
3-(m-tert-butylphenyl)-2-methylpropionaldehyde	62518-65-4	>= 0.1 - < 1
cinnamaldehyde	104-55-2	>= 0.1 - < 1
trans-hex-2-enal	6728-26-3	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.



Version 3.0

Revision Date 04/12/2018

Print Date 06/01/2018

SECTION 4. FIRST AID MEASURES				
General advice :	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. 			
If inhaled :	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. 			
In case of skin contact	 If skin irritation persists, call a physician. Wash off with soap and water. If on clothes, remove clothes. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before re-use. 			
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 			
If swallowed :	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. 			
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Chronic effects are delayed and symptoms may not be observed during an exposure. Effects are dependent on exposure (dose, concentration, contact time). Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Review section 2 of SDS to see all potential hazards. 			
Notes to physician	Treat symptomatically. Symptoms may be delayed.			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Dry chemical Alcohol-resistant foam
Unsuitable extinguishing media	:	High volume water jet



Version 3.0		Revision Date 04/12/2018	Print Date 06/01/2018
Specific hazards during firefighting	:	Do not allow run-off from fire fighting t courses.	o enter drains or water
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	:	Use extinguishing measures that are a circumstances and the surrounding er	
Further information	:	Collect contaminated fire extinguishing must not be discharged into drains. Fire residues and contaminated fire ex be disposed of in accordance with loc For safety reasons in case of fire, can separately in closed containments. Use a water spray to cool fully closed	xtinguishing water must al regulations. s should be stored
Special protective equipment for firefighters	:	Wear self-contained breathing appara necessary.	tus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	No smoking.



Version 3.0	Revision Date 04/12/2018	Print Date 06/01/2018
	Keep in a well-ventilated place. Containers which are opened must kept upright to prevent leakage. Observe label precautions. Electrical installations / working m the technological safety standards	aterials must comply with
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
benzyl acetate	140-11-4	TWA	10 ppm	ACGIH
		PEL	10 ppm 61 mg/m3	CAL PEL

Engineering measures	effective ventilation in all processing areas	
Personal protective equipme	nt	
Respiratory protection	: No personal respiratory protective equipment normally required.	
Hand protection Material Remarks	 Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves. 	
Eye protection	: Safety glasses	
Skin and body protection	: No special protection is required.	
Hygiene measures	 When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available

SAFETY DATA SHEET



PA1017 TM TW LUSCIOUS APPLE REFILL 6/CS

Version 3.0	Revision Date 04/12/2018	Print Date 06/01/2018
рН	: No data available	
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 83.33 °C	
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.94 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2) Organic Substances

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects



Version 3.0	Revision Date 04/12/2018	Print Date 06/01/2018
Aggravated Medical Condition Symptoms of Overexposure	 None known. Effects are immediate and delayed Symptoms may include irritation, r Chronic effects are delayed and sy observed during an exposure. Effects are dependent on exposur contact time). 	edness, pain, and rash. ymptoms may not be
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probable	
ACGIH	human carcinogen by IARC. No component of this product preser	t at levels greater than or
OSHA	equal to 0.1% is identified as a carcir carcinogen by ACGIH. No component of this product preser	
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 4,792 mg Method: Calculation method	/kg
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	ng/kg
Components:		
2-tert-butylcyclohexyl aceta Acute oral toxicity	ate: : LD50 Oral Rat: 4,600 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 5,000 mg/	kg
2-phenylethanol: Acute oral toxicity	: LD50 Oral Rat: 1,790 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 806 mg/kg	
hexyl acetate: Acute oral toxicity	: LD50 Oral Rat: 36,230 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 5,000 mg/	kg
cinnamaldehyde:		



Version 3.0	Revision Date 04/12/2018	Print Date 06/01/201
Acute oral toxicity	: LD50 Oral Rat: 2,220 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irrita	ition	
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisat	ion	
Product:		
Remarks: Causes sensitisa	ation.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
	able	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available Persistence and degradability No data available



Version 3.0	Revision Date 04/12/2018	Print Date 06/01/2018
Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> benzyl acetate :	: Remarks: No data available	
Partition coefficient: n- octanol/water 2-phenylethanol :	: Pow: 1.96	
Partition coefficient: n- octanol/water hexyl acetate :	: Pow: 1.36	
Partition coefficient: n- octanol/water cinnamaldehyde :	: log Pow: 2.8	
Partition coefficient: n- octanol/water	: Pow: 1.83	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.



Version 3.0

Revision Date 04/12/2018

Print Date 06/01/2018

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	 Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitisation Reproductive toxicity

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



Version 3.0	Revision Date 04/12/2018	Print Date 06/01/2018
SARA 313	: This material does not contain any or known CAS numbers that exceed th reporting levels established by SAR	e threshold (De Minimis)
California Prop. 65		
	This product does not contain any California to cause cancer, birth d reproductive harm.	

The components of this product are reported in the following inventories:


DSL	This product contains one or more components that are listed on the
	Canadian NDSL. All other components are on the Canadian DSL.
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:





Version 3.0	Revision Date 04/12/2018	Print Date 06/01/2018
	serious eye irritation. Suspected of damaging fertility or the unborn child.	
Precautionary statements	: Proventions Obtain an aicl instructions hafare was De	
	Prevention: Obtain special instructions before use. Do precautions have been read and understood. Keep awa	
	sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/	
	fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly	
	work clothing should not be allowed out of the workplace	ce. Wear protective gloves/
	protective clothing/ eye protection/ face protection.	water IF IN EVES Dingo
	Response: IF ON SKIN: Wash with plenty of soap and cautiously with water for several minutes. Remove cont	
	to do. Continue rinsing. IF exposed or concerned: Get i	
	irritation or rash occurs: Get medical advice/ attention.	
	medical advice/ attention. Take off contaminated clothin	ng and wash before reuse. In
	case of fire: Use dry sand, dry chemical or alcohol-resis	stant foam to extinguish.
	Storage: Store in a well-ventilated place. Keep cool.	
	Disposal: Dispose of contents/container in accordance	e with local regulation.

Version:	3.0
Revision Date:	04/12/2018
Print Date:	06/01/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.