



www.globalindustrial.com

US: 888-628-3466

Canada: 888-645-2986

Mexico: 01.800.681.6940

Erase Board (48W x 36H)
(36W x 24H)

ASSEMBLY INSTRUCTION





NOTE:



- . Use appropriate hardware when mounting to concrete.
- . Use 2 or 3 people to install.

Model 695260 / 695497 (Magnetic Glass)
695529 / 695510 (Calender Magnetic White)
Model 695649 / 695650 (Magnetic Glass – Black)
Model 695700 / 695704 / 695708 / 695696 /
695701 / 695705 / 695709 / 695697
(Magnetic Glass-Seafoam/Beige/Gray/Coral)


CONTENTS

REF.	QTY.	DESCRIPTION
1	1	Glassboard
2	1	Concealed Tray
4	4	Magnet
1	1	Magnetic Eraser Cloth
H1	4	Plastic Anchor
H2	4	Wall Bracket
H3	4	#8 Phillips Pan Head Screw 1 1/2" lg.
H4	4	Rubber Washer
H5	4	Bracket Insert
	1	Eraser Cloth
	4	Dry Erase Marker






Attach wall brackets to plastic anchors using the (4) phillips pan head screws provided.



Insert concealed tray behind glassboard at bottom right corner before securing the last thumb screw. (See detail A and B)

Attach glassboard to wall brackets as shown.



Tablero de Vidrio Helado Borrado Seco (48" Ancho x 36" Alto)

Modelo 695466

INSTRUCCIÓN DE ENSAMBLAJE


NOTA:

Use hardware apropiado cuando se monte sobre hormigón.


Se requieren 2 personas para la instalación.

Model 695466 (Frosted Glass)


CONTENTS		
REF.	QTY.	DESCRIPTION
1	1	Glassboard
2	1	Concealed Tray
H1	4	Plastic Anchor
H2	4	Wall Bracket
H3	4	#8 Phillips Pan Head Screw 1 1/2" lg.
H4	4	Rubber Washer
H5	4	Bracket Insert
	1	Eraser Cloth
	4	Dry Erase Marker



Determine la ubicación deseada sobre la pared y marque la posición de los agujeros con las dimensiones indicadas.




Use un taladro de 9/32" y perforo (4) agujeros de profundidad 1-1/2".




Inserte los (4) anclajes de plástico al ras de la pared.

4



Fije los soportes de pared a los anclajes de plástico usando los (4) tornillos Philips de cabeza troncocónica suministrados.



Fije el tablero de cristal a los soportes de pared como se muestra.

6

