



INFORMATION
SECURITY

INTIMUS 8000S AUDITOR-PRO DEGAUSSER

A short and strong pulse erases the data on the hard disk irrevocably

- ▶ Simple operation
- ▶ Floods the media with a very strong magnetic field



**TOP SECRET
DATA PROTECTION AND
AUDIT COMPLIANCE**

When degaussing, the storage media are flooded with a very strong magnetic field that far exceeds their own magnetic force, the coercivity of the hard disk. The short and strong pulse erases the data on the hard disk irrevocably. Degaussing is characterized above all by the simple operation and minimal space requirements, which also allows for its use in an office environment.

intimus sets the Standard for audit compliance with its new Auditor-Pro erasure verification system. A specially designed image capture system records the erasure of each hard disk drive or tape processed by the intimus 8000S Degausser. Using the included barcode scanner, the user records the serial number of the hard Disk or tape and associates an image of the disk or tape at the time of erasure.

WHY INTIMUS 8000S

- NATO listed and NSM certified
- Space-saving table-top solution
- Clean and quiet solution to sanitize magnetic media
- Single Pass Pulse Technology
- Drawer Feeding Solution
- Information Display
- Internal Verification of Magnetic Field
- Shielded, no magnetic influence on surroundings



AUDITOR-PRO FEATURES

- Creates a secure erasure verification process
- Automated image capture system that records images of degaussed hard drives
- Scans serial numbers of degaussed hard drives
- Documents operator ID with up to two witnesses and erasure status of hard drives
- Generates Auditor-Pro erasure report with images for audit compliance
- Provides proof data is completely eliminated
- Touch screen control head
- Auditor-Pro erasure report software
- Barcode scanner and stand
- Stylus
- Auditor-Pro software support for one year
- 50 "Degaussed" labels for erased hard drives



BARCODE SCANNER

Scans hard drive serial numbers as you degauss



STYLUS

For use with the touch screen control head


SCREENSHOTS



Opening screen




Secure login



Data collection



Accept or reject image



List view of erasure status



Proof of Erasure image



The Auditor-Pro contains the following interfaces:

1. Ethernet Port
2. 4 USB (To connect with: intimus 8000S, barcode scanner, thumbdrive, or optional mouse, and keyboard)
3. HDMI
4. 3.5 mm Image Capture Device interface
5. Power (Connects to standard wall outlet)

SPECIFICATIONS - AUDITOR-PRO

Storage capacity	16 GB
Power supply	90-240 VAC, 47-440 Hz
Power consumption	intimus 8000S: During standby: 24 W During charge: 156 W avg. During erase: 60 W Auditor-Pro: 15W
Degausser throughput (per hour)	Erases up to 480 (1.8 in.) hard drives Erases up to 360 (2.5 in.) hard drives Erases up to 60 (3.5 in.) hard drives
Media size / erase area size	31,8 x 108 x 148,6 mm 1.25 x 4.3 x 5.9 in.
Dimensions (HxDxW)	intimus 8000S with Auditor-Pro: 260 x 451 x 463 mm (10.2 x 17.8 x 18.2 in.)
Weight	intimus 8000S with Auditor-Pro: 18,1 kg (44 lbs)
Magnetic field	10,000+ Gauss, 1 Tesla