

PIXMA TS9550

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.



- Compact A3 printer with large touchscreen
- Wireless connectivity with Canon PRINT app and Ethernet capability
- Effortless access to popular cloud storage via PIXMA Cloud Link
- 20-sheet ADF*, 2-way paper feeder and auto 2-sided printing**
- Dedicated pigment black ink for professional documents

*A4/LTR/LGL sizes only

**[A5/A4/LTR size plain paper only]



PRODUCT RANGE



PIXMA TS9550



PIXMA TS9150 Series



PIXMA TS8250 Series

PIXMA TS9550

PIXMA TS9150 Series

PIXMA TS8250 Series

PIXMA TS6250 Series

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS9550

GENERAL SPECIFICATIONS

Model Numbers PIXMA TS9550 (BLACK)
Functions Wireless / Ethernet, Print, Copy, Scan, Cloud Link

PRINTER SPECIFICATIONS

Print Resolution Up to 4800^[1] x 1200 dpi
Print Technology 6 Individual Ink Tanks (PGBK, BK, C, M, Y, PB) ChromaLife100 inks
Mono Print Speed Approx. 15.0 ipm^[2]
Colour Print Speed Approx. 10.0 ipm^[2]
Photo Print Speed Borderless 10x15cm: Approx. 21 seconds^[3]
Borderless Printing Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm, 17.5x25cm, 25x30cm, 30x30cm)
Two Sided Printing Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)
Direct Disc Printing Yes

CARTRIDGES AND YIELDS

Standard Ink Cartridges 5 individual ink tanks
 PGI-580PGBK (Pigment Black)
 CLI-581BK (Black)
 CLI-581C (Cyan)
 CLI-581M (Magenta)
 CLI-581Y (Yellow)
Optional XL Ink Cartridges High yield XL ink tanks
 PGI-580PGBK XL (Pigment Black)
 CLI-581BK XL (Black)
 CLI-581C XL (Cyan)
 CLI-581M XL (Magenta)
 CLI-581Y XL (Yellow)
Optional XXL Ink Cartridges High yield XL ink tanks
 PGI-580PGBK XXL (Pigment Black)
 CLI-581BK XXL (Black)
 CLI-581C XXL (Cyan)
 CLI-581M XXL (Magenta)
 CLI-581Y XXL (Yellow)

Ink Tanks Yield (Plain paper)

A4 Colour Document^[4]
 Pigment Black: 200 pages
 Pigment Black XL: 400 pages
 Pigment Black XXL: 600 pages
 Black: 1451* pages
 Black XL: 3120* pages
 Black XXL: 6360* pages
 Cyan: 256 pages
 Cyan XL: 515 pages
 Cyan XXL: 820 pages
 Magenta: 237 pages
 Magenta XL: 474 pages
 Magenta XXL: 760 pages
 Yellow: 257 pages
 Yellow XL: 514 pages
 Yellow XXL: 824 pages

Ink Tanks Yield (Photo print)

* Estimated supplemental yield
 10x15cm photo^[5]
 Pigment Black: 1263* photos
 Pigment Black XL: 3373* photos
 Pigment Black XXL: 5500* photos
 Black: 231* photos
 Black XL: 520* photos
 Black XXL: 858* photos
 Cyan: 83 photos
 Cyan XL: 170 photos
 Cyan XXL: 282 photos
 Magenta: 108 photos
 Magenta XL: 225 photos
 Magenta XXL: 367 photos
 Yellow: 99 photos
 Yellow XL: 199 photos
 Yellow XXL: 322 photos
 * Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
 Canon High Resolution Paper (HR-101N)
 Canon Pro Platinum (PT-101)
 Canon Plus Glossy II (PP-201)
 Canon Pro Luster (LU-101)
 Canon Plus Semi-gloss (SG-201)
 Canon "Everyday Use" (GP-501)
 Canon Matte (MP-101)
 Envelopes
 Other Fine Art Papers
 Printable Discs
 Removable Photo Stickers (RP-101)
 Magnetic Photo Paper (MG-101)
Maximum Paper Input Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)
 Front Cassette: Max. 100 sheets (plain paper)
 Multi-purpose Tray: Printable Nail Stickers (NL-101)/1 printable CD, DVD or Blu-Ray Disc

Paper Sizes

Rear Tray:
 A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13cm/8.9x8.9cm/10x10cm/17.5x25cm/25x30cm/30x30cm, Envelopes(DL,COM10)
 [Custom size] width 55mm - 215.9 mm, length 89mm - 676mm

Paper Weight

Front Cassette: A4, A5, B5, LTR
 [Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm
 Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m²
 Front Cassette: Plain Paper: 64-105 g/m²

SCANNER SPECIFICATIONS

Scanner Type

Flatbed, ADF and CIS colour scanner

Scanner Resolution (Optical)

2400 x 4800 dpi^[6]

A4 Scan Speed

Approx TBD sec.^[7]

Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit
 Greyscale: 16 bit / 8 bit

Maximum Document Size

Flatbed: A4, LTR (216x297mm)
 ADF: A4, LTR, LGL

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. 19sec^[8]
 sESAT: Approx. 6.5ipm^[8]
 sESAT ADF: Approx. 8.0 ipm^[8]

Multiple Copy

max. 99 pages

Copy Functions

Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy

Copy Zoom

25 - 400% (in 1% increments)
 Fit to page
 A5 to A4, B5 to A4, A4 to A5 and A4 to B5

INTERFACE

Display Type & Size

10.8cm LCD (TFT colour/Touch)

Display Languages

33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese



TECHNICAL SPECIFICATIONS

PIXMA TS9550

Automatic Document Feeder	Up to 20 Sheets (1-sided)
Interface Type - PC / Mac	Hi-Speed USB (B Port) Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n/a Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password Wireless LAN Frequency Band: 2.4GHz
Interface Type - Other	Canon PRINT Inkjet/SELPHY app Bluetooth Message In Print app Nail Sticker app PIXMA Cloud Link Canon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Wireless Direct Access Point Mode LAN/WLAN PictBridge Memory Card Slot Mopria (Android)
Compatible Memory Cards	SD Card, SDHC Card, SDXC Card, miniSD Card*, micro SD Card* mini SDHC Card*, micro SDHC Card*, microSDXC Card* *Using recommended adapter - not supplied
SOFTWARE	
Supported Operating Systems	Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.13
Supported Mobile Systems	iOS, Android, Windows 10 Mobile
Minimum System Requirements	Windows: 3.1GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA
Software Included	MP Driver including Scanning Utility Easy-WebPrint EX (download) ^[9]

PHYSICAL FEATURES

Weight

approx. 9.7kg

Dimensions (W x D x H)

approx. 468 x 366 x 193 mm

Acoustic Noise Levels

approx. 49.5dB(A)^[11]

Recommended Operating Environment

Temperature: 15-30°C

Humidity: 10-80%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 1.2W

(scanning lamp off)

Standby (all ports connected): Approx. 2.0W

(scanning lamp is off)

Time to enter Standby mode: 10min 56sec

Copying: Approx. 14W^[12]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [7] Colour document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- [8] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speeds (ADF) are ESAT in sequence, ISO/IEC 24735. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [9] Easy-WebPrint EX requires Internet Explorer 8 or later
- [10] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [11] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [12] Some colours may not be available in your region.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Live for the story_

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2018

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

PIXMA TS9550

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.

Sales Start Date: Nov 2018



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PIXMA TS9550 BK EUR	2988C008AA	4549292117622

CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
PGI-580 PGBK	2078C001AA	4549292087062
CLI-581 BK	2106C001AA	4549292087079
CLI-581 C	2103C001AA	4549292087086
CLI-581 M	2104C001AA	4549292087093
CLI-581 Y	2105C001AA	4549292087116
XL size		
PGI-580XL PGBK	2024C001AA	4549292086980
CLI-581XL BK	2052C001AA	4549292086997
CLI-581XL C	2049C001AA	4549292087017
CLI-581XL M	2050C001AA	4549292087024
CLI-581XL Y	2051C001AA	4549292087031
XXL size		
PGI-580XXL PGBK	1970C001AA	4549292086836
CLI-581XXL BK	1998C001AA	4549292086874
CLI-581XXL C	1995C001AA	4549292086898
CLI-581XXL M	1996C001AA	4549292086928
CLI-581XXL Y	1997C001AA	4549292086959

Live for the story_

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

PIXMA TS9550

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)
PIXMA TS9550 BK EUR	2988C008AA	EA	Individual	1	550	272.5	484
			Pallet (Upper)	16	1111	1101	972.5
			Pallet (Bottom)	16	1111	1101	972.5

What's in the box?

- All-In-One A3 inkjet printer – PIXMA TS9550
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

Canon

Live for the story_